PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND **DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARDS. DANGER: Strong oxidizing agent. Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted sigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool dry well-ventilated area away from heat or open flame. No not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Securely wrap container in several layers of newspaper and discard in trash.

Chemical Treatment

C₁2185 JUN 26 1995

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione Under the Federal Francisco Pederal Fra Available Chlorine 89.0% Ming. No. 15300 XI

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID (Practical Treatment): If Swallowed: Drink large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

If on Skin: Wash with plenty of soap and water. Get medical attention.

If in Eyes: Hold eyelids open and flush with steady, gently stream of water for at least 15 minutes. Get immediate medical attention.

If Inhaled: Remove person to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get immediate medical attention.

EPA REG. NO. 15300-21

EPA EST. NO. 230-WV-1



CHEMTREAT, INC.

500 Lickinghole Road Ashland, Virginia 23005

EMERGENCY TELEPHONE NO. (800) 424-9300

NET CONTENTS 45 LBS.

EMERGENCY HANDLING: In case of contamination or decomposition do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For Use in Industrial Recirculating Water Cooling Towers, Air Washers & Evaporative Condensers and Bacteria in Brewery Pasteurizers.

Treatment with this product is an effective way to control the growth of bacterial and algae in industrial recirculating water cooling towers, air washers and evaporative condensers.

Badly fouled systems should be cleaned prior to initiating treatment. 1. Initial Dosage - When the system is just noticeably fouled, add 8 oz. of this product per 10,000 gallons of water contained in the system. Repeat this dosage, if necessary, until free available chlorine level (FAC) of 0.5-1.0 ppm is obtained (as determined by use of a reliable test kit).

2. Maintenance Dosage - To obtain a FAC of 0.5-1.0 ppm, add 0.8-1.6 oz. of this product per 10,000 gallons of water daily or as needed.

3. This product should be added to the system at a point where adequate flow is maintained. Variations in water temperature. chlorine demand and flow rate will affect the dissolution rate. Warmer seasons may require an upward adjustment of the FAC.

Air Washers

For use only industrial air water systems that maintain effective mist eliminating components. Hypo-chlorite controls slime forming bacteria and fungi in air washer systems. This product may be added to the system either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend on the severity of the problem.

Badly fouled systems should be cleaned prior to initiating treatment. 1. Initial Dosage - When the system is just noticeably fouled, add 0.4-0,5 lbs. of this product per 10,000 gallons of water contained in the system. Repeat this dosage, if necessary, until a free available chlorine level (FAC) of 0.5-1.0 ppm is obtained (as determined by use of a reliable test kit).

2, Maintenance Dosage - To maintain a FAC of 0.5-1.0 ppm, add 0.8-1.6 oz. of this product per 10,000 gallons of water, daily or as needed.

3. This product should be added to the system at a point where adequate flow is maintained. Variations in water temperature, chlorine demand and flow rate will affect the dissolution rate. Warmer seasons may require an upward adjustment of the FAC.