# 71L

## Rodenucide Act, as amended, for the pesicide regutered under PA Reg. No.

### FOR INDUSTRIAL USE ONL

ACTIVE INGREDIENTS: Sodium pentachlorophenate	
TOTAL PERCENTAGE OF ALL INGREDIENTS	Ю%

## KEEP OUT OF REACH OF CHILDREN DANGER

#### PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

The U.S. EPA has determined that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to sodium pentachlorophenate during pregnancy should be avoided.

DANGER: Corrosive. Causes eye damage and skin irritation. Causes delayed chemical burns. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed.

STATEMENT OF PRACTICAL TREAT ENT: In case of eye contact, flush eyes immediately with plenty of water runat least 15 minutes, and get medical attention. In case of skin contact, wash with soap and plenty of water. Seek medical attention should irritation persist. Wash contaminated clothing before reuse. If swallowed, drink one or two glasses of water and induce vomitting by sticking finger down throat or by giving an emetic such as 2 tablespoons of salt in a glass of warm water. Call a physician. If inhaled, remove victim to fresh air. Get medical attention Call a physician or Poison Control Center. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: This product is a metabolic stimulant. Causes hyperthemia. Treat symptomatically.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where run-off is likely to occur. Do not clean equipment or dispose of equipment wash-waters in a manner that will contaminate water resources. Apply this product only as specified on this label. Do not discharge into takes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your local regional office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: This product is incompatible with oxidizing materials. Decomposition of this product may form hydrogen chloride and/or chlorodibenzo-p-dioxins. This product is non-flammable.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistant with its labeling.

71L is a bactericide and algaecide for bacteria, slime and algae in open recirculating systems.

This product is used only when tower growth becomes visible.

When algae and bacteria-growth become visible, dose with 2 pints of 71L per 50 operating tons. Slug feed directly into the basin of the tower and circulate for 24 hours. Bisedoff valves should be closed. Any tower treatment should be discontinued while using 71L.

This product is to be applied only through the use of a closed-system metering device.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides away from water supplies. Do not reuse empty container. Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers. Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning. In case of spills during shipping and/or storage wear goggles or face shield and rubber gloves and supply adequate ventilation.

The registrant has complied with all terms and conditions of the registration governing the composition of this product as approved by the United States Environmental Protection Agency under Section 3 of the Federal Insecticide, Fungicide, and Rodenticide Act.

> Manufactured by: The Bond Chemical Company, Inc. 620 Island Road West, Ramsey, NJ 07446

EPA REG. NO. 15311-3 LOT#

Type 3MP **NET CONTENTS** Gallons





EPA EST, NO. 15311-NJ-1