

DOUBLE-NOCTIN[®]

PLANTER BOX SEED TREATMENT

FUNGICIDE PLUS
NITROGEN FIXING BACTERIA

Active Ingredient: Captan (N[(trichloromethyl)thio]	
4-cyclohexene-1,2-dicarboximide..	26.32%
Inert Ingredients*	73.68%
	100.00%

*Added Ingredients:	
Graphite.....	15.00%
Microdried Nitrogen Fixing Bacteria	

5 BUSHEL SIZE
FOR
SOYBEANS

Net Weight 1 lb. 3 oz.



Manufactured By
KALO LABORATORIES, INC.
Kansas City, Missouri

EPA Reg. No. 15382-2
EPA Est. No. 15382-IL-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

Harmful if swallowed. Avoid inhaling dust. Wear respirator. Avoid contact with skin, eyes or clothing. May cause irritation of eyes, nose, throat, and skin. Wash with soap and water after handling. In case of contact, flush eyes or skin with plenty of water. If irritation persists, get medical attention. Avoid contamination of feed and food. DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on the label.

ACCEPTED

FEB 19 1976

Under
EPA Reg. No. 15382-2
EPA Est. No. 15382-IL-1

DIRECTIONS FOR USE

DO NOT USE ANY WATER. Use 3.8 ounces of DOUBLE-NOCTIN per bushel of soybean seed. Apply DOUBLE-NOCTIN to seed in planter box and mix so that all seeds are covered. Plant as soon as possible.

USE PRECAUTION

Do not use on land new to soybeans.

STORAGE AND DISPOSAL

This product contains living organisms. STORE IN A COOL (below 70°F), DRY PLACE. Avoid exposure to heat and direct sunlight which may raise temperatures to destructive levels.

The empty package or container and any excess treated seed or wastes should be disposed by burying.

USE BEFORE

(Date)

Lot. No. _____

DOUBLE-NOCTIN is an easy to use soybean seed treatment formulated for planter box application.

DOUBLE-NOCTIN is formulated with a non-cil lubricant to help seed flow easily and evenly from the planter box.

DOUBLE-NOCTIN furnishes 1.0 ounce of Captan per bushel to protect against seed and soil-borne diseases, such as seedling blights, damping-off and seed decay organisms.

DOUBLE-NOCTIN contains microdried nitrogen fixing bacteria

CONDITIONS OF SALE

KALO LABORATORIES, INC. warrants that this material conforms to its label description and is reasonably fit for use if used strictly in accordance with label directions. KALO LABORATORIES, INC. warrants that this material contained at the time of shipment sufficient nitrogen fixing bacteria to inoculate the type and quantity of seeds specified on the label. Neither Kalo nor Seller makes any other warranty, expressed or implied, as to MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. Since storage, weather, soil and plant conditions, farming practices and other factors beyond Kalo's control may adversely affect nodulation and crop yield even when this material is used in accordance with label directions, Buyer assumes all risks incident thereto. In any event, Kalo's and Seller's liability shall be limited to return of the purchase price.