

[15382-5]

11-21-69

15382-5 PATENTED

CONTENTS — 1 PINT

# Pyrellin E. C.

U. S. PATENT NO. 3186903

EMULSIFIABLE CONCENTRATE AGRICULTURAL INSECTICIDE

WARNING: Keep out of reach of children.

SEE ADDITIONAL PRECAUTIONS BELOW

**ACTIVE INGREDIENTS:**

Pyrethins	0.60%
Rotenone	0.50%
Other Cube Resins	0.50%

<b>INERT INGREDIENTS</b>	<b>98.40%</b>
--------------------------	---------------

**DIRECTIONS FOR USE**

For control of aphids on spinach, lettuce, turnips, beans, peas, cabbage, cauliflower, broccoli, Brussels sprouts, eggplant, celery, cucurbits, peppers, tomatoes, use Pyrellin at rates of 1 pt. to 2 pts. per 100 gals. of water or per acre and cover foliage thoroughly. Make first application when aphids appear and continue as needed on 5-7 day schedule.

For mite control on strawberries, use Pyrellin at 1 pt. to 2 pts. per 100 gals. of water and spray as needed for control.

For control of aphids on apples, peaches, pears, ornamentals, citrus, use PYRELLIN at 1 pt. to 2 pts. per 100 gals. of water and spray as needed for control.

For control of loopers on cabbage, broccoli, cauliflower, lettuce, use Pyrellin at rate of 1 pt. to 2 pts. per 100 gals. of water or per acre. Good coverage is essential to best control. Begin treatments when adults are noted and continue treatments on 5-7 day schedule.

For control of aphids, tarnished plant bugs, leafhoppers, Colorado potato beetles on potatoes, apply Pyrellin at rate of 1 pt. to 2 pts. per 100 gals. of water or per acre. Cover foliage thoroughly.

For control of leafhoppers, aphids and loopers on alfalfa and clover, apply Pyrellin at rate of 1 pt. to 2 pts. per 100 gals. of water or per acre as needed. Cover foliage thoroughly.

Do not use within one day of harvest.

Nationwide Chemical Corp. makes no warranty, expressed or implied, including the merchantability and/or fitness for any particular purpose concerning this material, except those which are contained on Nationwide Chemical Corporation's label.

**NATIONWIDE  
CHEMICAL CORPORATION**

P. O. Box 775 2409 Fowler St

Fort Myers, Florida

T. M. REG

USDA REG. # 6044-4

[15382-5]

11-21-69  
MONOMIC POISON INSECTICIDE  
UNDER NO. 15382-5

CONTENTS — 1 PINT

# Pyrellin E. C.

U. S. PATENT NO. 3186903

EMULSIFIABLE CONCENTRATE AGRICULTURAL INSECTICIDE

**ACTIVE INGREDIENTS:**

Pyrellin 0.60

Emulsifier 0.50

Surfactant 0.50

**INERT INGREDIENTS**

0.40

For control of aphids on spinach, lettuce, turnips, beans, peas, cabbage, cauliflower, broccoli, Brussels sprouts, eggplant, celery, cucurbits, peppers, tomatoes, use Pyrellin at rates of 1 pt. to 2 pts. per 100 gals. of water or per acre and cover foliage thoroughly. Make first application when aphids appear and continue as needed on 5-7 day schedule.

For mite control on strawberries, use Pyrellin at 1 pt. to 2 pts. per 100 gals. of water and spray as needed for control.

For control of aphids on apples, peaches, pears, ornamentals, citrus, use PYRELLIN at 1 pt. to 2 pts. per 100 gals. of water and spray as needed for control.

For control of loopers on cabbage, broccoli, cauliflower, lettuce, use Pyrellin at rate of 1 pt. to 2 pts. per 100 gals. of water or per acre. Good coverage is essential to best control. Begin treatments when adults are noted and continue treatments on 5-7 day schedule.

For control of aphids, tarnished plant bugs, leafhoppers, Colorado potato beetles on potatoes, apply Pyrellin at rate of 1 pt. to 2 pts. per 100 gals. of water or per acre. Cover foliage thoroughly.

For control of leafhoppers, aphids and loopers on alfalfa and cover, apply Pyrellin at rate of 1 pt. to 2 pts. per 100 gals. of water or per acre as needed. Cover foliage thoroughly. Do not use within one day of harvest.

**NATIONWIDE  
CHEMICAL CORPORATION**