DIRECTIONS FOR USE

ONE OUNCE MEASURING SCOOP ENCLOSED

Seed Treatment: This material is a special powder formulation for the treatment of seeds, prior to planting, for the temporary protection of the germinating seeds and seed-lings of corn and soybean against seed and soil-borner diseases, including damping off, seed decay organisms and seedling blights and from resistant seed corn maggots, and resistant seed corn beetles.

Planter Box Application: Prepared for use directly in the planter box, or may be mixed in any commercial seed treater, barrel treater, or rotating container such as a cement mixer. Best protection will be obtained where every seed is coated with the chemical. DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSE

Keep Planter Plates Clean: Grease or oil on plates can cause cogging.

*Note: Captan-Dazinon Seed Protectant has been mixed with graphite as an aid in safe handling and lubrication of equipment.

TREATMENT OF SMALL LOTS OF SEEDS

Dry — or Planter Box — Treatment

Corn Soybeans — 4 to 6 oz per bushel

Corn, Soybeans — 4 to 6 oz. per bushel

If the temperature is high and soil moisture is low, reduce dosage by half, especially for midseason planting.

Bags containing treated seed should bear a tag or label indicating thereon that the seed has been treated and should not be used for food, feed or oil purposes. Empty bags which contained treated seeds should not be re-used for packing feed or food.

WARNING: May Be Fatal If Swallowed. May Be Absorbed Through The Skin. Do not breathe dust. (Where the material is applied to seeds dry as a powder, work in a well ventilated room.) Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.

This product is toxic to fish and wildlife. Keep out of any body of water. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Dispose of excess treated seeds by burial. Apply this product only as specified on this label.

Do not reuse this container. Destroy by burying or burning. Keep out of smoke.

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

SEED-Q

CAPTAN - DI

SEED PROTECTANT AI

Planter Box Appli with GRAPHITE* Ac

FOR SEED DISEASE AND SEE

"ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-4-methyl-6-pyrimic Captan (N-trichloromethylthio-4-cyclohexene-1; INERT INGREDIENTS:

PRIDUCT TRAMIFERED July 22 1976 15382

ACCEPTED

UNDER THE FEDERAL INSECTICIDE

FUNGICIDE AND RODENTICIDE ACT

FOR ECONOMIC POISON REGISTER-

1973

JAN 4

ED UNDER NO

KEEP OUT OF REACH

May Be Fatal If Swallowed. May Skin. See Back Panel for Addit

PROTECT FROM EXCESSIVE HEAT - STO

NET WEIGHT 1

ECONOMY PRODUCTS (
SHENANDOAH, IOW

EPA Reg. No. 3770-244

199B-MREPCO

RECTIONS FOR USE

UNCE MEASURING SCOOP ENCLOSED

erial is a special he treatment of or the temporary g seeds and seedagainst seed and ng damping off, edling blights and maggots, and re-

epared for use dimay be mixed in er, barrel treater. s a cement mixer. ained where every nemical. DO NOT OR FOOD, FEED

Grease or oil on

ed Protectant has as an aid in safe equipment.

LOTS OF SEEDS — Treatment oz. per bushel

nd soil moisture is

Bags containing treated seed should bear a tag or label indicating thereon that the seed has been treated and should not be used for food, feed or oil purposes. Empty bags which contained treated seeds should not be re-used for packing feed or food.

WARNING: May Be Fatal If Swallowed. May Be Absorbed Through The Skin. Do not breathe dust. (Where the material is applied to seeds dry as a powder, work in a well ventilated room.) Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.

This product is toxic to fish and wildlife. Keep out of any body of water. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Dispose of excess treated seeds by burial. Apply this product only as specified on this label.

Do not reuse this container. Destroy by burying or burning. Keep out of smoke.

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or especially for mid- property arising out of use or handling and accepts the product on these conditions.

CAPTAN - DIAZINON

ACTIVE INGREDIENTS:

SEED PROTECTANT AND LUBRICANT

SEED-CUX

Planter Box Application with **GRAPHITE*** Added

FOR SEED DISEASE AND SEED INSECT CONTROL

ACCEPTED

JAN 4 1973

UNDER THE FEDERAL INSECTICIDE

FUNGICIDE AND RODENTICIDE ACT

FOR ECONOMIC POISON REGISTER-

ED UNDER NO STATES

PROduct TRANGERED July 22 1976 15382 KEEP OUT OF REACH OF CHILDREN

Captan (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide) 12.50% INERT INGREDIENTS: 54.16%

WARNING

May Be Fatal If Swallowed. May Be Absorbed Through Skin. See Back Panel for Additional Warnings.

O,O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate 33.34 %

PROTECT FROM EXCESSIVE HEAT - STORE IN A COOL, DRY PLACE

NET WEIGHT 1 LB.

Manufactured by ECONOMY PRODUCTS COMPANY, INC. SHENANDOAH, IOWA 51601

199B-MPEPCO