# MARKS TECHNICAL DICHLORPROP-P 2-ETHYLHEXYL ESTER

(+)-(R)-2-(2,4-dichlorophenoxy) propionic acid 2-ethylhexyl ester

# FOR USE ONLY IN FORMULATING HERBICIDES

Formulators using this technical material are responsible for obtaining EPA registration of their end-use products.

# Keep Out of Reach of Children

# WARNING

See side panel for additional precautionary statements and Statement of Practical Treatment

## ACTIVE INGREDIENT:

(+)-(R)-2-(2,4-dichlorophenoxy) propionic acid 2-ethylhexyl ester*	92.0%
INERT INGREDIENTS:	8.0%
TOTAL -	100.0%

\*2.4-DP-p Acid equivalent: 62.3% by weight

# **NET CONTENTS 200 LITERS**

Produced by: A.H. MARKS & COMPANY, LTD. West Yorkshire, England EPA Reg. No. 15440-55 EPA Est. No. 15440-EN-1

05.22.00

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into a herbidde for the following uses: (1) on golf courses or domestic lawns, commercial, industrial or athletic turf, highways and utility rights-of-ways. (2) uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and (3) uses for experimental purposes that are in compliance with USEPA requirements.

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: WARNING - Causes substantial but temporary eye injury or skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Harmful if inhaled.

## STATEMENT OF PRACTICAL TREATMENT (SOPT):

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

Probable mucosal damage may contraindicate the use of gastric lavage.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

JUN 1 3 2000

ACCEPTED

Under the Federal Insecticide. Fungicide, and Rodenticide Act, as amended, for the posticide registered under EPA Reg. No. 15440-35

#### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open burning and dumping is prohibited. Do not reuse empty container.

STORAGE: Store in original container separate from other pesticides, fertilizers, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty drum and triple rinse. Offer for recycling or reconditioning or dispose in a sanitary landfill or by other State and local procedures.

file: dppehet.lab rev. 05.22.00