

[1542-1]

# SUN INSECTICIDE SPRAY 0.25%

## DIRECTIONS FOR USE

A NEW SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING:

**FLYING AND CRAWLING INSECTS, HOUSEFLIES, MOSQUITOES, GNATS, ROACHES, ANTS, EARWIGS, SPIDERS, GRAIN MITES, SOWBUGS, AND CENTIPEDES**


### ACTIVE INGREDIENTS:

*105-Benzyl-3-turyl(methyl 2,2-dimethyl-3-(2-methylpropenyl)propionic carboxylate	0.250%	w/w
Related compounds	0.034%	
Aromatic petroleum hydrocarbons	0.331%	
Petroleum distillate	99.375%	
INERT INGREDIENTS:	0.010%	
	100.000%	

\*cis:trans isomers ratio: max. 30% cis and min. 70% trans.  
†U.S. Patent No. 3,465,007

NET VOLUME 55 GALLONS

FLAMMABLE



For use in hotels, motels, homes, institutions, packaging and processing plants, seed houses, and horse stables.

**SPACE SPRAY** — To kill flies, mosquitoes and gnats. Close room or area to be treated. Shut off air-conditioner and ventilator system. Seal all open vents. Cover all food handling surfaces and cover or remove all food. Remove fish and pets. Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist space spray, at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one half hour. Do not remain in treated areas after treatment is completed. Ventilate thoroughly before re entry.

**CONTACT SPRAYS** — For control of roaches, ants, earwigs, grain mites, sowbugs, spiders and centipedes — Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices, in floors, baseboards, around pipes, behind cabinets and other harbourages. Spray these infested areas until thoroughly wet. Repeat as necessary.

EPA Reg. No. 15442-1

## CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes. Avoid breathing mist.

Remove fish, birds and other pets from area to be sprayed. Extinguish open flame before space spraying. This formulation is combustible. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Do not reuse empty container. Destroy by perforating or crushing in a safe place away from water supplies.

