

[15442-2]

SUN INSECTICIDE SPRAY 0.10 %

DIRECTIONS FOR USE

A NEW SYNTHETIC PYRETHROID FOR CONTROLLING
HOUSEHOLD FLYING INSECTS


ACTIVE INGREDIENTS:

*1(5-Benzyl-3-furylmethyl 2,2-dimethyl 3-(2-methylpropenyl)ethylpropane carboxylate	0.100%	w/w
Related compounds	0.014%	
Aromatic petroleum hydrocarbons	0.132%	
Petroleum distillate	99.750%	
INERT INGREDIENTS:	0.004%	
	100.000%	

*Cis trans isomers ratio: max. 30% (±)cis and min. 70% (±)trans.
*U.S. Patent No. 3,465,007

FLAMMABLE

NET VOLUME 55 GALLONS



FOR HOUSEFLIES, MOSQUITOES AND GNATS: Close windows and doors. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

EPA Reg. No. 15442-2

LOT NO.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes. Avoid breathing mist.

Remove fish, birds and other pets from area to be sprayed. Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Do not reuse empty container. Destroy by perforating or crushing in a safe place away from water supplies.

