cleaner, designed for hospital use. This disinfectant toilet bowl cleaner is especially formulated to kill many germs commonly found in hospital, industrial and institutional environments. CLING-IN-CLEAN 1 is designed for use in toilet bowls and urinals. PUS CLING-IN-CLING contains an acid compatible detergent

CUIX -N C CONTains an acid compatible detergent system that removes resistant stains and increases its disinfectant action.

When used as directed, CUM-N CUM Cleans, disinfects and deodorizes in one easy step.

Precautionary Statements
Hazardous to Humans and Domestic
Animals

## **DANGER**

Corrosive: Keep Out of Reach of Children. Causes eye and skin damage (or skin irritation); produces chemical burns. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Do not breathe vapor or fumes. May be harmful or fatal if swallows.

### Storage and Disposal

- Do not contaminate water, food, or feed by storage disposal.
- -Do not store on side.
- -Avoid creasing or impacting of side walls.

#### PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or recondiining or puncture and dispose of in a sanitary landt..., or inineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. (If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

# -CLING-N-CLEAN PLUS -

High Acid Disinfectant Toilet Bowl Cleaner
With Organic Soil Tolerance
For Hospital-Institutional-Industrial Use
Based on a Synergistic Combination of
Quaternary Ammonium Compounds
And an Acid Compatible Detergent System
Disinfects-Cleans-Deodorizes
Removes Stains and Hard Water Deposits

### **Active Ingredients**

| Octyl decyl dimethyl ammonium chloride | 0.2250%   |
|--|-----------|
| Dioctyl dimethyl ammonium chloride     | 0.1125%   |
| Didecyl dimethyl ammonium chloride     | 0.1125%   |
| Alkyl (C14, 50%; C12, 40%; C16, 10%)   |           |
| dimethyl benzyl ammonium chloride      | 0.3000%   |
| Hydrogen Chloride                      | 9.6000%   |
| Inert Ingredients                      | 89.6500%  |
|  | 100.7000% |
|  |           |

# KEEP OUT OF REACH OF CHILDREN

# DANGER STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician immediately. Drink a teaspoonful or more of milk of magnesia or a cup of soapy water followed with milk or raw egg whites.

Eye Contact: Wash with water for 15 minutes. Get prompt medical attention.

Skin Contact: Wipe off the acid gently, immediately flood the surface with water, using soap freely, then cover with moist magnesia or baking soda.

# SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

15567-X

EPA Establishment No.

75567-MA-1

### **Net Contents**

MANUFACTURED BY

OREATINE CHEMICALS, ENC
3 CHURCH ST. P.O. BOX 411

PALMER, INA- 0/069 (+4/3) 283-9778

For Sale For Use And Storage by

Maintenance Personnel Only

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Flush toilet. Add 3 fluid oz. (6 tablespoons) directly to water in toilet bowl (% gallon). Brush to cover all interior surfaces of the bowl including under the rim. Allow disinfectant solution to remain at least 10 minutes. Flush toilet.

For heavily soiled areas, a preliminary cleaning may be required

To clean badly stained bowls, reneal above treatment using 5 to 6 fluid ounces of CUAL - N - CEAN PLO. For use in urinals, add 3 fluid oz (6 tablespoons) to 34 gallon of water. Apply by brush to all urinal surfaces Treated surfaces must remain wet for 10 minutes. Flush The broad spectrum efficacy of CUAL N CEAN to tolet bowls and urinals has been evaluated in the pres of 5% serum and found to be effective against the lowing organisms by the AOAC Use-Dilution test:

Pseudomonas aeruginosa Slaphylococcus aureus Salmonella choleraesuis Escherichia coli Salmonella typhosa Serratia marcescens Shigella dysenteria Streptococcus laecalis

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP121988

1900 the Federal Investibility to make the percentility to antique of the percentility to the

7.8

P