



**DANGER**  
**POISON—PRECAUTIONS**

**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



**CAN KILL YOU IF BREATHED**

This product can kill you if vapors, spray mist or dust are breathed.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoffs is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply only as specified on this label.

**CAUTION: DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.**

**DESTROY EMPTY CONTAINER  
NEVER RE-USE**

Completely empty contents and bury unused chemical 18 inches deep in an isolated location away from water supplies

**GLASS CONTAINER:** Break container and bury 18 inches deep.

**METAL CONTAINERS:** 1-Gal. Can — Pour 1 qt. of water into empty can. Add 1 tablespoon of household detergent. Rotate can carefully until all inner surfaces are wet. Bury rinse solution 18 inches deep. Punch holes in top and bottom of container, crush and bury. 5-Gal. Drum — Pour 2 qt. of water into empty container. Slowly add 1/2 cup caustic soda (lye) and 2 table-



**METHYL PARATHION 4 EMULSIVE  
(INSECTICIDE)**

**NET CONTENTS 5 GALS.  
LIQUID**

Active Ingredients	3v Wt.
O, O-dimethyl O-p-nitrophenyl thiophosphate	45.00%
Aromatic Petroleum Derivative Solvent	49.75%
Inert Ingredients	5.25%

Contains 4 lbs. Methyl Parathion per gallon.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.**

**KEEP COOL IN SHADE. OUT OF DIRECT SUNLIGHT. WASH EMPTY CONTAINER WITH ALKALI AND DESTROY. NEVER RE-USE**

**DIRECTIONS**

Southland Methyl Parathion 4 Emulsive is especially formulated for the control of Greenbugs (Aphids) on Grains, Cotton and Alfalfa.

**USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS WATER PER ACRE UNLESS OTHERWISE NOTED:**

**GROUND APPLICATION—Vegetable and Field Crops—30 to 250 gals. Cotton—3 to 20 gals. Where Recommended for AIR APPLICATION — Field Crops — 3 to 10 gals.**

**POISON SIGNS (Symptoms)**

PARATHION IS A VERY DANGEROUS POISON. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

**USE ONLY WITH PROTECTIVE**

- (1) Wear water-proof overshoes.
- (2) Wear approved by the U.S. Dept. of Labor.
- (3) Wear heavy duty gloves.
- (4) Wear heavy duty boots.

W

Keep all unprotected area or where there

Do not rub eyes or STOP work and go to clinic or hospital—exposed to parathion is given (see First Aid). Come, take victim to

**IMPORTANT!** Before using water. Always wash before smoking, eat

**AFTER WORK,** take using soap and water. Do not wear clothing and protective use. Respirator should to instructions include

**+ FIF**

Call a doctor (physician) that the victim has condition.

If breathing has and maintain until awake (conscious) sticking finger do water to drink. Remain mouth to an unconscious quiet. See doctor

In case of contact water for at least 15 min and shoes. See

**NO TREATMENT**

Antidote—administer FOUR mg. intravenously is overcome. Repeat atropinization as needed. MORPHINE OR 1 mg. esterase inhibitor systems and provide first sign of pulmonary mental oxygenation of the patient



**ANTIDOTE:** If Swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. **CALL A PHYSICIAN IMMEDIATELY!** Note to Physicians: Atropine is Antidotal. If On Skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

**DANGER:**

**KEEP OUT OF REACH OF CHILDREN**

**DO NOT INHALE**

**DO NOT GET ON SKIN**

**DO NOT TAKE INTERNALLY**

**DANGER:**

Poisonous If Swallowed, Inhaled, or Absorbed Through Skin! Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Rapidly Absorbed Through Skin! Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not store or transport with feed or food. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME** Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption

This product is toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label

**NOT FOR HOME USE**

# METHYL PARATHION 4 EMULSIVE (INSECTICIDE)

Keep all unprotecte  
area or where there i  
  
Do not rub eyes or n  
STOP work and get  
clinic or hospital—in  
exposed to parathio  
is given (see First Ai  
come, take victim to

DO NOT SWALLOW



### CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



### CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

### POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoffs is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply only as specified on this label.

**CAUTION: DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.**  
**DESTROY EMPTY CONTAINER**  
**NEVER RE-USE**

Completely empty contents and bury unused chemical 18 inches deep in an isolated location away from water supplies  
**GLASS CONTAINER:** Break container and bury 18 inches deep.

**METAL CONTAINERS:** 1-Gal. Can — Pour 1 qt. of water into empty can. Add 1 tablespoon of household detergent. Rotate can carefully until all inner surfaces are wet. Bury rinse solution 18 inches deep. Punch holes in top and bottom of container, crush and bury. 5-Gal. Drum — Pour 2 qt. of water into empty container. Slowly add 1/2 cup caustic soda (lye) and 2 table- spoons household detergent. Then proceed as for 1-gal. container. 30-Gal. Drum — Same as for 5-gal. drum except use 3 gal. water, 1 lb. lye, and 1/2 cup detergent for rinsing. 55-Gal. Drum — Same as for 5-gal. drum except use 5-gal. water, 2 lb lye, and 1 cup detergent for rinsing.

Do not get rinse solution on hands, clothing, or in eyes. In case of contact, immediately wash with soap and water.

NET CONTENTS 5 GALS.  
LIQUID

Active Ingredients	Jv Wt.
O, O-dimethyl O-p-nitrophenyl thiophosphate . . . . .	45.00%
Aromatic Petroleum Derivative Solvent . . . . .	49.75%
Inert Ingredients . . . . .	5.25%

Contains 4 lbs. Methyl Parathion per gallon.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

**KEEP COOL IN SHADE. OUT OF DIRECT SUNLIGHT.**  
WASH EMPTY CONTAINER WITH ALKALI AND DESTROY.  
NEVER RE-USE

### DIRECTIONS


Southland Methyl Parathion 4 Emulsive is especially formu- lated for the control of Greenbugs (Aphids) on Grains, Cot- ton and Alfalfa.

**USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS WATER PER ACRE UNLESS OTHERWISE NOTED:**  
**GROUND APPLICATION—Vegetable and Field Crops—30 to 250 gals. Cotton—3 to 20 gals.**  
**Where Recommended for AIR APPLICATION — Field Crop — 3 to 10 gals.**

### POISON SIGNS (Symptoms)

PARATHION IS A VERY DANGEROUS POISON. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed per- sons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.



**ANTIDOTE:** If Swallowed. Give a tablespoonful of salt in a glas warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. **CALL A PHYSI- CIAN IMMEDIATELY!** Note to Physicians: Atropine is Antidotal. If On Skin. In case of contact, remove con- taminated clothing and immediately wash skin with soap and water.

**DANGER:**  
**KEEP OUT OF REACH OF CHILDREN**  
**DO NOT INHALE**  
**DO NOT GET ON SKIN**  
**DO NOT TAKE INTERNALLY**

**DANGER:** Poisonous if Swallowed, Inhaled, or Ab- sorbed Through Skin! Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Rapidly Ab- sorbed Through Skin! Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of con- tact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all co- ntaminated clothing with soap and hot Water before reuse. Keep all unp- ected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not store or transport with feed or food. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.** Do not apply under condi- tions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product is toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

## NOT FOR HOME USE

**IMPORTANT!** Before water. Always wash before smoking, eati  
  
**AFTER WORK,** take using soap and well job. Do not wear cor ing and protective e use. Respirator shou to instructions includ

### + FIRE!

Call a doctor (physi that the victim has t condition.

If breathing has st and maintain until dr awake (conscious) i sticking finger dow water to drink. Repe mouth to an unconq quiet. See doctor im

In case of contact, water for at least 15 ing and shoes. See c

### NO TREAT

Antidote—administe FOUR mg. intravenc is overcome. Repe atropinization appe be administered in MORPHINE OR TR/ esterase inhibitor s systems and produ first sign of pulmona mental oxygen and tion of the poison reported after initial OF THE PATIENT IS

### POS

Consult your State ment Station regardi



# METHYL PARATHION 4 EMULSIVE (INSECTICIDE)

CONTENTS 5 GALS.

Ingredients	3v Wt.
Methyl O-p-nitrophenyl thiophosphate	45.00%
Petroleum Derivative Solvent	49.75%
Others	5.25%

Contains 4 lbs. Methyl Parathion per gallon.

READ LABEL. USE STRICTLY IN ACCORDANCE WITH DIRECTIONS, WARNINGS AND DIRECTIONS, AND REGULATIONS. DO NOT CONCENTRATE OR DILUTE INTO FOOD OR CONTAINERS.

KEEP IN SHADE. OUT OF DIRECT SUNLIGHT. EMPTY CONTAINER WITH ALKALI AND DESTROY. NEVER RE-USE

### DIRECTIONS

Methyl Parathion 4 Emulsive is especially formulated for control of Greenbugs (Aphids) on Grains, Cotton, and Alfalfa.

**SIGNIFIED AMOUNT OF PRODUCT IN FOLLOWING GALLONS WATER PER ACRE OTHERWISE NOTED:**

**APPLICATION—Vegetable and Field**  
30 to 250 gals. **Cotton—3 to 20 gals.**  
**Recommended for AIR APPLICATION —**  
10 to 15 gals. — 3 to 10 gals.

### POISON SIGNS (Symptoms)

THIS IS A VERY DANGEROUS POISON. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with material must be removed immediately. Exposed persons should receive prompt medical treatment or they may die.

The signs and symptoms of poisoning are: Headache, dizziness, nausea, vomiting, blurred vision, pin-point pupils, weakness, and loss of consciousness.

## POISON

**ANTIDOTE:** If Swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. **CALL A PHYSICIAN IMMEDIATELY!** Note to Physicians: Atropine is Antidotal. **If On Skin.** In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

**DANGER:**  
KEEP OUT OF REACH OF CHILDREN  
DO NOT INHALE  
DO NOT GET ON SKIN  
DO NOT TAKE INTERNALLY

**DANGER:** Poisonous If Swallowed, Inhaled, or Absorbed Through Skin! Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Rapidly Absorbed Through Skin! Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not store or transport with feed or food. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.** Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption

This product is toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for Parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

### + FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

### NOTE TO PHYSICIAN TREAT SYMPTOMATICALLY

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**ALFALFA:** Spotted Alfalfa Aphid—½ to ¾ pint per acre in water to cover. Alfalfa Weevil Larvae—¼ pint per acre in water to cover. Apply by ground or air when buds and shoots first appear ragged or when larvae count first reach 25 per sweep. Do not apply within 15 days of harvest or grazing.

**CORN:** Corn Rootworm Adult—½ pint per acre in water to cover. Repeat applications as necessary. Workers entering fields on the day of application should wear protective clothing. Do not use within 12 days of harvest.

**COTTON:** Aphids, Red Spider Mite, Cotton Fleahopper—½ pint in sufficient water to cover 1 acre. Repeat applications as necessary. Do not apply within 7 days of hand-picking. Workers entering fields within 24 hours of application should wear protective clothing.

**GRAINS [Wheat, Oats, Barley]:** Greenbug [Aphid]—½ to ¾ pint per acre in sufficient water to cover. Repeat as necessary. Do not apply within 15 days of harvest.

**CONDITIONS OF SALE:** 1. Southland Agricultural Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Southland neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.


2. Critical and unforeseeable factors beyond Southlands control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability [except those assumed by Southland under 1 above] resulting from handling, storage and use of this material.

EPA Reg. No. 15575-11

EPA Establishment No. 15575AL01

## NOT FOR HOME USE

### POST TREATED AREA



# (INSECTICIDE)

CONTENTS 5 GALS.

3v Wt.	
O-p-nitrophenyl thiophosphate	45.00%
Isobutyl Alcohol Derivative Solvent	49.75%
	5.25%

Contains 4 lbs. Methyl Parathion per gallon.

**LABEL. USE STRICTLY IN ACCORDANCE WITH ALL STATE AND FEDERAL REGULATIONS. KEEP IN ORIGINAL CONTAINER. DO NOT DILUTE OR DILUTE INTO FOOD OR FEEDSTUFFS.**

**KEEP OUT OF DIRECT SUNLIGHT. DESTROY CONTAINER WITH ALKALI AND DESTROY. NEVER RE-USE**

## DIRECTIONS

**Methyl Parathion 4 Emulsive is especially formulated for control of Greenbugs (Aphids) on Grains, Cotton, etc.**

**APPROXIMATE AMOUNT OF PRODUCT IN FIFTY GALLONS WATER PER ACRE UNLESS OTHERWISE NOTED:**

**APPLICATION—Vegetable and Field Crops—250 gals. Cotton—3 to 20 gals. Recommended for AIR APPLICATION — 250 gals — 3 to 10 gals.**

## POISON SIGNS (Symptoms)

**THIS IS A VERY DANGEROUS POISON.** It rapidly enters the body on contact with all skin surfaces and eyes. Clothing and other material must be removed immediately. Exposed persons should receive prompt medical treatment or they may die.

Signs and symptoms of poisoning are: Headache, dizziness, tingling, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, watering of eyes, drooling or frothing of mouth and spasms and coma.



**ANTIDOTE: If Swallowed.** Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. **CALL A PHYSICIAN IMMEDIATELY! Note to Physicians: Atropine is Antidotal. If On Skin.** In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

## DANGER:

KEEP OUT OF REACH OF CHILDREN

**DO NOT INHALE  
DO NOT GET ON SKIN  
DO NOT TAKE INTERNALLY**

## DANGER:

Poisonous If Swallowed, Inhaled, or Absorbed Through Skin! Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Rapidly Absorbed Through Skin! Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Keep all unexposed persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not store or transport with feed or food. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.** Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product is toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

# NOT FOR HOME USE

clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

## + FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

**If breathing has stopped,** start artificial respiration immediately and maintain until doctor sees victim. **If swallowed** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

**In case of contact,** immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

## NOTE TO PHYSICIAN TREAT SYMPTOMATICALLY

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

## POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**Cotton Fleashepper—**½ pint in sufficient water to cover 1 acre. Repeat applications as necessary. Do not apply within 7 days of hand-picking. Workers entering fields within 24 hours of application should wear protective clothing.

**GRAINS [Wheat, Oats, Barley]: Greenbug [Aphid]—**½ to ¾ pint per acre in sufficient water to cover. Repeat as necessary. Do not apply within 15 days of harvest.

**CONDITIONS OF SALE:** 1. Southland Agricultural Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Southland neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Southlands control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability [except those assumed by Southland under 1 above] resulting from handling, storage and use of this material.

EPA Reg. No. 15575-11

EPA Establishment No. 15575AL01

