

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS  
WARNING**

Hazardous if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

**PHYSICAL AND CHEMICAL HAZARDS  
STRONG OXIDIZING AGENT:**

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not mix this product with any other chemical or gross filth. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

**DIRECTION FOR USE:**

It is violation of a federal law to use this product in a manner inconsistent with its labeling.

TROY 1626 WASH SANITIZER is recommended for use in either immersion or spray machines to sanitize and clean eggs prior to sale as incubation eggs. This formulation can be used for commercial eggs if followed by a potable water rinse. TROY 1626 is also recommended for use in sanitizing dishes, glasses, food processing equipment and utensils, including dairy and brewery equipment and utensils.



**1626**

**WASH SANITIZER**

**ACTIVE INGREDIENT**  
Sodium dichloro-s-triazinetriene dihydrate 28%  
**INERT INGREDIENTS** 72%  
(AVAILABLE CHLORINE . . . 15.8%)

EPA Registration No. 15596-7  
EPA Establishment No. 15596-OH-1

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**FIRST AID:**

If swallowed feed gruel or cooked cereal followed by olive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothes until washed. In case of eye contact wash with water for about 15 minutes and consult a physician.

Manufactured for Industrial Use Only  
TROY CHEMICAL INDUSTRIES INC.  
Burton, Ohio 44021

**FOR EGG WASH:** Dissolve 1 or 2 oz. of TROY 1626 WASH SANITIZER per 10 gal. of warm (125°F) water. This provides 100 or 200 ppm of available chlorine respectively. For immersion treatment, dip a basket of eggs in the 200 ppm available chlorine solution, hold for two or three minutes, remove, rinse with potable water and dry. With a conveyor type machine, spray with the 100 ppm available chlorine solution and follow with a potable water rinse.

**FOR DISHES, GLASSES, FOOD PROCESSING EQUIPMENT AND UTENSILS:** Dissolve 1 or 2 oz. of TROY 1626 WASH SANITIZER per 10 gal. of warm (125°F) water. This provides 100 to 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then dip the items to be sanitized in solution and hold for 2 or 3 minutes. Remove, rinse with potable water and dry. The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, and food processing equipment and utensils. Rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional TROY 1626 should be added, to maintain a minimum concentration of 100 ppm available chlorine.

**STORAGE AND DISPOSAL:**

Store in a cool, dry area away from direct sunlight or heat. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in approved landfill area. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

NET CONTENTS: 100 lb. (1)  
450 lb.

24