

TROY 1630

Low Foam Acid Sanitizer Cleaner
for
Institutional, Food, Meat, Dairy
and
Other Farm Use

ACCEPTED
with COMMENTS
in EPA Letter Dated:

15596-8
OCT 2 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, TROY 1630 is registered under EPA Reg. No.

Active Ingredients

Polyethoxypolypropoxypolyethoxyethanol-iodine complex 25.0%
(Providing 3.5% titratable iodine)

Inert Ingredients

75.0%
100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Statement of Practical Treatment

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosa damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Registration No. 15596-8

EPA Establishment No. 15596-001

Net Contents

Manufactured by:

TROY CHEMICAL INDUSTRIES, INC.
17040 Rapids Rd., Burton, OH 44021
**FOR SALE FOR USE AND STORAGE
BY MAINTENANCE PERSONNEL ONLY**

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Apply TROY 1630 to a pre-cleaned surface with a 400-psi mechanical spray device or by dipping. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 2 minutes. Fresh solution should be prepared daily or when use solution becomes cloudy or dirty.
When circulating sanitizer solution through CIP system, allow at least 5 minutes contact.

Sanitizing - Meat, Dairy and Food Processing Equipment and utensils. Remove heavy soils by flushing, scraping or brushing.

Food and Beverage Sanitization Procedures

Beverage Plants: Thoroughly rinse bottling and draft dispensers with water. Drain thoroughly and fill equipment with 25 ppm solution. Refer to use solution chart. Just before resuming operation flush the 25 ppm solution from equipment with potable water. When changing over between soft drink flavors, rinse with water, flush with 25 ppm solution. Drain and allow to air dry.

Bottles and Cans: Rinse in water then in use solution. Rinse in concentrations of 30 ppm titratable iodine. See solution chart.

Storage Tanks: After washing use 25 ppm solution. After beer fermentation and holding tanks use solution can be applied by spraying from the top. Flush equipment with water to clean in place systems. Rinse thoroughly with water after sanitizing.

Equipment in Poultry, Meat, Rabbit, Egg Processing Plants, Frozen and Fresh Pack Processing Plants: Thoroughly clean equipment with a scrub brush, sponge or brush using 50 ppm solution. Rinse with potable water. For sanitizing poultry washed surfaces, apply 25 ppm solution by spraying, brushing or dipping. Thoroughly wash surface and allow to air dry. Drain. No final water washing.

Milk, Citrus and Ice Cream Processing Plants: TROY 1630 when applied routinely as a sanitizer, will provide 25 ppm titratable iodine. Wash all conveyors, equipment and floors with water. Rinse with 25 ppm solution. Use 25 ppm solution for equipment to reduce brominate E. coli which is frequently associated with condensation on equipment and pipes. Reg. advise as a sanitizer at 25 ppm concentration. Store in original equipment.

Retort Cooling Water - For canning operations -
add 1/2 oz. TROY 1630 per 5-10
gallons of retort water prior to starting up operation
to control slime and odor causing bacteria.

USE SOLUTION CHART:

Titratable Iodine	TROY 1630	
	Water	Water
50 ppm solution	1.00	5.00 gal
25 ppm solution	1.00	10.00 gal
10 ppm solution	1.00	25.00 gal
5 ppm solution	1.00	50.00 gal
2 ppm solution	1.00	100.00 gal

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

ENVIRONMENTAL HAZARDS

PHYSICAL & CHEMICAL HAZARDS

STORAGE AND DISPOSAL

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH 467) WASHINGTON, D.C. 20461	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

NOTICE OF PESTICIDE: REGISTRATION REREISTRATION
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE _____

EPA Form 6570-6 Rev. 5-76
 75 76 76
 76 76 76
 76 76 76

THIS FORM IS TO BE USED ONLY WHEN SUPPLY IS EXHAUSTED.

TROY 1630

Low Foam Acid Sanitizer Cleaner
for
Institutional, Food, Meat, Dairy
and
Other Farm Use

ACCEPTED
WITH COMMENTS
By EPA dated

15596-8

Unlabeled
Faded
Registered under 1

Active Ingredients

Polyethoxypolypropoxypolyethoxyethanol-iodine complex 25.0%

Inert Ingredients

75.0%

100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg white solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucousal damage may contraindicate the use of gastric lavage. Measures against toxicatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Registration No.

15596-8

EPA Establishment No.

15596-8

Net Contents

Manufactured by:

TROY CHEMICAL INDUSTRIES, INC.
17040 Rapids Rd., Burton, OH 44021
**FOR SALE FOR USE AND STORAGE
BY MAINTENANCE PERSONNEL ONLY**

Directions for Use

Apply TROY 1630 to surfaces to be sanitized. Apply liberally. Do not allow to dry. Rinse thoroughly with water. For use in food processing areas, use only as directed. Do not use on food. Do not use on electrical equipment. Do not use on painted surfaces. Do not use on marble or stone. Do not use on wood. Do not use on leather. Do not use on silk or wool. Do not use on fur. Do not use on feathers. Do not use on glass. Do not use on metal. Do not use on plastic. Do not use on rubber. Do not use on vinyl. Do not use on fabric. Do not use on paper. Do not use on cardboard. Do not use on wood. Do not use on stone. Do not use on marble. Do not use on leather. Do not use on silk. Do not use on wool. Do not use on fur. Do not use on feathers. Do not use on glass. Do not use on metal. Do not use on plastic. Do not use on rubber. Do not use on vinyl. Do not use on fabric. Do not use on paper. Do not use on cardboard.

Sanitizing - Meat, Dairy, and Poultry Processing Plants: Rinse heavily soiled surfaces by flushing with water. Apply TROY 1630 to surfaces to be sanitized. Apply liberally. Do not allow to dry. Rinse thoroughly with water.

Food and Beverage Sanitization Procedures

Beverage Plants: Thoroughly clean with water. Rinse thoroughly and apply TROY 1630 to surfaces to be sanitized. Apply liberally. Do not allow to dry. Rinse thoroughly with water. Do not use on food. Do not use on electrical equipment. Do not use on painted surfaces. Do not use on marble or stone. Do not use on wood. Do not use on leather. Do not use on silk or wool. Do not use on fur. Do not use on feathers. Do not use on glass. Do not use on metal. Do not use on plastic. Do not use on rubber. Do not use on vinyl. Do not use on fabric. Do not use on paper. Do not use on cardboard.

Bottles and Cans: Rinse thoroughly with water. Apply TROY 1630 to surfaces to be sanitized. Apply liberally. Do not allow to dry. Rinse thoroughly with water. Do not use on food. Do not use on electrical equipment. Do not use on painted surfaces. Do not use on marble or stone. Do not use on wood. Do not use on leather. Do not use on silk or wool. Do not use on fur. Do not use on feathers. Do not use on glass. Do not use on metal. Do not use on plastic. Do not use on rubber. Do not use on vinyl. Do not use on fabric. Do not use on paper. Do not use on cardboard.

Storage Tanks: After washing with water, apply TROY 1630 to surfaces to be sanitized. Apply liberally. Do not allow to dry. Rinse thoroughly with water. Do not use on food. Do not use on electrical equipment. Do not use on painted surfaces. Do not use on marble or stone. Do not use on wood. Do not use on leather. Do not use on silk or wool. Do not use on fur. Do not use on feathers. Do not use on glass. Do not use on metal. Do not use on plastic. Do not use on rubber. Do not use on vinyl. Do not use on fabric. Do not use on paper. Do not use on cardboard.

Equipment in Poultry, Meat, Rabbit, Egg Processing Plants, Frozen and Fresh Pack Processing Plants: Thoroughly clean with water. Rinse thoroughly and apply TROY 1630 to surfaces to be sanitized. Apply liberally. Do not allow to dry. Rinse thoroughly with water. Do not use on food. Do not use on electrical equipment. Do not use on painted surfaces. Do not use on marble or stone. Do not use on wood. Do not use on leather. Do not use on silk or wool. Do not use on fur. Do not use on feathers. Do not use on glass. Do not use on metal. Do not use on plastic. Do not use on rubber. Do not use on vinyl. Do not use on fabric. Do not use on paper. Do not use on cardboard.

Milk, Citrus and Ice Cream Processing Plants: TROY 1630 when applied routinely as a sanitizer on surfaces to be sanitized. Apply liberally. Do not allow to dry. Rinse thoroughly with water. Do not use on food. Do not use on electrical equipment. Do not use on painted surfaces. Do not use on marble or stone. Do not use on wood. Do not use on leather. Do not use on silk or wool. Do not use on fur. Do not use on feathers. Do not use on glass. Do not use on metal. Do not use on plastic. Do not use on rubber. Do not use on vinyl. Do not use on fabric. Do not use on paper. Do not use on cardboard.

Retort Cooling Water - For canning operations -
add 1/2 oz. TROY 1630 per 5-10 gallons of retort water prior to starting up operation to control slime and odor causing bacteria.

USE SOLUTION CHART:

Titratable Iodine	TROY	
	1630	Water
25.00%	1.00	100.00
12.50%	2.00	50.00
6.25%	4.00	25.00
3.12%	8.00	12.50
1.56%	16.00	6.25

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

ENVIRONMENTAL HAZARDS

PHYSICAL & CHEMICAL HAZARDS

STORAGE AND DISPOSAL

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION REGISTRATION DIVISION, 700 M ST WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	NAME OF REGISTRANT	
NOTICE OF PESTICIDE UNDER THE FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT		
NAME AND ADDRESS OF REGISTRANT (SEE INSTRUCTIONS) <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<input type="checkbox"/> ATTACHMENT AVAILABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

EPA Form 8570-6 (Rev. 5-76)

15 20 77
 700 M ST
 WASHINGTON, D.C. 20460

U.S. GOVERNMENT PRINTING OFFICE: 1976 O 254-100