



Phenol Coeff:

S. aureus — 35 S. typhosa — 42

Disinfectant—Cleaner—Sanitizer—Fungicide—Deodorant

The Mark the Control of the Control

ACTIVE INGREDIENTS

INERT INGREDIENTS 90.7%

BELLEVILLE OF THE STATE OF THE

The survival of the first for the safety of the safety

EPA Reg. No. 15599-1

DANGER

KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and Additional Precautions on Side Panel.

Container Disposal: When empty, rinse container thoroughly with water and destroy

it by crushing or burying in a safe place.

MANUFACTURED BY

E'L, Inc. 2304 Gulf Life Tower Jacksonville, Florida 32207 **NET CONTENTS**

per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 1/2 ounce of E L 62 per gallon of water. Treated food contact surfaces must be rinsed with potable water prior to reuse.

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of E L 62 per gallon of water. E L 62 is an effective antibacterial cleaner designed for use in household, industrial and insitutional cleaning. When used as directed, E L 62 will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. See left panel for use directions.

DANGER

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

The soulest inclinate the selection of t

meraman's Note Poor Copy