

[15887-2]

This product is toxic to fish and birds. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

Remove pet birds and cover fish aquariums before spraying.

FOOD AREAS — Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

CONTAINER DISPOSAL — Do not reuse container. Crush used container and bury in non cropland soil away from water.

HI
BRAND

NET CONTENTS

S.P.B.-1382
E.C. 3%

GALLON

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Do not use, pour, spill or store near heat or open flame. Keep container closed.

ACTIVE INGREDIENTS

1,5-Benzothiazylmethyl-2-methyl-
2-methylpropenyl cyclopropanecarboxylate
Related compounds
Aromatic petroleum hydrocarbons

INERT INGREDIENTS

Contains 3% active ingredient, max. 2.2% active ingredient and min. 70% active ingredient
U.S. Patent No. 2,445,272
E.P.A. Reg. No. 15887-2

1.000 g w w
0.400 g w w
91.471 g w w
5.122 g w w
100.000 g w w

DIRECTIONS FOR USE

For use in homes, warehouses, food processing plants, business offices and industrial plants.

Contact Spray — For control of roaches. Mix 11 1/4 fluid ounces of 3.0% emulsifiable concentrate in a gallon of water to make a 0.25% emulsion. Mix well before using. Spray thoroughly into hiding places such as cracks, crevices, and moist areas around pipes, under refrigerators and along baseboard. Spray directly on insects when possible. Repeat as necessary.

Space Spray — For control of flies, mosquitoes and gnats. Remove or cover exposed food and food handling surfaces including utensils. Remove animals. Shut off ventilating systems, air ducts and air conditioning equipment. Mix 4 1/2 fluid ounces of the 3.0% emulsifiable concentrate in a gallon of water to make a 0.10% emulsion. Mix well before using. Apply as a fine spray at the rate of 2 fluid ozs. per 1,000 cu. ft. or 1 gallon per 64,000 cu. ft. Direct nozzle to upper corner of the room and along ceiling. Avoid inhaling the spray mist. Close off room for at least one half hour after spraying. Do not remain in treated area. Ventilate room before re-entry. Repeat as necessary.

Agricultural Chemicals of Dallas
1707 E. Ross Blvd. Dallas, Texas

HI
BRAND

NET CONTENTS

S.P.B.-1382
E.C. 3%

GALLON

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Do not use, pour, spill or store near heat or open flame. Keep container closed.

ACTIVE INGREDIENTS:

*+(5-Benzyl-3-furyl) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	3.000%	w/w
Related compounds	0.409%	
Aromatic petroleum hydrocarbons	91.471%	
INERT INGREDIENTS:	5.120%	
	<u>100.000%</u>	

*Cis,trans isomers ratio: max. 30% (\pm) cis and min. 70% (\pm) trans.

+U.S. Patent No. 3,465,007.

E.P.A. Reg. No. 15887-2

Agricultural Chemicals of Dallas
3707 E. Kiest Blvd. Dallas, Texas

DI

For use in homes, warehouses, offices and industrial plants.

Contact Spray — For control of insects on surfaces. Mix 3.0% emulsifiable concentrate with 0.25% emulsion. Mix in hiding places such as under pipes, under refrigerator, etc. Kill insects when possible. For

Space Spray — For control of insects in air. Move or cover exposed food and utensils. Remove animals and air conditioning equipment. Mix emulsifiable concentrate with emulsion. Mix well before use. Rate of 2 fluid ozs. per 1000 cu. ft. Direct nozzle to upper corners, inhaling the spray mist. Wait 15 minutes after spraying. Do not re-enter before re-entry. Repeat as