



RC-MICROBIOCIDAL W

16037-4

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride) 15.0%

INERT INGREDIENT

85.0%

This product contains 1.29 lb. of active ingredient per gallon and weighs 8.58 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RC-MICROBIOCIDAL W is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 4.0 to 10.0 fluid ounces of RC-MICROBIOCIDAL W per 1000 gallons of water to provide a concentration of 32 to 80 parts per million of RC-MICROBIOCIDAL W based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.0 to 10.0 fluid ounces of RC-MICROBIOCIDAL W per 1000 gallons of water (8 to 80 parts per million of RC-MICROBIOCIDAL W) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

RC-MICROBIOCIDAL W is used to control bacteria in industrial air-washing systems that maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 14.8 to 24.7 fluid ounces of RC-MICROBIOCIDAL W per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 10.1 to 24.7 fluid ounces of RC-MICROBIOCIDAL W per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

STORAGE & DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

METAL CONTAINERS: Triple rinse and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place.

PLASTIC CONTAINERS: Do not reuse empty container. Triple rinse and incinerate or dispose of in an approved landfill or bury in safe place.

Manufactured by:

Chemco Products Company, Inc.
P. O. Box 444
Appleton, WI 54912

EPA REG. NO. _____ EPA EST. NO. _____

NET CONTENTS _____

RC-MICROBIOCIDAL W

16037-4

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride) 15.0 %

INERT INGREDIENT 85.0 %

This product contains 2.29 lb. of active ingredient per gallon and weighs
8.58 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RC-MICROBIOCIDAL W is used to control the growth of algae in swimming pools, outdoor spas, whirlpools, and hot tubs. For maximum effectiveness, pools, spas, whirlpools, and hot tubs containing heavy growth of algae should be cleaned prior to using RC-MICROBIOCIDAL W.

For pools having just visible algae growth add an initial dose of 50 to 77 fluid ounces of RC-MICROBIOCIDAL W per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool add initially 27 to 50 fluid ounces of RC-MICROBIOCIDAL W per 10,000 gallons of water. Subsequent additions of 9 to 18 fluid ounces of RC-MICROBIOCIDAL W per 10,000 gallons of water should be made every 5 to 7 days after initial treatment for maintenance.

Spas, whirlpools, or hot tubs having just visible algae growth require an initial dose of 5 to 8 fluid ounces of RC-MICROBIOCIDAL W per 1000 gallons of water. For treatment of a freshly cleaned and filled spa, whirlpool, or hot tub, add initially 3 to 5 fluid ounces of RC-MICROBIOCIDAL W per 1,000 gallons of water. Subsequent additions of 1 to 2 fluid ounces of RC-MICROBIOCIDAL W should be made every 5 to 7 days after initial treatment for maintenance.

RC-MICROBIOCIDAL W is compatible with those chemicals normally used to treat pools and spas and is effective at both acid and alkaline pH.

RC-MICROBIOCIDAL W can be used in pools and spas treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix RC-MICROBIOCIDAL W with concentrated dry or liquid chlorine products.

STORAGE & DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Residue that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

- METAL CONTAINERS: Triple rinse and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place.
- PLASTIC CONTAINERS: Do not reuse empty container. Triple rinse and incinerate or dispose of in an approved landfill or bury in a safe place.

Manufactured by:

Chemco Products Company, Inc.

P. O. Box 444

Appleton, WI 54912

EPA REG. NO.

EPA EST. NO.

NET CONTENTS

100-7-1
FC-Microbiocide


Chenco Products Company, Inc.
P.O. Box 444
Appleton, WI 54912

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 16037-4" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


E. Castillo
Product Manager (32)
Disinfectants Branch
Registration Division (OPIS-76)

Enclosures