

ACCEPTED
 16359-2
 SEP 16 1982
 U.S. Environmental Protection Agency
 Federal Insecticide, Fungicide, and Rodenticide Act
 as amended for the pesticide
 Reg. No.

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS:
 STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by
GENERAL SUPPLY COMPANY
 209 North 2nd Ave. - P.O. Box 2217
 Yakima, WA 98907

EPA REG. NO. 16359-2 EPA EST. NO.:
 NET CONTENTS:

GSI "150"

**FOR SWIMMING POOL CHLORINATION
 AND SANITIZING**

Only for sale to, use, and storage
 by servicepersons.

ACTIVE INGREDIENT
 SODIUM HYPOCHLORITE 12.5%
 INERT INGREDIENTS 87.5%

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

**DIRECTIONS FOR USE
 GENERAL CLASSIFICATION**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS
 IN A MANNER INCONSISTENT WITH ITS LABEL**

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pound sodium hypochlorite solution for each 3000 gallons of water. This dose to 5 ppm available chlorine by weight.

For Pool Maintenance:
 (A) Adjust pool water pH to 7.6-7.2 range and maintain.
 (B) Add manually or by a feeder device this sodium hypochlorite solution to maintain an available chlorine residual of 0.6 to 1.0 ppm. One pound of this sodium hypochlorite solution for each 4000 gallons of water provides 1 ppm available chlorine by weight. Frequency of additions to maintain available chlorine will depend on temperature and number of swimmers. Use a DPD chlorine test kit to make certain pH and chlorine residual are in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER AT WATER TREATMENT FACILITIES:

Dilute this sodium hypochlorite solution in the ratio of one part solution to 11 parts softened water. Mix sodium hypochlorite solution thoroughly and begin feeding of solution with a hypochlorinator. Maintain a free available chlorine residual of at least 0.2 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Logical sampling must be conducted at a frequency no less than that required by National Interim Primary Drinking Water Regulations. Check water with a DPD chlorine test kit.

DIRECTIONS FOR SANITIZING FOOD PROCESSING EQUIPMENT:

Clean equipment in the normal manner. Just before using, rinse all surfaces with this sodium hypochlorite solution containing 200 ppm available chlorine. Contact with disinfectant for a minimum of two minutes. Do not rinse. Treatment with sodium hypochlorite solution. Do not soak overnight. Allow 12 (12 lbs) of this sodium hypochlorite solution per 5 gallons of approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and, if necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store away from direct sunlight. In case of spill, flood area with large quantity of water. Empty container thoroughly with water and either return to manufacturer or place in trash collection or burying in an approved landfill. Product cannot be used, should be diluted with water and disposed of in a sanitary manner. Do not use for storage, disposal or cleaning of equipment. **STORE IN AN UPRIGHT POSITION**

ACCEPTED

16359-2
SEP 16 1982

Use only for swimming pool chlorination and sanitizing. For use in swimming pools, use only in accordance with the directions on the label. Reg. No.

**CAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive. May cause severe skin irritations, chemical burns to broken skin. Causes eye damage. Do not get on skin or on clothing. Wear goggles or face shield and gloves when handling this product. Wash after use and breathing vapors. Vacate poorly ventilated areas if possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is highly toxic to fish. Keep out of lakes, streams or ponds. Treated areas should not be discharged into lakes, streams, ponds or other bodies of water without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with organic materials such as feces, urine, etc., or with ammonia, acids, or other chemicals may release hazardous gases which may irritate eyes, lungs and mucous membranes.

Manufactured by

GENERAL SUPPLY COMPANY
1001 North 2nd Ave. - P.O. Box 2217
Yakima, WA 98907

NO. 16359-2 EPA EST. NO.:

NET CONTENTS:

GSI "150"

**FOR SWIMMING POOL CHLORINATION
AND SANITIZING**

Only for sale to, use, and storage
by servicepersons.

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS 87.5%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.
See additional precautions on side panel.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu. ozs) of sodium hypochlorite solution for each 3000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance

(A) Adjust pool water pH to 7.6-7.2 range and maintain.
(B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One-fourth pint (4 flu. ozs) of this sodium hypochlorite solution for each 4000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain pH and chlorine residual are in the proper range.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
AT WATER TREATMENT FACILITIES**

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 11 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.5 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with a DPD chlorine test kit.
*Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 tablespoons) of this sodium hypochlorite solution per 5 gallons of water will provide approximately 200 ppm available chlorine by weight.
NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or residue that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.
STORE IN AN UPRIGHT POSITION