

## USE DIRECTIONS

### FOR CLEANING

Lightly soiled areas—surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of QUATRO per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas—mop or brush soiled surface with a solution containing 2-3 ounces of QUATRO per gallon of water. Rinse cleaned surface with fresh water.

### GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of QUATRO per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of QUATRO per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop area with a solution containing 2 ounces in 3 gallons of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

### HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of QUATRO per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

### SANITIZATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 1 ounce of QUATRO per gallon of water. If surface is heavily soiled, use QUATRO at a rate of 2-3

# QUATRO

Phenol Coeff: S. aureus—35  
S. typhosa—42

DISINFECTANT—CLEANER—SANITIZER—FUNGICIDE—  
DEODORANT

### ACTIVE INGREDIENTS

n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>) dimethyl benzyl ammonium chloride.....5.0%  
Tetrasodium salt of ethylene diamine tetraacetic acid.....2.3%  
Sodium carbonate .....2.0%

### INERT INGREDIENTS

.....90.7%  
EPA Reg. No. 16454-1

## DANGER

### KEEP OUT OF REACH OF CHILDREN

See antidote statement and additional precautions on side panel.

Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

MANUFACTURED BY

HOLT MANUFACTURING CO., INC.

2615 Fifth Avenue, So.

Birmingham, Alabama

NET CONTENTS

ACCEPTED

FEB 01 1974

FEDERAL INSECTICIDE

ounces per gallon. Sanitize solution, containing 2 ounces of QUATRO per gallon of water, for sanitization.

### DEODORIZANT

To deodorize or brush surface with 2 ounces of QUATRO is a disinfectant designed for institutional use. QUATRO is also used for such as floor tile, bathroom areas, kennels, obnoxious odors, and may be used in restaurants, rooms, food places where microbial activity is present.

See left panel.

## DANGER

KEEP OUT OF REACH OF CHILDREN  
Corrosive. Contains 2.3% of ethylene diamine tetraacetic acid. Do not use on clothing. Do not use on food. Do not use on surfaces where contamination is a problem.

### FIRST AID

In case of contact with eyes or skin with solution, flush with water for 15 minutes. For ingestion, do not induce vomiting and wash out mouth.

If swallowed, do not induce vomiting. If these are not contraindicated, give 1 cup of water. A physician should be consulted immediately.

### NOTE TO USER

Probable mortality of the use of QUATRO in the treatment of convulsions.

# QUATRO

Phenol Coeff: S. aureus—35  
S. typhosa—42

DISINFECTANT—CLEANER—SANITIZER—FUNGICIDE—  
DEODORANT

## ACTIVE INGREDIENTS

n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>) dimethyl benzyl ammonium chloride.....5.0%  
Tetrasodium salt of ethylene diamine tetraacetic acid.....2.3%  
Sodium carbonate .....2.0%

INERT INGREDIENTS .....90.7%

EPA Reg. No. 16454-1

## DANGER

### KEEP OUT OF REACH OF CHILDREN

See antidote statement and additional precautions on side panel.  
Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

MANUFACTURED BY  
HOLT MANUFACTURING CO., INC.  
2615 Fifth Avenue, So.  
Birmingham, Alabama

NET CONTENTS

ACCEPTED

FEB 01 1974

FEDERAL INSECTICIDE

ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution, containing 1/2 ounce of QUATRO per gallon of water. No rinse required after sanitization.

## DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of QUATRO per gallon of water. QUATRO is an effective anti-bacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, QUATRO will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and anti-microbial action is desired.

See left panel for use directions.

## DANGER

KEEP OUT OF REACH OF CHILDREN.  
Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

## NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ACCEPTED WITH COMMENTS