RECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

carmful if swallowed, inhaled ir absorbed through the skin. void breathing dust. Avoid ontact with skin, eyes, or lothing. May cause eyedamage er severe skin irritation.

ENVIRONMENTAL HAZARDS. this pesticide is toxic to fish. eep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, and ponds, or public waters unless in accordance with NPDES permit. For guidance onsult the regional office of

HYSICAL AND CHEMICAL SAZARDS >TRONG OXIDIZING AGENT: 3trong Oxidizing Agent Mix only ith water. Use clean, dry utensils. o not mix this product with any ther chemical or gross filth. Such se may cause a violent reaction eading to fire or explosion. Contamination with moisture, organic materials matter, or other chemicals may start a chemical reaction, with generation of heat, ilberation of hazardous gases, and possible generation of fire and explosion. IN case of contamination or decomposition. do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if possible.

STORAGE AND DISPOSAL:

Store in a cool, dry area away from direct sunlight or heat. in case of spill, flood area with large quantities of water. Rinse empty container throughly with water and discard by placing in tresh collection or burying it in approved landfill area. Do not contaminate food or feed by storage,

CHLOR-LIZER 33

DETERGENT SANITIZER

ACTIVE INGREDIENTS	
Sodium dichloro-s-triszinetrione dihydrate	. 5.6%
(Provides 3.2% available chlorine)	
Sodium dodecylbenzene sulfonate	4.0%
Sodium metasilicate	5.0%
	85.4%

KEEP OUT OF REACH OF CHILDREN


WARNING

FIRST AID:

If swallowed, feed gruel or cooked cereal followed by offive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with spap and water. Do not reuse clothes until washed. In case of eye contact, wash with water for about 15 minutes and consult a physician.

PLEASE SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 16833-1



vour 'Maintani

DIRECTIONS FOR USE

It is a violation of federal law to use this product in e manner inconsistent with its labeling.

CHLOR-LIZER 33 DETERCENT SANITIZER Recommended for use on food processing equipment and utensils including dairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses. Prepare a sanitizing solution by dissolving 4 1/4 oz. r 8 1/2 oz. CHLOR-LIZER 33 DETERGENT SANITIZER per 10 gallons of water. This provides a solution containing 100 ppm or 200 ppm of available chlorine respectively. Clean and rinae items prior to sanitizing. Then place glasses, dishes equipment. or utensils in solution for 2 to 5 minutes, Remove, rinse with potable water, and dry. For flat surfaces. clean to remove gross filth and heavy soll. Then spread the sanitizing solution and allow to stand 2 to 5 minutes, and then riase with potable wafer.

The same solution may be used in feed tank in immerator or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment, and utenalls. Clean and rinse Items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are ready for use.

The sanitizing solution should be used promptly after mixing, if solution is allowed to stand or is re-used. and tests show the level of chlorine has not been maintained, additional CHLOR-LIZER 33 DETERGENT SANITIZER should be added, to maintain a minimum concentration of