PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or ciothing. May cause eyedamage or severe skin irritation.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into takes, streams, and ponds. Or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Strong Oxidizing Agent. Mix only with water. Use clean, dry utensils. Do not mix this product with any other chemical or gross filth. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic materials matter, or other chemicals may start a chemical reaction, with generation of heat. liberation of hezardous gases. and possible generation of fire and explosion. IN case of contamination or decomposition, do not reseal container. if possible, isolate container in open

STORAGE AND DISPOSAL:

with large volumes of water.

air or well ventilated area. Flood

Store in a cool, dry area away from direct sunlight or heat. In case of spili, flood area with large quantities of water. Pinse empty container throughly with water and discard by placing in trash collection or burying it in approved landfill area. Do not contaminate food or teed by storage. disposal, or cleaning of equipment

CHLOR-LIZER 55

WASH AND SURFACE. SANITIZER

INERT INGREDIENT 60.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

If swallowed, feed gruet or cooked cereal followed by clive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothes until washed. In case of eye contact, wash with water for about 15 minutes and consult a physician.

PLEASE SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 16833-4

Manufactured by:

Modrak Chedical PRODUCTS COMPANY INC.

FEB 27 1981
Under the Federal Insecticides
Fungicide and Radecticides
as 6 (1.5) (1.5) (1.6)

egterest L. ...t

ACCEPTED

16833-4

3700 Clark Rd.- Gary, In En Batt

... your 'Maintenance Headquarters'.

DIRECTIONS FOR USE

"It is, a violation of federal law to use this product in a manner inconsistent with its tabeling."

CHLOR-LIZER 55 WASH AND
.*.SURFACE SANITIZER
Recommended for use on hard
(non-porous) surfaces or on
dishes, glasses, food processing
equipment or utensils including
dairy and brewery equipment or
utensils that need a strong
sanitizer treatment with little
or no cleaning action.
This material is very effective
on table tops, tanks, vats, floors
and walls. It is also very effective
on dishes, glasses, metallic
utensils and equipment.

Dissolve 1 1/2 oz. CHLOR-LIZER 55 WASH AND SURFACE SANITIZER per 10 gailons of water to give a solution containing 200 ppm available chlorine. After cleaning to remove gross fifth and heavy soil from surface, apply the sanitizing solution to the surface to be sanitized and let stand 2 to 5 minutes. Rinse well with potable water and dry. The surface is then ready for use. The same solution may be used inthe feed tanks in immersion of spray type machines provide to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse prior to sanitizing. After sanitizing step. rinse well with potable water and dry. They are then ready

The sanitizing solution should be used prompty after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CHLOR-LIZER 55 WASH AND SURFACE SANITIZER should be added, to maintain a use solution of 200 ppm available chlorine.

2