

# CHLOR-LIZER 66 SANITIZER

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## WARNING

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

### ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, and ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

### PHYSICAL AND CHEMICAL HAZARDS

#### STRONG OXIDIZING AGENT:

Strong Oxidizing Agent. Mix only with water. Use clean, dry utensils. Do not mix this product with any other chemical or gross filth. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic materials matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire or explosion. IN case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water.

### STORAGE AND DISPOSAL:

Store in a cool, dry area away from direct sunlight or heat. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in approved landfill area. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

ACTIVE INGREDIENT ..... 25.0%

Sodium dichloro-s-triazinetrione dihydrate ..25.0%  
(provides 14% available chlorine)

INERT INGREDIENTS ..... 75.0%

## KEEP OUT OF REACH OF CHILDREN WARNING

If swallowed, feed gruel or cooked cereal followed by olive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothes until washed. In case of eye contact, wash with water for about 15 minutes and consult a physician.

PLEASE SEE LEFT SIDE PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 16833-5

Manufactured by:



3700 Clark Rd. - Gary, In. 46408

..... your 'Maintenance Headquarters'

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**CHLOR-LIZER 66 SANITIZER**  
Recommended for use on hard (non-porous) surfaces, on dishes, glasses, or food processing equipment or utensils, including dairy and brewery equipment and utensils.

Prepare a sanitizing solution by dissolving 1 oz. or 2 oz. of CHLOR-LIZER 66 SANITIZER per 10 gallons of water. This gives a solution containing 100 ppm or 200 ppm available chlorine respectively. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2 to 5 minutes and then wipe excess away. Rinse items and surface with potable water prior to use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CHLOR-LIZER 66 SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

