

ACCEPTED
with COMMENTS
in EPA Letter Dated:
16930-2
AUG 17 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INFORMATION

For use on food processing and health care facilities: stainless steel, galvanized metal, porcelain, enameled, and painted surfaces. Do not use on wood, plastic, or other non-stainless steel surfaces. Use on walls, floors, ceilings, and fixtures.

Prepare fresh solutions daily. Do not reuse solutions. Discard solutions that are visibly soiled. Apply solutions to surfaces with a spray nozzle, mop, or brush. Do not use on electrical equipment.

FOR DISINFECTION: Disinfects in 5 minutes. Use on floors, counters, freezers, restrooms, refrigerators, and other food contact surfaces. Disinfectant in 2 gallons of water will disinfect light and moderately soiled surfaces. Heavily soiled surfaces should be cleaned and rinsed before disinfecting. Disinfectant solutions must remain wet for at least 10 minutes.

Food contact surfaces should be thoroughly rinsed with clean water. Federally regulated meat and poultry processing facilities should use water beds to rinse after using the disinfectant. Always carefully rinse and remove any residue from food contact surfaces before reusing.

DISINFECTING TOILET BOWLS AND URINALS: Use 1/2 cup of disinfectant in 1 gallon of water. Flush thoroughly after treatment. Do not use on other toilet fixtures.

**DSL 87
IODINE DISINFECTANT
HOSPITAL STRENGTH FOR
ONE-STEP CLEANING AND DISINFECTION
Food Plants - Hospitals - Veterinary Clinics
NO RINSE FOOD PLANT SANITIZER**

ACTIVE INGREDIENTS
alpha-Picloric acid (organic hydroxide) 18.05%
Dicyethylene diethanolamine
Polyvinylpyrrolidone 75% stabilizer
INERT INGREDIENTS 81.95%
TOTAL INGREDIENTS 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

First Aid: Treatment in case of contact: immediately flush eyes with plenty of water for at least 15 minutes. For eyes, call a physician.

Inhalation: If inhaled, breathe fresh air. If irritation occurs, call a physician.

NOTE TO PHYSICIAN: This chemical may cause damage to the respiratory system. Measure respiratory rate, pulse, respiratory depression, and condition. First Aid: If inhaled, breathe fresh air. If irritation occurs, call a physician.

FOR MEDICAL, INDUSTRIAL, COMMERCIAL AND AGRICULTURAL USE ONLY

EWING CO. ST. LOUIS, MO 63102 TEL: 314-241-1000 FAX: 314-241-1001

1 GALLON

MANUFACTURED BY



NORTH AMERICAN CHEMICAL CORPORATION

SANITIZING OF NON-FOOD CONTACT SURFACES: desk and counter tops, telephone receivers, bathroom sinks, tubs, and shower stalls, commercial buildings, and non-critical clean and sanitize in one operation by use of this Disinfectant in 5 gallons of water. Allow solution contact for 5 minutes before use on heavily soiled surfaces. Pre-clean before use.

SANITIZATION OF MEAT AND FOOD UTENSILS: Remove gross soils by first scrubbing with a suitable cleaner. Rinse well. Sanitize with 1/2 cup of water (25 ppm available iodine) surfaces for 12 minutes. Drain well after use.


DEODORANT: This Disinfectant disinfects, deodorizes, and sanitizes. For general deodorant use, dilute with water to a solution of 1/2 cup per gallon.

DISPOSAL: Do not reuse empty containers. Dispose of contents in accordance with local regulations.

PRECAUTIONARY HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Irritant to eyes, skin, and mucous membranes. Do not get in eyes, on skin, or on clothing. Wash thoroughly with water after handling. Remove and wash contaminated clothing before reuse.

BEST DOCUMENT AVAILABLE



10950-2

DSL 87

IODINE DISINFECTANT

HOSPITAL STRENGTH FOR ONE-STEP CLEANING AND DISINFECTION

Food Plants - Hospitals - Veterinary Clinics
NO RINSE FOOD PLANT SANITIZER

ACTIVE INGREDIENTS	
alpha (p-nonylphenol, omega hydroxy polyoxyethylene) sodium complex	18.05%
Povidone 1.75% available iodine	81.95%
INERT INGREDIENTS	
TOTAL INGREDIENTS	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Practical Treatment: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

If swallowed, drink promptly a large quantity of milk, egg whites, or a starch solution. If these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucous membrane damage may contraindicate the use of gastric lavage. Measures against respiratory distress, depression, and convulsion may be needed.

FOR MEDICAL, INDUSTRIAL, COMMERCIAL AND
AGRICULTURAL USE ONLY

EPA REG. NO. 1493-1-101 EPA EST. NO. 1493-1-101

1 GALLON

SANITIZING OF NON-FOOD CONTACT SURFACES such as walls, floor, desk and counter tops, telephone receivers, door knobs, chairs, toilet seats, bathroom sinks, tubs and shower stalls, in offices, hotels, industrial and commercial buildings, and non-critical areas of hospitals and nursing homes clean and sanitize in one operation by spraying or wiping a solution of 1 oz. of this Disinfectant in 5 gallons of water onto the surfaces to be sanitized. Allow solution contact for 5 minutes before wiping clean or rinsing. If surfaces are heavily soiled, pre-clean before sanitizing.

SANITIZATION OF MEAT AND FOOD PROCESSING EQUIPMENT AND UTENSILS Remove gross soils by flushing, scraping, or mopping. Pre-clean surfaces with 1 oz. of this Disinfectant per gallon of water or with another suitable cleaner. Rinse well. Sanitize with 1 oz. of Disinfectant in 5 gallons of water (25 ppm available iodine). Sanitizing solution should contact surfaces for 12 minutes. Drain well and air dry. Rinsing is not required.

DEODORANT This disinfectant destroys many odors as it sanitizes and disinfects. For general deodorant applications (garbage pails, refuse containers, etc.) swab in solution of 1 ounce of disinfectant per gallon of water.


DISPOSAL Do not empty into drains. Wrap container and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes eye irritation. Causes eye damage if splashed into eyes. Causes skin irritation. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before re-use.

 **MANUFACTURED BY**
NORTH AMERICAN CHEMICAL CORPORATION

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (W11-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE August 17, 1984
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

BEST DOCUMENT AVAILABLE

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE _____