USE DIRECTIONS:

Use 2 ounces per gallon of water. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level.

At 2 ounces per gallon of water, this product is fungicidal against pathogenic fungi.

For best results use SPECTROCIDE with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitation of previously cleaned food equipment or other food contact items, limit the level of active quaternary to 200 ppm (2.8 oz. per 5 gallons).

RINSE REQUIRED USING POTABLE WATER

For heavy soil or organic matter, a precleaning step is recommended.

Rinse empty container thoroughly with water and discard.

SPECTROCIDE is a concentrated, non-phosphate detergent, disinfectant, sanitizer, fungicide and deodorizer. It is specifically designed for Institutional use such as Hospitals, Nursing Homes, and Schools, where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. SPECTROCIDE is for use on floors, walls, and other hard surfaces in Hospitals, Nursing Homes, Hotels, Public Areas, Industrial Areas and in Institutions. It is excellent for Operating Rooms, Rest Rooms, Nurseries, and Food Service Areas.

When used as directed, SPECTROCIDE is effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa.

SPECTROCIDE is also effective against pathogenic fungi, Trichophyton interdigitale. This product when used on environmental, inanimate, hard surfaces at 2 oz. per gallon of water, is effective against Influenza A2, Herpes Simplex, Adenovirus type 2 and Vaccinia Viruses. If used for sanitation of food processing equipment or food contact items, limit the active quaternary to 200 ppm. At this level, No Potable Water Rinse is required.

SPECTROCIDE

CONCENTRATED DETERGENT, SANITIZER,

FUNGICIDE, DISINFECTANT, DEODORIZER

ACTIVE INGREDIENTS:

Net Contents: 5 Gals. EPA Reg. No	. 17217-4
INERT INGREDIENTS:	91.50%
Sodium Carbonate	3.00%
Tetrasodium ethylenediamine tetraacetate	1.00%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.25%
n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2.25%

DANGER

KEEP OUT OF REACH OF CHILDREN
SEE ANTIDOTE STATEMENT AND OTHER PRECAUTIONS
ON RIGHT SIDE PANEL

ACCEPTED

NOV 231973

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON BEGISTER SUBJECT TO ATTACHED COMMENTS.

Manufactured By:

SPECTROWAX CORPORATION 77 DORCHESTER AVENUE SOUTH BOSTON, MASS. 02127

Call: (617) 263-6646

CO DO EY AV

S N W II C A W II

P

. C

SPECTROCIDE

CONCENTRATED DETERGENT, SANITIZER,

FUNGICIDE, DISINFECTANT, DEODORIZER

ACTIVE INGREDIENTS:

against

ily to

:her

m

.bet

ifectant,

DCIDE

ursing

ylococcus

It

lod

act.

Net Contents: 5 Gals.	EPA Re	a. No.	17217-4
INERT INGREDIENTS:			91.50%
Sodium Carbonate			3.00%
Tetrasodium ethylenediamine tetraacetate			1.00%
n-Alkyl (38% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl chlorides			2.25%
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dim ammonium chlorides			2.25%

DANGER

KEEP OUT OF REACH OF CHILDREN
SEE ANTIDOTE STATEMENT AND OTHER PRECAUTIONS
ON RIGHT SIDE PANEL

ohyton ACCEPTED

NOV 231973

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER ED UNDER NOTAL SUBJECT TO ATTACHED COMMENTS.

SPECTROWAX CORPORATION 77 DORCHESTER AVENUE SOUTH BOSTON, MASS. 02127

Manufactured By:

Call: (617) 263-6646

DANGER



KEEP OUT OF REACH OF CHILDREN

CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. PROTECT EYES AND SKIN WHEN HANDLING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

FIRST AID

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR EYES CALL A PHYSICIAN. REMOVE AND WASH ALL CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, EGG WHITES, GELATIN SOLUTION, OR IF THESE ARE NOT AVAILABLE, DRINK LARGE QUANTITIES OF WATER. AVOID ALCOHOL. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIAN

PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.