

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **STRIKE OUT "S" DISINFECTANT** is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Open dumping is prohibited.
- Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

ACCEPTED
17459-3
MAR 4 2 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 17459-3

STRIKE OUT "S" DISINFECTANT

Cleaner—Disinfectant—Deodorizer—Fungicide—Virucide*
for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	43.8

Active Ingredients

Didecyl dimethyl ammonium chloride	4.25%
Tetrasodium ethylenediamine tetraacetate	1.52%
Sodium carbonate	2.00%
Sodium metasilicate, anhydrous	0.50%

Inert Ingredients

91.73%
100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

SEE LEFT PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

17459-3

Net Contents

Manufactured By:

ACCOMMODATION SANITARY SUPPLY CO., INC.
1100 Shackamaxon St., Philadelphia, Pa. 19125

Directions for Use

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add two ounces per gallon water.

Apply **STRIKE OUT "S" DISINFECTANT** to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At two ounces per gallon use-level, **STRIKE OUT "S" DISINFECTANT** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. At 2 ounces per gallon the broad spectrum effectiveness of **STRIKE OUT "S" DISINFECTANT** is shown by its germicidal action against the following additional organisms:

Escherichia coli
Klebsiella pneumoniae
Salmonella schottmuelleri
Streptococcus faecalis
Shigella dysenteriae
Brevibacterium ammoniagenes
Enterobacter aerogenes
Proteus mirabilis
Streptococcus pyogenes

* At two ounces per gallon use-level, **STRIKE OUT "S" DISINFECTANT** is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), vaccinia (representative of the pox viruses), and adenovirus Type 5 (a causative virus in respiratory diseases), and Influenza A₂ as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal Test.