



MONCIDE

General Postemergence Weed Control on Noncrop Areas

Active Ingredients:

- Monosodium acid methanearsonate 26.0%
- Sodium cacodylate 10.5%
- Dimethylarsinic acid (Cacodylic acid) 1.8%

Other Ingredients: 61.7%
Total: 100.0%

Total arsenic, all in water soluble form, expressed as elemental: 17.9%
 Contains 3.00 pounds MSMA and 1.25 pounds cacodylic acid equivalent per gallon.

EPA Reg. No. 17545-5

EPA Est. No. 48498-CA-1

Manufactured for:

MONTEREY CHEMICAL COMPANY

P.O. Box 35000 • Fresno, CA 93745-5000 • (559) 499-2100
 www.montereychemical.com

Attention: This product contains cacodylic acid, which is a chemical known to the State of California to cause cancer.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

If swallowed:	<ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or inhaled. Causes eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Keep children and domestic animals off treated areas until this material has been washed into the soil. Do not feed treated foliage or graze treated areas. Avoid contamination of feed or food products.

Wear protective clothing when handling or applying this product including long pants, long-sleeve shirt, and impermeable gloves and boots. Mixer-loaders should include an apron and full-face shield when handling or mixing concentrate.

ENVIRONMENTAL HAZARDS

DO NOT contaminate waters used by wildlife, aquatic life, domestic animals or waters used for irrigation. DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. DO NOT contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NON-CROP AREAS

Apply MONCIDE as recommended below for general weed control around buildings, industrial sites, storage yards and vacant lots, rights of ways and roadways, fencerows and drainage ditchbanks.

PRODUCT INFORMATION

MONCIDE is a non-selective herbicide for general postemergence weed control. It is effective on both grasses and broadleaf weeds. MONCIDE may be used with any spray equipment which provides adequate coverage. MONCIDE contains a suitable wetting agent for normal use. However, for certain hard-to-kill and larger weeds in arid regions, addition of non-ionic surfactant may enhance weed control.

CHEMIGATION: DO NOT apply this product through any type of irrigation system.

GENERAL DIRECTIONS

MONCIDE is useful for the control of such grasses and broadleaf weeds as barmyardgrass, goosegrass, crabgrass, green foxtail, yellow foxtail, Johnsongrass, dallisgrass, nutsedge, sandbur, chickweed, purslane, puncturevine, cocklebur, and common ragweed. MONCIDE will top-kill perennial weeds.

Apply MONCIDE to actively growing, undesirable vegetation according to the following table. Apply MONCIDE as a broadcast treatment or directed spray to weeds around desirable plants. Wet foliage of weeds to run-off. Should regrowth occur, retreat as needed at 5-day intervals. Sunshine and temperatures above 70°F will accelerate herbicidal activity.

MONCIDE	AMOUNT OF WATER	AREA COVERED
1-2 gallons	40-100 gallons	1 acre
3-6 fl. oz. (6-12 Tbsp)	1-2 gallons	1,000 sq. ft.

Avoid spray contact with desirable plants or fruit and food crops.

ACCEPTED
 In EPA Letter Dated
 JAN 23 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

17545-5

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: DO NOT store near feed or food products. Store in original container only. Keep container tightly sealed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

CONDITIONS OF SALE AND WARRANTY

Monterey Chemical Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. Monterey Chemical Company neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Plant injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and plant conditions, presence of other materials, or other influencing factors, all of which are beyond the control of Monterey Chemical Company and Seller. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. In no case shall Monterey Chemical Company or the Seller be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by Monterey Chemical Company and is accepted as such by the Buyer.

NET CONTENTS: ___ GALLONS / ___ LITERS