

MAY 01 1987

CGS Industries, Inc.
28 Wilton Street
Hyde Park, MA 02136

Attention: Lawrence H. Goldberg

Gentlemen:

Subject: CGS Reserve
EPA Registration No. 17697-1
Your Submission Dated February 6, 1987

The amendment referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used as Food Contact Surface Sanitizers, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. Delete the following from the Active Ingredient on the label: Tetrasodium ethylenediamine tetraacetate, Sodium carbonate, Sodium metasilicate and Essential Oils. Change the percentages of the Inert Ingredients accordingly.
 - b. Under the Use Directions heading add the following misuse statement:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
 - c. The Container Disposal instructions must have a "DISPOSAL" heading. This heading must be of the same minimum type size as required for the Child Hazard Warning.
 - d. Replace the words "Cross-infection" with the words "Cross-contamination" in paragraph 1, left panel.
 - e. Replace the words "FIRST AID" with the words "Statement of Practical Treatment."

93129:Lee:L-14:KENCO:4/3/87:4/15/87:bjp:lf:EK:dej:lf:dej

CONCURRENCES							
SYMBOL	ORIGINATOR						
SURNAME							
DATE							

BEST AVAILABLE COPY

OFFICIAL FILE COPY


f. Delete the "AOAC Phenol Coefficient" table.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,


John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

Lot

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions and industry. **CGS RESERVE** is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

Two ounces of **CGS RESERVE** per gallon of water will disinfect bathrooms, garbage storage areas, and other areas where bacterial growth can cause mal-odors.

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

BEST AVAILABLE COPY

CGS RESERVE

Cleaner—Disinfectant—Deodorizer—Fungicide—Virucide*
for Hospital and Institutional Use

ADAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	50

Active Ingredients

Didecyl dimethyl ammonium chloride	4.5%
Tetrasodium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.0%
Sodium metasilicate	0.5%
Essential Oil	0.2%

Inert Ingredients

91.8%

EPA Registration No.

100.00%

EPA Est.

17697-1

Net Contents: 1 Gallon

17697-MA-1

CGS INDUSTRIES, INC.
Chemical Division

28 WILTON STREET • HYDE PARK, MASS. 02136
PHONE (617) 364-3110

WARNING

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS.

USE DIRECT

Apply **CGS RESERVE** to walls, floors, tables, chairs and bed frames with a cloth. A preliminary cleaning may be required. For Hospitals & Nursing Homes: Add 100 ml. to two ounces per gallon use level. **CGS RESERVE** is effective against Staphylococcus aureus, Pseudomonas aeruginosa, and other organisms. **CGS RESERVE** is also effective against the following organisms: ACAC, use Dutton Test. Fungicidal: against 1. Interogate by the ACAC Fungicide 2. Interogate by the ACAC Fungicide. It is shown by its germicidal action against organisms:

Brexit bacterium and other genera
Enterobacter aerogenes
Pseudomonas aeruginosa
Klebsiella pneumoniae
Salmonella typhimurium
Streptococcus faecalis
Shigella dysenteriae

* At two ounces per gallon use level, **CGS RESERVE** is effective against Herpes Simplex (a member of the Herpesviridae family), Adenovirus Type 5 (a causative virus of influenza A), and the London virus (a member of the Picornaviridae family).

For Schools, Institutional and Industrial Use: 100 ml. per gallon.

At one ounce per gallon use level, **CGS RESERVE** is effective against Staphylococcus aureus, Salmonella typhimurium, Escherichia coli, and other organisms. Above to confirm suitable performance.

Rinse empty container with water before reuse.

17697-1

MAY 01 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the purpose of the Federal Insecticide, Fungicide, and Rodenticide Act, 1969-1