

DEAN'S
37 FLY STOP CONCENTRATE
(Contains RABON[®] Oral Larvicide)

TO PREVENT THE DEVELOPMENT OF HORN FLIES, FACE FLIES, HOUSE FLIES AND STABLE FLIES IN THE MANURE OF TREATED CATTLE.

ACTIVE INGREDIENT	BY WEIGHT
2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate.....(794 mg Rabon)	0.18%
INERT INGREDIENTS*.....	99.82%
TOTAL	100.00%

*Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS:

Crude Protein, not less than.....	37.00%
Crude Fat, not less than.....	0.60%
Crude Fiber, not more than.....	7.00%

MINIMUM VITAMIN POTENCY PER POUND:

Vitamin A, USP Units.....	70,000
Vitamin D3, USP Units.....	70,000
Vitamin E, I Units.....	500

FEED INGREDIENTS: Soybean Meal, Monocalcium Phosphate, Dicalcium Phosphate, Vitamin A Palmitate (Stability Improved), D-Activated Animal Sterol (Source of Vitamin D3), dl-Alpha Tocopherol Acetate, (Source of Vitamin E), Manganous Oxide, Iron Sulfate, Magnesium Oxide, Iron Carbonate, Copper Oxide, Ethylene Diamine Dihydriodide, Sulfur, Sodium Bentonite, Calcium Carbonate.

ACCEPTED

JUL 20 1976

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under EPA Reg. No. 17871-7

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Net Weight 50 Pounds

Manufactured by:
DEAN'S SPECIALTY SUPPLY COMPANY
Waseca, Minnesota 56093

EPA Reg. No.
17871-7

Rabon is the Registered Trademark of Shell Oil Company, U.S. Patent No. 3,102,842.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

Feed Dean's 37 Fly Stop Concentrate at the rate of 1 pound per head per day. Feed 1 pound for cattle - 400 to 1100 pounds; $\frac{1}{2}$ pounds for cattle 1100 to 1700 pounds. This will supply the recommended average daily intake of 794 mg RABON[®] Oral Larvicide per head per day.

Start feeding early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

Dean's 37 Fly Stop Concentrate can be fed to dry cows, replacement animals and lactating cows.

Dean's 37 Fly Stop Concentrate prevents the development of horn flies, face flies, house flies, and stable flies in the manure of treated cattle but it is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Dean's 37 Fly Stop Concentrate should be used in conjunction with other good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

178 (1) /