

PM14

17975-1

712-262-1710

185

24 FEB 1987

*200*  
*18*  
*187,480*

Jerry Dean Exterminating Company  
307 East 8th Street  
Spencer, IA 51301

Gentlemen:

Subject: Dean's Meat Base Rat and Mouse Bait  
EPA Registration No. 17975-1  
Your Letter Dated December 12, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below.

1. Please note that the official name for this product is given above.
2. Because you only have one active delete "(s)" after "Active Ingredient."
3. Delete "(2)" in "Disposal" section.
4. Delete "Disposal . . . Trash Collection" as this section duplicates the one above it.
5. Change "1A" to "IA" in your Establishment Number.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

85366:Peacock:M-3:KENCO:2/18/86:3/7/86:de:JS:JH:LF:BJP:LF:BJP


SYMBOL ▶								
SURNAME ▶								
DATE ▶								

2 of 5

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



William H. Miller  
Product Manager (16)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosure

PM 14

17975-1

3 of 5

# DEAN'S MEAT BASE

## Rat and Mouse Bait \$5.55

**CAUTION:** Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

**NOTE TO PHYSICIAN** — If ingested, administer Vitamin K1 intramuscularly or orally, as indicated in bishydroxycoumarin overdoses Repeat as necessary based on monitoring of prothromin times.

**ENVIRONMENTAL HAZARD:**

Keep Out of Lakes,  
Streams or Ponds.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS** — For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar manmade structures.

Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**SELECTION OF TREATMENT AREAS** —

Determine areas where rat and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

### DEAN'S MEAT BASE Rat and Mouse Bait

Kills Norway Rats, Roof Rats  
and House Mice.

**ACTIVE INGREDIENT(S):**

Warfarin (3-(Alpha - acetyl- benzyl) - hydroxycoumarin)	0.025%
Inert Ingredients	99.075%
<b>TOTAL</b>	<b>100.00%</b>

### CAUTION

**KEEP OUT OF REACH  
OF CHILDREN**

**SEE LEFT PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS:**

EPA Reg. No. 17975-1

EPA Est. No. 17975-1A-01

NET CONTENTS: 3½ POUNDS

**APPLICATION DIRECTIONS**

**RATS:** Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

**MICE:** Apply ¼ to ½ ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

**RATS & MICE:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

**STORAGE AND DISPOSAL**

**Storage:** Store only in original container, in a dry place inaccessible to children and pets.

**Disposal:** Do not reuse empty container. (2) Securely wrap in newspaper and discard in trash.


**DISPOSAL**

**DO NOT REUSE EMPTY CONTAINER.  
WRAP CONTAINER AND PUT IN  
TRASH COLLECTION.**

307 EAST 8TH STREET  
SPENCER, IOWA 51301

# JERRY DEAN EXTERMINATOR

# DEAN Rat



**CAUTION:** Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

**NOTE TO PHYSICIAN** — If ingested, administer Vitamin K1 intramuscularly or orally, as indicated in bishydroxycoumarin overdoses Repeat as necessary based on monitoring of prothromin times.

**ENVIRONMENTAL HAZARD:**  
Keep Out of Lakes,  
Streams or Ponds.

**DIRECTIONS FOR USE**  
It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS** — For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar manmade structures.

Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**SELECTION OF TREATMENT AREAS** — Determine areas where rat and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

## JERRY DEAN E.

ACCEPTED  
with COMMENTS  
In EPA Letter Dated:

FEB 3 1975

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

17975-1

5 of 5

# DEAN'S MEAT BASE

## Rat and Mouse Bait

\$5.55

**CAUTION:** Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

**NOTE TO PHYSICIAN** — If ingested, administer Vitamin K1 intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothromin times.

**ENVIRONMENTAL HAZARD:**  
Keep Out of Lakes,  
Streams or Ponds.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS** — For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar manmade structures.

Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**SELECTION OF TREATMENT AREAS** — Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

## DEAN'S MEAT BASE Rat and Mouse Bait

Kills Norway Rats, Roof Rats  
and House Mice.

306 | 1-1826  
37 | 2

### ACTIVE INGREDIENT

Warfarin (3-(Alpha - acetyl- benzyl) - hydroxycoumarin)	0.025%
Inert Ingredients	99.075%
<b>TOTAL</b>	<b>100.00%</b>

## CAUTION

**KEEP OUT OF REACH  
OF CHILDREN**

**SEE LEFT PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS:**

EPA Reg. No. 17975-1

EPA Est. No. 17975-1A-01

NET CONTENTS: 3½ POUNDS

### APPLICATION DIRECTIONS

**RATS:** Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

**MICE:** Apply ¼ to ½ ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

**RATS & MICE:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

### STORAGE AND DISPOSAL

**Storage:** Store only in original container, in a dry place inaccessible to children and pets.

**Disposal:** Do not reuse empty container. Securely wrap in newspaper and discard in trash.

NOT REVIEWED  
In Accordance with FD Notice 82-20.  
Based on Draft Labeling Dated  
2/24/87

# JERRY DEAN EXTERMINATOR

307 EAST 8TH STREET  
SPENCER, IOWA 51301