

ACCEPTED

JAN 1 1973

ENTER THE FEDERAL INSTITUTE
OF PUBLIC HEALTH
FOR ECONOMIC POISON REGISTER-
THE NUMBER NO. 18035-1 SUBJECT
TO ALL THE ABOVE

18035-1

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **HALF OUNCE** is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfectant action will reduce the hazard of cross-infection from environmental surfaces.

When used as directed, **HALF OUNCE** will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

This product is economical to use because it is highly concentrated and should be handled with care.

DANGER:

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

HALF OUNCE

Highly Concentrated Germicide
Based on a Unique Blend of Quaternaries
Cleaner—Disinfectant—Deodorizer—Fungicide
for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	104.0
Salmonella typhosa (ATCC No. 6539)	40.6

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	3.750
Dioctyl Dimethyl Ammonium Chloride	1.875
Didecyl Dimethyl Ammonium Chloride	1.875
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) Benzyl Dimethyl Ammonium Chloride	5.000
Tetrasodium Ethylenediamine Tetraacetate	3.420
Isopropyl Alcohol	3.000
Ethyl Alcohol	1.000

<u>Inert Ingredients</u>	80.080
	100.000

EPA Registration No. 18035-1

DANGER

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR ANTIDOTE STATEMENT AND ADDITIONAL PRECAUTIONS.

USE DIRECTIONS

Add ½ ounce per gallon of water. Apply **HALF OUNCE** to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At ½ ounce per gallon use-level, **HALF OUNCE** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal test.

The broad spectrum effectiveness of **HALF OUNCE** is shown by its germicidal action against the following additional organisms.

- Escherichia coli
- Klebsiella pneumoniae
- Aerobacter aerogenes (enterobacter)
- Salmonella schottmuelleri
- Streptococcus faecalis
- Shigella dysenteriae
- Brevibacterium ammoniagenes

Rinse empty container with water before discarding it.

PRIVATE LABEL CHEMICALS, INC.
2280 Terminal Road
St. Paul, Minn. 55113