

APR 5 1989

Printed Label Chemical, Inc.  
601 Second Street SE.  
Minneapolis, MN 55414

Attention: Sylvia VanGrasstek

Gentlemen:

Subject: PLC-Quat  
EPA Registration No. 18035-2  
Your Submission Dated June 30, 1988  
EPA Received Date June 30, 1988

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
  - a. Delete the word "milk" in the Statement of Practical Treatment.
  - b. Add a "Directions for Use" heading before the instructions for the directions for use.
2. Removal of the Rhodamine B toxic inert ingredient from the formulation and substituting it with Drimarine Brilliant Red X2B is in compliance with FR Notice 87-6 and is acceptable.
3. The revised Confidential Statement of Formula agrees with the labeling and is acceptable.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

52334:1:Arce:LL-12:KENCO:2/28/89 4/6/89:rw:VO:EK:aw

CONCURRENCES

SYMBOL	SURNAME	DATE					

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact ALA APO at (703) 557-4350.

Sincerely yours,

John H. Lee  
Product Manager (31)  
Antimicrobial Program Branch  
Registration Division (H7504C)

ENCLOSURE

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

APR - 5 1989

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No.

18035-2

# PLC-Q

detergent/di

fungicide, deodorizer, pseud

### ACTIVE INGREDIENTS

Active 1: 0.1% 2: 0.1% 3: 0.1% 4: 0.1% 5: 0.1% 6: 0.1% 7: 0.1% 8: 0.1% 9: 0.1% 10: 0.1% 11: 0.1% 12: 0.1% 13: 0.1% 14: 0.1% 15: 0.1% 16: 0.1% 17: 0.1% 18: 0.1% 19: 0.1% 20: 0.1% 21: 0.1% 22: 0.1% 23: 0.1% 24: 0.1% 25: 0.1% 26: 0.1% 27: 0.1% 28: 0.1% 29: 0.1% 30: 0.1% 31: 0.1% 32: 0.1% 33: 0.1% 34: 0.1% 35: 0.1% 36: 0.1% 37: 0.1% 38: 0.1% 39: 0.1% 40: 0.1% 41: 0.1% 42: 0.1% 43: 0.1% 44: 0.1% 45: 0.1% 46: 0.1% 47: 0.1% 48: 0.1% 49: 0.1% 50: 0.1% 51: 0.1% 52: 0.1% 53: 0.1% 54: 0.1% 55: 0.1% 56: 0.1% 57: 0.1% 58: 0.1% 59: 0.1% 60: 0.1% 61: 0.1% 62: 0.1% 63: 0.1% 64: 0.1% 65: 0.1% 66: 0.1% 67: 0.1% 68: 0.1% 69: 0.1% 70: 0.1% 71: 0.1% 72: 0.1% 73: 0.1% 74: 0.1% 75: 0.1% 76: 0.1% 77: 0.1% 78: 0.1% 79: 0.1% 80: 0.1% 81: 0.1% 82: 0.1% 83: 0.1% 84: 0.1% 85: 0.1% 86: 0.1% 87: 0.1% 88: 0.1% 89: 0.1% 90: 0.1% 91: 0.1% 92: 0.1% 93: 0.1% 94: 0.1% 95: 0.1% 96: 0.1% 97: 0.1% 98: 0.1% 99: 0.1% 100: 0.1%

### INERT INGREDIENTS

EPA Reg No. 18035-2

KEEP OUT OF REACH

**DANGER**

Statement of Practical

NOTE TO PHYSICIAN

PLC-Q AND PLC-Q...

Mfgd. by: PRIVATE  
601 SECOND STREET SE  
612 375 17

**BEST AVAILAB**

**DANGER**

STORAGE AND DISPOSAL

KEEP CONTENTS  
KEEP FROM FREEZING

Use on all surfaces. Effective against bacteria, fungi, and viruses. Consistent with the use of...  
1. Apply to all surfaces. Suitable for use on all surfaces, such as walls, floors, ceilings, and...  
2. Apply with mop, brush, or sponge. Allow to remain wet for 10 minutes...  
3. Repeat application if necessary. For best results, use in a well-ventilated area...

MULTI-BLAST...  
1. Apply to all surfaces. Suitable for use on all surfaces, such as walls, floors, ceilings, and...  
2. Apply with mop, brush, or sponge. Allow to remain wet for 10 minutes...  
3. Repeat application if necessary. For best results, use in a well-ventilated area...

Use on all surfaces. Effective against bacteria, fungi, and viruses. Consistent with the use of...

- |                        |                        |
|------------------------|------------------------|
| Escherichia coli       | Brevibacterium nigrum  |
| Staphylococcus aureus  | Streptococcus faecalis |
| Salmonella typhimurium | Shigella dysenteriae   |
| Shigella flexneri      | Enterobacter aerogenes |
| Shigella sonnei        | Staphylococcus aureus  |

Apply to all surfaces. Effective against bacteria, fungi, and viruses. Consistent with the use of...

Use on all surfaces. Effective against bacteria, fungi, and viruses. Consistent with the use of...  
1. Apply to all surfaces. Suitable for use on all surfaces, such as walls, floors, ceilings, and...  
2. Apply with mop, brush, or sponge. Allow to remain wet for 10 minutes...  
3. Repeat application if necessary. For best results, use in a well-ventilated area...

Use on all surfaces. Effective against bacteria, fungi, and viruses. Consistent with the use of...

**BEST AVAILABLE COPY**

f