

This product has been especially formulated for use in Food Processing Plants, Restaurants, and Bars. Designed for the effective sanitizing of environmental surfaces, food processing equipment, utensils, and dinnerware. This product contains no phosphorous compounds. \*When used on environmental, inanimate, hard surfaces at 2.8 ounces per gallon of water, this product is effective against *Influenza A<sub>2</sub>*, *Herpes Simplex*, *Adenovirus type 5*, and *Vaccinia viruses*. Also effective against *Escherichia coli*, *Staphylococcus aureas*, *Salmonella choreraisuis*, *Pseudomonas aeruginosa* and pathogenic fungi, *Trichophyton interdigitale*. For heavily soiled or contaminated areas, a precleaning step is recommended.

CAUTION: Keep Out of Reach of Children. Do not get in eyes, on skin or on clothing. May be harmful if swallowed.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Rinse empty container thoroughly with water and discard.

**CAUTION:** Keep Out of Reach of Children.  
See left side panel for additional precautionary and first aid statements.

# MARK F-25

**DISINFECTANT                      DEODORIZER                      SANITIZER**

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>)  
dimethyl benzyl ammonium chlorides . . . . . 1.25%  
n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl  
ammonium chlorides . . . . . 1.25%

**INERT INGREDIENTS:** . . . . . 97.5%

This product is a concentrate and should be diluted before using.

**NET CONTENTS: 1 U.S. GALLON**

DIRECTIC

HARD SUR  
Use this  
Disinfec  
Pails, T  
Apply wi

FOOD PRO  
Use this  
Sanitize  
and Food  
At this

RESTAURA  
Use this  
Sanitize  
glassware  
At this

EPA Re

EPA Es

This product has been formulated for the effective sanitizing of environmental surfaces in Hospitals, Nursing Homes and Institutions. This product contains no phosphorous compounds. When used as recommended, it is effective against Escherichia coli, Staphylococcus aureas, Salmonella choreraisuis, Pseudomonas auruginosa and Trichophyton interdigitale. For heavily soiled or contaminated areas, a precleaning step is recommended.

**DANGER**

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

**NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

**DANGER :** Keep Out of Reach of Children  
See left side panel for additional precautionary and first aid statements.  
This product is a concentrate and should be diluted before using.

**ACCEPTED**  
APR 17 1975  
UNDER THE FEDERAL PESTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 18035-10 SUBJECT  
TO ATTACHED COMMENTS.

18035-10  
**MARK H-10**  
DISINFECTANT      DEODORIZER      SANITIZER

ACTIVE INGREDIENTS:  
n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>)  
dimethyl benzyl ammonium chlorides . . . . . 5%  
n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl  
ammonium chlorides . . . . . 5%  
INERT INGREDIENTS: . . . . . 90%

NET CONTENTS: 1 U.S. GALLON  
PRIVATE LABEL CHEMICALS, INC.  
2280 Terminal Road  
St. Paul, Minn. 55113

DIRECTION  
ROOM FOG  
Apply so  
cross-in  
dard rou  
1. Rem  
2. Oper  
3. Set  
4. Moun  
sub  
del  
5. Fil  
6. Set  
7. Fog  
dif  
ens  
8. Wait  
9. Rin  
ing  
HARD SUR  
Use this  
tizing F  
Telephone  
Apply wit  
COLD DIS  
Submerge  
duct per  
viously c  
EPA Reg.

**DANGER :** Keep Out of Reach of Children  
See left side panel for additional precautionary and first aid statements.  
This product is a concentrate and should be diluted before using.

**ACCEPTED**  
APR 17 1975  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 18035-10. SUBJECT  
TO ATTACHED COMMENTS.

18035-10

# MARK H-10

DISINFECTANT      DEODORIZER      SANITIZER

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>)  
dimethyl benzyl ammonium chlorides . . . . . 5%  
n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl  
ammonium chlorides . . . . . 5%

**INERT INGREDIENTS:** . . . . . 90%

**NET CONTENTS: 1 U.S. GALLON**

**PRIVATE LABEL CHEMICALS, INC.**

**2280 Terminal Road  
St. Paul, Minn. 55113**

**DIRECTIONS**

**ROOM FOGGING**

Apply solution of this product as a fog, to minimize the danger of cross-infection from environmental surfaces, before applying standard routine terminal cleaning and disinfecting practices.

1. Remove all human, animal, and plant life from room.
2. Open closet doors and drawers.
3. Set up 34" revolving platform in center of room.
4. Mount *FOGMASTER TRI-JET*, model 6208 (manufactured by *AFA Corp.* subsidiary of *Thiokol Chemical Corp.*) or other fogging device, delivering equivalent spray at 3 RPM.
5. Fill Sprayer reservoir with 1.5 oz. of this product.
6. Set sprayer mechanism to deliver 1 gallon of solution.
7. Fog for 15 minutes for an average 2100 cu. ft. room. For different room sizes, vary spray time proportionately to ensure complete wetting of exposed surfaces.
8. Wait 2 hours before entering room after treatment.
9. Rinse fogging equipment thoroughly with clear water following use.

**HARD SURFACES**

Use this product at 3½ ounces per 5 gallons of water for sanitizing Floors and Walls as well as Sink tops, Garbage Pails, Telephones, Shower Stalls, Locker Rooms and Restrooms. Apply with cloth, sponge, mop, or spray.

**COLD DISINFECTION**

Submerge instruments into solution containing 1½ oz. of this product per gallon of water for 10 minutes for disinfection of previously cleaned surgical instruments; barber and dental equipment.

**EPA Reg. No. 18035-10    EPA Est. 18035-MN-1**