

Restaurant and Bar Rinse: Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 ounce this product to 1 gallon of water. No Terminal Potable Water Rinse Required.

Cold Disinfection: For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 6 ounces this product per gallon of water for 10 minutes.

**CAUTION:** Keep Out of Reach of Children. Do not get in eyes, on skin or on clothing. May be harmful if swallowed.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

EPA Reg. No. 18035-11

EPA Est. 18035-MN-1

**PRIVATE LABEL CHEMICALS, INC.**  
2280 Terminal Road  
St. Paul, Minn. 55113

**CAUTION:** Keep Out of Reach of Children.

See other precautionary and first aid statements on left side panel. MARK 25 is a concentrate and should be diluted before using.

ACCEPTED  
APR 17 1975  
INDUSTRIAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR FEDERAL REGISTRATION REGISTERED  
UNDER NO. 18035-11 SUBJECT  
TO ATTACHED COMMENTS

18035-11

# MARK 25

DISINFECTANT

DEODORIZER

SANITIZER

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>)  
dimethyl benzyl ammonium chlorides . . . . . 1.25%  
n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl  
ammonium chlorides . . . . . 1.25%

**INERT INGREDIENTS:** . . . . . 97.5%

**NET CONTENTS: 1 U.S. GALLON**

USE DI

Househo  
surfaces.  
Corridor  
cloth. Sa  
12ounce  
Salmone  
cleaning

Hospital  
Instituti  
use this  
or spong  
aerugino

Food Pro  
processin  
gallon of  
Potable

Dairies:  
first clea  
containi  
level, No  
Health B

Rir e en

This product is a cleaner, disinfectant, and sanitizer designed for institutional use, such as, Hospitals, Nursing Homes, and Schools where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces.

For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms.

\*This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A<sub>2</sub>, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses. Also effective against Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas auruginosa and pathogenic fungi, Trichophyton interdigitale.

**DANGER**

Keep out of reach of children. Corrosive. Causes severe eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

**DANGER :** Keep Out of Reach of Children.  
See left side panel for additional precautionary and first aid statements.

**ACCEPTED**  
APR 17 1975  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FEDERAL ECONOMIC POISON REGISTER  
EPA UNDER NO. 18075-12

# Bio-Quat 2

**DETERGENT / DISINFECTANT**

Concentrated, Sanitizer, Fungicide,  
Deodorizer, Pseudomonacidal,\*Virucidal

ACTIVE INGREDIENTS:	
n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) Dimethyl ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
INERT INGREDIENTS:	92.50%
	100.00%

**NET CONTENTS: 1 U.S. GALLON**

USE  
Use eff  
At aga  
For app  
If or to NO  
For rec  
PHE  
Rin  
PRIV  
S

designed  
s, and  
in con-  
al sur-  
  
ephones,  
  
d sur-  
inst  
ccinia  
Salmon-  
c fungi,  
  
nd skin  
skin  
ion of food.  
  
for at  
taminated  
ution, or  
an.

**DANGER :** Keep Out of Reach of Children.  
See left side panel for additional precautionary and first aid statements.

**ACCEPTED**  
APR 17 1975  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FEDERAL ECONOMIC POISON REGISTER-  
ED UNDER NO. 18035-12

# Bio-Quat 2

**DETERGENT / DISINFECTANT**

**Concentrated, Sanitizer, Fungicide,  
Deodorizer, Pseudomonacidal,\*Virucidal**

ACTIVE INGREDIENTS:  
n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) dimethyl benzyl ammonium chlorides ... 2.25%  
n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) Dimethyl ethylbenzyl ammonium chlorides ..... 2.25%  
Sodium Carbonate ..... 3.00%  
INERT INGREDIENTS: ..... 92.50%  
100.00%

**NET CONTENTS: 1 U.S. GALLON**

**USE DIRECTIONS:**

Use at 2 ounces per gallon of water. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level.

At 2 ounces per gallon of water this product is fungicidal against pathogenic Fungi.

For best results, use this product with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of previously cleaned food equipment or food contact item, limit the level of active quaternaries to 200 ppm. (2.8 ounces per 5 gallons).  
**NO RINSE REQUIRED AT THIS LEVEL.**

For heavy soil or organic matter, a precleaning step is recommended.

PHENOL COEFFICIENTS:	Guaranteed	Minimum
	S. aureus	42
	S. typhosa	27

Rinse empty container thoroughly with water and discard.

**PRIVATE LABEL CHEMICALS, INC.**

**2200 Terminal Road  
St. Paul, Minn. 55113**

**EPA Reg. No. 18035-12**

**EPA Est. 18035-MN-1**