

Used as directed, this product will kill and prevent development of *Microcystis aeruginosa* (green), *Spirulina* (Square D algae), *Cyanothece* (blue-green) and other swimming pool algae.

This product is compatible with most commonly used swimming pool chemicals, but should not be mixed with soap or other water-treating chemicals. It works best when added to itself directly to pool water. At use dilution it is non-corrosive to inanimate surfaces.

#### DANGER

Keep out of Reach of Children. Corrosive. Causes severe eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

#### NOTE TO PHYSICIAN


Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

#### FISH AND/OR WILDLIFE PRECAUTIONS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Apply this product only as specified on label.

**DANGER** - Keep Out of Reach of Children.

See left side panel for additional precautionary and first aid statements.



# MARK B-10

CONCENTRATED SWIMMING POOL ALGAECIDE

#### ACTIVE INGREDIENTS

n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) dimethylbenzyl ammonium chlorides 5%

n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl ammonium chlorides 5%

INERT INGREDIENTS 90%

NET CONTENTS: 1 U.S. GALLON

PRIVATE LABEL CHEMICALS, INC.

2280 Terminal Road  
St. Paul, Minn. 55113

#### DIRECTIONS FOR USE

Initial Dose: 1 gallon of this product

Maintenance Dose: 1 quart of this prod

Initial dose is used when filling pool during season. If pool has visible algae initial dose. Vacuum pool after 24 hours. If visible algae are still present or treatment procedure as necessary. When algae, use the recommended maintenance

Maintenance dose should be added at 3-temperatures prevail or pool has unustenance dose more frequently.

If make-up water is added at the rate week of pool capacity, add 1 quart of 10,000 gallons of fresh make-up water.

When swimming season is over, add 1 ga 50,000 gallons of water in treating wa dose helps provide a measure of control the winter months. This treatment will of the pool before it is returned to u

Rinse empty container thoroughly with

EPA Reg. No. 18035 17 EPA Est. 18035-MN-1

ent develop  
and other  
d swim  
soap or  
n added  
n it is  
mage and skin  
es and skin when  
on of food.  
f water for at  
all contaminated  
tin solution, or  
physician.  
lavage. Measures  
h may be needed.

**DANGER** : Keep Out of Reach of Children.

See left side panel for additional precautionary and first aid statements.

**ACCEPTED**

APR 21 1975

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, this pesticide  
registered under  
EPA Reg. No. 18035-17

# MARK B-10

CONCENTRATED SWIMMING POOL ALGAECIDE

ACTIVE INGREDIENTS

MARK 60 (C <sub>14</sub> , 30, C <sub>16</sub> , 5, C <sub>12</sub> , 5, C <sub>18</sub> ) dimethylbenzyl ammonium chlorides	5%
MARK 68 (C <sub>12</sub> , 32, C <sub>14</sub> ) dimethylethylbenzyl ammonium chlorides	5%

INERT INGREDIENTS

90%

NET CONTENTS: 1 U.S. GALLON

PRIVATE LABEL CHEMICALS, INC.

2280 Terminal Road

St. Paul, Minn. 55113

DIRECTIONS FOR USE

Initial Dose: 1 gallon of this product to 50,000 gallons water.

Maintenance Dose: 1 quart of this product to 50,000 gal. water.

Initial dose is used when filling pool at beginning of swimming season. If pool has visible algae growth, treat with initial dose. Vacuum pool after 24 hours to remove algae debris. If visible algae are still present or re-appear, repeat this treatment procedure as necessary. When pool is free of visible algae, use the recommended maintenance dose.

Maintenance dose should be added at 3-5 day intervals. If high temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently.

If make-up water is added at the rate of more than 10% per week of pool capacity, add 1 quart of this product for each 10,000 gallons of fresh make-up water added per week.

When swimming season is over, add 1 gallon of this product to 50,000 gallons of water in treating water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

Rinse empty container thoroughly with water and discard.

EPA Reg. No. 18035-17 EPA Est. 18035-MN-1

The presence of a green outdoor swimming pool is not desirable because of the color. It is also a raised chlorine level and of the water. The use of Pool Guard Algaecide will help to maintain the water in a clear condition.

Pool Guard Algaecide is compatible with the usual water treatment chemicals.

For more information write to Pool Guard, Inc., P.O. Box 1425, Manchester, Conn. 06040.

# POOL GUARD ALGAECIDE

## ACTIVE INGREDIENT

n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>) dimethyl benzyl ammonium chloride 10%

## INERT INGREDIENTS

Water and ethanol 90%

EPA Reg. No. 18305-1

## WARNING

### KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Harmful or fatal if swallowed. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

## NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against respiratory shock as well as oxygen and measures to control breathing manually or mechanically may be needed. If persistent convulsions may be controlled by the cautious intravenous injection of a short acting paralytic drug.

Do Not Reuse Container. Destroy When Empty.

This product is toxic to fish. Do not discharge pool water where it will drain into any streams, ponds or public water. Apply this product only as directed on this label.

MANUFACTURED BY  
**SYNDET PRODUCTS, INC.**  
 P.O. Box 1425  
 Manchester, Conn. 06040  
 NET CONTENTS 1 GALLON

## DIRECTIONS

1. In freshly filled pools or pools showing noticeable algae growth add 1 gallon Pool Guard Algaecide per 50,000 gallons of water to prevent algae growth.

2. If algae growth is observed, add one gallon of Pool Guard Algaecide for each 20,000 gallons of water to kill and control those algae species most commonly found in swimming pools. When existing growth is dead, drain the pool, drain and refill if necessary, and add 1 gallon of Pool Guard Algaecide per 50,000 gallons of water.

3. If the pool water is in pH or CH is received, add 1 gallon of Pool Guard Algaecide per 50,000 gallons of water every five to seven days to maintain between four and five parts per million chlorine level.

4. For pools with a cover, drain 20% of the water and add 1 gallon of Pool Guard Algaecide per 50,000 gallons of water. Do not be added to the water until the water is clear. When necessary, add 1 gallon of Pool Guard Algaecide per 50,000 gallons of water. Do not be added to the water until the water is clear.