ACCEPTED

SEP 19

Under the remaining of the Rodenticide Act, as amended, for the periode registered under EPA Reg. No.

CHLOR-EX

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

for a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu. ozs.) of this sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight

A) Adjust pool, water pH to 7.6 - 7.2 range and maintain.

B) Add manually or by a feeder device this sodium hypochlonte solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One-half pint (8 flu ozs.) of this sodium hypochlon's solution for each 6000 gallors of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend upon temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to S parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochloritor (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bectenological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations*. Check water frequently with a DPD chlorine test kit.

*Contact your local Health Department for further details

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after the streent with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 tblsps.) of this sodium hypochlorite solution per 4 gallors of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or deaning of equipment.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken: skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, "eams or ponds. Treated effluent may not be discharged into lakes, streams, ponds, or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

EXCEL CHEMICAL CO., INC. Manufacturing Chemists Jacksonville, Fla. 32204

EPA REG. NO. 18146-9

EPA EST. NO. 18146-FL-1

NET CONTENTS: