

ACCEPTED

JUL 06 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 18305-2

# SAN-I-TERGE

## DISINFECTANT-CLEANER FUNGICIDE-DEODORANT

### USE DIRECTIONS FOR CLEANING

**Lightly soiled areas** - surfaces to be cleaned should be mopped or brushed with a solution containing 3 ounces of SAN-I-TERGE per gallon of water. Rinse cleaned area with fresh water.

**Heavily soiled areas** - mop or brush soiled surface with a solution containing 5-6 ounces of SAN-I-TERGE per gallon of water. Rinse cleaned surface with fresh water.

### GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 3 1/2 ounces of SAN-I-TERGE per gallon of water.

Surfaces that are heavily soiled should be cleaned with 2 ounces of SAN-I-TERGE per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 2 ounces in 1 gallon of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

### HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 5 1/2 ounces of SAN-I-TERGE per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

### ACTIVE INGREDIENTS

Sodium metasilicate . . . . . 3.0%  
n-Alkyl (50% C<sub>12</sub>, 41% C<sub>14</sub>, 10% C<sub>16</sub>) dimethyl benzyl ammonium chloride . . . . . 1.5%

### INERT INGREDIENTS

95.5%

EPA Reg. No. 18305-2

EPA Est. No. 10105-CF-1

**KEEP OUT OF REACH OF CHILDREN.** See antidote statement and other precautions on side panel.

### DANGER

For Sale For Use And Storage  
By Maintenance Personnel Only

MANUFACTURED BY  
SYNDET PRODUCTS INC.  
P. O. Box 1425  
Manchester, Conn. 06040

NET CONTENTS  
55 GALLON

### STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Completely empty drum by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Dispose of drum liner by incineration or in a sanitary landfill. When empty, rinse container thoroughly with water and destroy it by crushing or hurving in a sanitary landfill if allowed by state and local authorities.

BEST AVAILABLE COPY

### DEODORIZATION

To deodorize surfaces after cleaning, mop or brush surfaces with a solution containing 7 ounces of SAN-I-TERGE per gallon of water.

SAN-I-TERGE is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed SAN-I-TERGE will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired.

See left panel for use directions.

### DANGER

KEEP OUT OF REACH  
OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.