

Ashland Chemicals

CHLORINE
(Germicidal Concentrate)

ACTIVE INGREDIENT
Chlorine 99.7%

INERT INGREDIENT
Air 0.3%

EPA REG. NO. 18533-8

18533-8

ACCEPTED

JAN 10 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. ~~18533-8~~ SUBJECT
TO ATTACHED COMMENTS



DANGER! KEEP OUT OF REACH OF CHILDREN

Hazardous liquid and gas under pressure. Do not breathe air containing gas. Do not get in eyes or on skin. Do not heat cylinders. Have available emergency gas masks approved by U. S. Bureau of Mines for chlorine service.

1 TON
NET

FOR FIRST AID INSTRUCTIONS SEE REVERSE SIDE

FIRST AID: Prompt treatment of utmost importance. Obtain medical aid at once to an uncontaminated area. Patient should be placed on his back. Keep warm, using blankets if necessary. Seek medical attention immediately.

If breathing has apparently ceased, artificial respiration should be given immediately. If breathing is difficult, oxygen should be administered.

FOR HAZARD

IC&S-4267-1

Sold by: ASHLAND CHEMICAL COMPANY Division of Ashland Oil, Inc. Columbus, Ohio 43216

Chemicals

NE
concentrate)

EDIENT
99.7%
EDIENT
0.3%



REACH OF CHILDREN
Do not breathe air containing
hot heat cylinders. Have available
S. Bureau of Mines for chlorine

S SEE REVERSE SIDE

n of Ashland Oil, Inc. Columbus, Ohio 43216

EPA REG. NO. 18533-8


18533-8

ACCEPTED
JAN 10 1974
UNDER THE FEDERAL INSECTICIDE
AND FUNGICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 18533-8 SUBJECT
TO ATTACHED COMMENTS

FIRST AID: Prompt treatment of persons exposed to chlorine is of the utmost importance. Obtain medical assistance as soon as possible. Anyone overcome by or seriously exposed to chlorine gas should be removed at once to an uncontaminated area. If breathing has not ceased, the patient should be placed on his back, with head and back elevated. Keep warm, using blankets if necessary. Rest is essential. Call a physician immediately.

If breathing has apparently ceased, artificial respiration should be started immediately. If breathing is difficult administer oxygen.

FOR HAZARDS SEE REVERSE SIDE



IC&S-4267-1