



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
228451

Application for Pesticide - Section I

1. Company/Product Number 18910-6	2. EPA Product Manager Rick Keigwin	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Basilit B-85	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) DESOWAG GmbH Roßstraße 76 40476 Düsseldorf <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Late Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Submission of Revised Label in conformance with PR Notice 93-10 of July 29, 1993 and PR Notice 95-1 dated 5/1/95 concerning Effluent Discharge Labeling Statements (Label enclosed)

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container 250 Kg (551 lbs)		<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Package wgt	No. per container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container NONE		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name George Gerliczy	Title Auth. Representative	Telephone No. (Include Area Code) 201-652-3152
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Dr. D. Seepe</i>	3. Title Section Head Wood preservation	
4. Typed Name Dr. Detlef SEEPE	5. Date 07/13/95	

1084

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Caution. Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eye or clothing. Wash thoroughly with soap and water after handling. When handling this product wear goggles and protective gloves. Do not eat, drink or smoke while working.

PHYSICAL CHEMICAL STATEMENT

Do not mix with acids.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Immediately contact Poison Control Center or Physician. If these are unavailable, give a glass or two of water and induce vomiting by giving syrup of ipecac or by touching finger to back of throat. Never give anything by mouth or induce vomiting if patient is unconscious.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on skin: Wash with plenty of soap and water. Get medical attention.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Boric acid or boric acid solutions carelessly applied may kill or seriously retard plant growth including trees and shrubs. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place. Do not store where children or animals may gain access. Do not heat above 50 degree C (122 degree F).

Pesticide disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Basilit

COLORLESS LIQUID SALT MIX

ACTIVE INGREDIENT:

Boric acid (H_3BO_3) :

INERT INGREDIENTS:

Total :

(11.4 lbs./g)

KEEP OUT OF
OF CHILD

CAUTION

See Side Panel For
Precautionary St

For the protection of wood b
particleboards and plywood
ment or by spray application
pressed plywood in an aque
tion. Spray application only
ly for above ground use. Pro
wood destroying fungi. Exte
treated boards by several ye
coating and climate conditio

FOR INDUSTRIAL

EPA Est. 18910-DEU-01

NET CONTENTS: 25

DESOWA

P.O. Box 320220

BEST COPY AVAILABLE

394

STATEMENTS

Basilit® B 85

COLORLESS LIQUID WATER-SOLUBLE SALT MIXTURE.

Harmful if absorbed through skin, eye or mouth. Wash with soap and water after contact. Do not eat, drink or smoke.

ACTIVE INGREDIENT:

Boric acid (H₃BO₃) : 63.2 %

INERT INGREDIENTS: 36.8 %

Total : 100.0 %

(11.4 lbs./gallon)

STATEMENT

FIRST AID TREATMENT

In case of contact with skin, wash with plenty of water. Get medical attention if necessary. In case of contact with eyes, rinse continuously with water. Get medical attention if necessary. In case of contact with clothing, remove clothing immediately. Wash with soap and water.

Wash with soap and water.

ENVIRONMENT

Do not use in or near rivers, streams, lakes, ponds, or wetlands. Do not use in areas where there is a high probability of contamination of ground water. Do not use in areas where there is a high probability of contamination of surface water.

Do not use for storage of wood or feed.

Do not store where children have access. Do not heat (see F).

Do not use resulting from the use of Basilit B 85 on site or at an industrial facility.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements

For the protection of wood based boards such as particleboards and plywood by the glue line treatment or by spray application or by dipping freshly pressed plywood in an aqueous preservative solution. Spray application only in closed systems. Only for above ground use. Protects against certain wood destroying fungi. Extends the lifetime of treated boards by several years depending on coating and climate conditions.

FOR INDUSTRIAL USE ONLY!

EPA Est. 18910-DEU-01 EPA REG.NO. 18910-6

NET CONTENTS: 250 kg (551 lbs)

DESOWAG GmbH

BEST COPY AVAILABLE

PO Box 31020 40417 Düsseldorf

STOP
Cont
applic
drum
allow
If bur
Efflu
conta
estua
danc
Disch
the p
ting
conta
prev
plan
Water

DIP
It is
in m
For i
mela
men
not u
feed
Qua
Fung

Rem
Wood
prot
be u
requ
or p

No
inf
fo
to
br
ad
ris
ad
m
m
la

3

494

Basilit[®] B 85

LIQUID WATER-SOLUBLE MIXTURE.

63.2 %
36.8 %
100.0 %

(lbs./gallon)

OUT OF REACH CHILDREN
CAUTION
Panel For Additional
Secondary Statements

Wood based boards such as plywood by the glue line treatment or by dipping freshly in aqueous preservative solution only in closed systems. On-site. Protects against certain fungi. Extends the lifetime of several years depending on conditions.

TRIAL USE ONLY!

-01 EPA REG.NO. 18910-6

NET WT: 250 kg (551 lbs)

OWAG GmbH
40220 - 40417 Dusseldorf

STORAGE AND DISPOSAL (continued)

Container disposal: Completely empty drum into application equipment. Then dispose of empty drum in a sanitary landfill or by incineration or if allowed by State and local authorities by burning. If burned stay out of smoke.

Effluent discharge: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state Water Board or Regional Office of the EPA.

DIRECTION FOR USE

It is a violation of federal law to use this product in manner inconsistent with its labeling.

For incorporation with glue. Use only with melamine- or urea-based glues and only for treatment of wood that will be for above ground use. Do not use on wood that will be in contact with food, feed or potable water or prolonged dermal contact.

Quantities to be used:

Fungal Rot: 1 % Basilit B 85/oven dry weight of chips.

Remarks

Wood preservatives contain substances active in protection against fungal attack. They are only to be used where wood protection is specified or is required because the wood is subject to frequent or prolonged wetting.

NOTICE

Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms and assumes all risk of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make any representations or warranties express or implied by law, not specifically set forth herein.

BEST COPY AVAILABLE

555