



Chemical Company

TULSA, OKLA. U.S.A.

NET WT. _____ LBS.

ACCEPTED

MAR 6 1973

MICROBIOCIDE 15

APPLICATION

MICROBIOCIDE 15 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algae growth, microbiological slime and other deposits. An initial slug addition of 4.0 to 10.0 fluid ounces of MICROBIOCIDE 15 per 1000 gallons of water to provide a concentration of 32 to 80 parts per million of MICROBIOCIDE 15 based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.0 to 10.0 fluid ounces of MICROBIOCIDE 15 per 1000 gallons of water (8 to 80 parts per million of MICROBIOCIDE 15) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

COMPOSITION

PERCENT BY WEIGHT

<i>Active ingredient</i>	<i>15.0 percent</i>
<i>Polyoxyethylene(dimethyliminomethylene)(dimethyliminio)ethylene dichloride</i>	<i>15.0 percent</i>
<i>Inert ingredient</i>	<i>85.0 percent</i>
<i>Weight per gallon</i>	<i>8.58 pounds</i>
<i>Weight of active ingredient per gallon</i>	<i>1.29 pounds</i>

EPA Reg. No. 296-01-001

Harm
cont
irrita
food
This
disch
water
disp
ant

NET WT. _____ LBS.

Manufactured By

Blue Chip Chemical Company
P. O. Box 9441
Tulsa, Oklahoma 74107

STED
1973
ALL INFORMATION
CONTAINED HEREIN
IS UNCLASSIFIED
DATE 11/19/88 BY
SP-10/SUBJECT
MM/ENTS.

MICROBIOCID 15

COMPOSITION

PERCENT BY WEIGHT

Active ingredient	15.0 percent
<i>Polyoxyethylene(dimethyliminio)ethylene (dimethyliminio)ethylene dichloride</i>	15.0 percent
Inert ingredient	85.0 percent
Weight per gallon	8.58 pounds
Weight of active ingredient per gallon	1.29 pound

EPA Reg. No. 18963-1

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of waste. Use only as directed on label. Do not reuse container. Destroy when empty.