

isopropylamino-s-triazine]	95.0%
Related active triazine compounds	2.0%
OTHER INGREDIENTS:	3.0%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

See Below for Practical Treatment (First Aid)

EPA Reg. No. 19713-7 EPA Est. No. 19713-MS-1

Net Contents: _

PRACTICAL TREATMENT (FIRST AID)

IF SWALLOWED: Call a provision or Poison Control Center Immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with linger. Repeat until vomit fluid is clear. Do not induce womiting or give anything by mouth to an unconscious person. IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. IF ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES and wash skin with soap and plenty of water. If irritation develops, send for a physician.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed. Do not breathe dust or mist. Wash thoroughly with soap and water after handling and before eating or drinking. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with NPDES permit, For guidance contact your Regional Office of EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

No end use for this product other than manufacturing is intended or Implied by this label.

Formulators using this product are responsible for obtaining EPA registration for their formulated products.

This product can only be used to formulate products with agricultural weed control directions if the labeling for such end use products contains a restricted use classification and the following information and/ or revised use directions.

If this product is used to formulate lawn care products with less that 2% atrazina active ingredient, the following restrictions do not apply. If this product is used to formulate turf and/or lawn care products the following restrictions do not apply.

1. Users are required to wear long sleeve shirts and long pants or equivalent, heavy-duty labric gloves, and boots (water-proofed). In addition, persons involved in midng/loading operations are required to use heavy-duty rubber or neoprene gloves and a face shield or goggles. FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

THIS PRODUCT IS A RESTRICTED, USE HERBICIDE DUE TO GROUND AND SURFACE WATER CONCERNS. USERS MUST READ AND FOLLOW ALL PRECAUTIONARY STATEMENTS AND INSTRUCTIONS FOR USE IN ORDER TO MINIMIZE POTENTIAL FOR ATRAZINE TO REACH GROUND AND SURFACE WATER.

- 3. All permanent liquid bulk storage sites should be diked and floored using an impermeable material.
- 4. This product may not be mixed/loaded or used within 50 feet of all wells, including abandoned wells, drainage wells, and sink holes. This product may not be mixed or loaded within 50 feet of intermittent streams and rivers, natural or impounded lakes and reservoirs. This product may not be applied aerially or by ground within 66 feet of the points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 ft. around natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, seeded with grass or other suitable crop.
 - All applicable directions, restrictions and precautions on the EPA registered label are to be followed. This label must be in the possession of the actual product user at the time of application.....
- STATILE-TERRACED FIELDS CONTAINING STANDPIPES

To ensure protection of surface water from runoa through standplpes and tile outlets in terraced fields, one of the following options may be used:

De used: () Do not apply this product within 66 feet of standpipes in tile-outletted terraced fields.

2) Apply, this product to the entire tile-outletted terraced field and immediately incorporate it to a depth of 2 to 3 inches in the entire tile-outletted terraced field.

3) Apply this product to the entire lile-outletted terraced field under a no-till practice only when high crop residue management practices are used. High crop_residue management practice is described as a crop management practice where little or no crop residue is removed from the field during or alter crop harvest.

- 5. Post-emergence application to corn and sorghum must be made before com and sorghum reaches 12 inches in height.
- 6. Applications for quackgrass suppression in com and sorghum are restricted to a spring application only. No Fall applications are permitted.
- 7. A) For soil applications prior to crop emergence (i.e., early pre-plant, pre-plant incorporated, pre-plant surface, at planting or pre-emergence).
 - i. On highly erodible soils (as defined by Soil Conservation Service (SCS), if conservation tillage is utilized >30% plant residue. the maximum rate is 2 pounds active ingredient per acre. If plant residue is <30%, the maximum rate is 1.6 builds active ingredient per acre.
 - ii. On soils not highly erodible, the maximum rate is 2 pounds active ingredient per acre.
 - Manufactured By: Drexel Chemical Company P.O. BOX 13327, MEMPHIS, TN 38113-0327 SINCE T972

- 75P.0498 PENDING ATRAZINE TECHNICAL Page 1 of 2

- B) For post-emergence applications, if there has been no previous
- soll application for that crop, the maximum rate is 2 pounds active ingredient per acre. If there has been a previous soil application to that crop, do not exceed a total of 2.5 pounds active ingredient per acre per calendar year.
- 8. Do not apply this product through any type of irrigation system.
- 9. Where there are State/Local requirements regarding atrazine use (including lower maximum rates and/or setbacks) which are different from the label, the more restrictive/protective requirements must be followed.

For formulation into end-use pesticide products for the following uses: Terrestrial, food uses on: Corn, sorghum, macadamia nuts, sugar cane.

Terrestrial, non-food crops uses on: Christmas tree plantations, turf grasses for sod production, conifers, guava.

Domestic outdoor uses on: Lawns turi grasses.

WARRANTY-CONDITION OF SALE

٩

Drexel warrants that this product conforms to its chemical description and is reasonably fit for the purposes referred to in the directions for use. Drexel makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall Drexel or the selier be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Suver.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. STORAGE: Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. May be ignited by heat or open flame. Do not stack over 2 pallets high. Move bags carefully so as not to tear or puncture. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Do not allow material to become wet or store in a damp, humid area. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original container only. If the contents are leaking or material is spilled, follow these steps: 1. Collect and place in suitable containers for disposal.

2. Wash area with water and soap to remove remaining pesticide.

3. Follow washing with dean water rinse.

4. Do not allow runoil to enter sewer or contaminate water supplies.

 Dispose of waste as indicated below: PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL

BAGS: Completely empty bags into formulation equipment. Then dispose of empty bags in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned. stay out of smoke.

FIBER DRUMS WITH LINERS: Completely empty liner by shaking and tapping sides are borrow to loosen clinging particles. Empty residue into formulation equipment. Then dispose of liner in a sanitary landfill or by incineration it allowed by State and Local authorities, if drum is contaminated and cannot be reused, dispose of in the same manner

ATRAZINE TECHNICAL Page 2 of 2