

PM 04

19713-75

10/5/99

page 1 of 1



Carbaryl Technical

For Use in Manufacturing, Formulating or Repackaging Only

ACTIVE INGREDIENT:
Carbaryl (1-naphthyl N-methylcarbamate) 99.0%
OTHER INGREDIENTS: 1.0%
TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN
WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)
Read Entire Label Before Using This Product

EPA Reg. No. 19713-75
EPA Est. No. 19713-GA-1

FIRST AID
GENERAL: Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and show a copy of this label to the physician.
IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with the finger.
IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.
IF ON SKIN: Wash thoroughly with soap and water.
IF INHALED: Move from contaminated atmosphere and call a physician. Atropine Sulfate is highly effective as an antidote. See note to physician below.
NOTE TO PHYSICIAN: Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overstimulation. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until full atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours. Narcotics and other sedatives should not be used. Further, drugs like 2-PM (pyridine-2-aldoxime methiodide) are NOT recommended.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
WARNING: May be fatal if swallowed. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS
This product is extremely toxic to aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Formulators who use this product are responsible for obtaining EPA registration for their formulated product.
This technical material should not be formulated into dust products for use on trees.

- | | | |
|-------------------------------|-----------------------------------|--------------------------------------|
| Alfalfa | Forested areas | Proso millet |
| Almonds | Garden beet | Prunes |
| Apples | Grapes | Pumpkin |
| Apricots | Hanover salad | Radish |
| Asparagus | Horseradish | Rangeland |
| Beans, succulent and dry | Imported fire ants (outdoor only) | Raspberries |
| Bedding plants (outdoor only) | Kale | Rice |
| Birdsfoot trefoil | Kohlrabi | Rutabagas |
| Blackberries | Lentils | Saisily |
| Blueberries | Lettuce, head and leaf | Sorghum |
| Boysenberries | Loganberries | Soybeans |
| Broccoli | Melons | Spinach |
| Brussels sprouts | Mustard greens | Squash (summer and winter) |
| Cabbage | Nectarines | Strawberries |
| Carrots | Nursery stock (outdoor only) | Sugarbeets |
| Cauliflower | Olives | Sunflower |
| Celery | Oyster beds | Sweet potato |
| Cherries | Parsley | Swiss chard |
| Chestnuts | Parsnips | Tobacco |
| Chinese cabbage | Pasture grass | Tomato |
| Citrus fruits | Peaches | Trees and ornamentals |
| Clover | Peanuts | Turfgrass |
| Collards | Peas, succulent and dry | Turnips |
| Corn (field, sweet, pop) | Pecans | Vegetable transplants (outdoor only) |
| Cranberries | Peppers | Walnuts |
| Cucumber | Pest control around buildings | Wasteland |
| Dandelion | Pets | Rights of way |
| Dewberries | Pistachios | Hedgerows |
| Eggplant | Plums | Ditchbanks |
| Endive | Pome fruits | Roadsides |
| Filberts | Potato | Wheat |
| Flax | Poultry | |
| Foliage plants (outdoor only) | Prickly pear cactus | |

(2) Uses for which U.S. EPA has accepted the required data and/or citations that the formulator has submitted in support of registration; and
(3) Uses for experimental purposes that are in compliance with U.S. EPA requirements.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage and disposal.
PESTICIDE STORAGE: Store unused product in original container only, in cool, dry areas out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100° F (38° C).
In case of minor spills, clean up immediately. Sweep up and dispose of wastes on site or in a landfill approved for pesticide use.
PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Completely empty bag into manufacturing equipment. Then dispose of empty bag in a sanitary landfill, or, if allowed by government regulators, by burning or incineration. If bag is burned, stay out of smoke.

WARRANTY—CONDITION OF SALE
Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purposes referred to in the directions for use. Manufacturer makes no other warranties, express or implied, including FITNESS or MERCHANTABILITY. In no case shall Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale and is accepted as such by the Buyer.

Manufactured For:
Drexel Chemical Company
P.O. BOX 13327, MEMPHIS, TN 38113-0327
SINCE 1972

ACCEPTED
OCT 5 1999
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 19713-75

Environmentally Hazardous Substance, Solid, n.o.s., (Carbaryl), 9, UN-3077, PG-III, RQ.
Net Contents: 25 Kilos