

19713-75

6/25/2001

ACCEPTED

JUN 25 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 19713-75

1/2



Carbaryl Technical

For Use in Manufacturing, Formulating or Repackaging Only

ACTIVE INGREDIENT:
 Carbaryl (1-naphthyl N-methylcarbamate) ... 99.0%
OTHER INGREDIENTS: 1.0%
TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN
WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See **FIRST AID** Below

EPA Reg. No. 19713-75
 EPA Est. No. 19713-GA-1 Net Contents: _____

FIRST AID
<p>IF SWALLOWED:</p> <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious or convulsing person.
<p>IF IN EYES:</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
<p>IF ON SKIN OR CLOTHING:</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes.
<p>IF INHALED:</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
<p>Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>
<p>NOTE TO PHYSICIAN: Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.</p> <p>Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.</p>

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
WARNING: May be fatal if swallowed. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS
 This product is extremely toxic to aquatic invertebrates.
NOTE: Add this statement to all containers sizes 50 pounds and higher. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE
 It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
 Formulators who use this product are responsible for obtaining EPA registration for their formulated product.
 This technical material should not be formulated into dust products for use on trees.

Only for formulation into an insecticide for:
(1) The following uses:

- | | | | |
|-------------------------------|-----------------------------------|-------------------------------|--------------------------------------|
| Alfalfa | Cucumbers | Okra | Rice |
| Almonds | Dandelions | Olives | Rutabagas |
| Apples | Dewberries | Oyster beds | Salsify |
| Apricots | Eggplant | Parsley | Sorghum |
| Asparagus | Endive | Parsnips | Soybeans |
| Beans (succulent and dry) | Filberts | Pasture grass | Spinach |
| Bedding plants (outdoor only) | Flax | Peaches | Squash (Summer and Winter) |
| Birdfoot trefoil | Foliage plants (outdoor only) | Peanuts | Strawberries |
| Blackberries | Forest areas | Peas (succulent and dry) | Sugar beets |
| Blueberries | Garden beets | Pears | Sunflower |
| Boysenberries | Grapes | Peppers | Sweet potatoes |
| Broccoli | Grass for Seed | Pest control around buildings | Swiss chard |
| Brussels sprouts | Hanover salad | Pes | Tobacco |
| Cabbage | Horseshoe | Pesticides | Tomatoes |
| Carrots | Imported fire ants (outdoor only) | Pistachios | Trees and ornamentals |
| Cauliflower | Kale | Plums | Turtgrass |
| Celery | Kohlrab | Pome fruits | Turnips |
| Cherries | Lentils | Potatoes | Vegetable transplants (outdoor only) |
| Chestnuts | Lettuce (head and leaf) | Poultry | Walnuts |
| Chinese cabbage | Loganberries | Pony pear | Waste land |
| Citrus fruits | Melons | Potatoes | Right-of-Ways |
| Clover | Mustard greens | Raspberries | Hedgerows |
| Collards | Nectarines | Raspberries | Ditchbanks |
| Corn (field, pop, sweet) | Nursery stock (outdoor only) | Raspberries | Roadsides |
| Cranberries | | Raspberries | Wheat: |



Manufactured By
Drexel Chemical Company

P.O. BOX 3327 MEMPHIS, TN 38113-0327

SINCE 1972

2/2

(2) Uses for which U.S. EPA has accepted the required data and/or citations that the formulator has submitted in support of registration; and

(3) Uses for experimental purposes that are in compliance with U.S. EPA requirements.

WARRANTY—CONDITION OF SALE

Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purposes referred to in the "DIRECTIONS FOR USE". Manufacturer makes no other warranties, express or implied, including FITNESS or MERCHANTABILITY. In no case shall Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale and is accepted as such by the Buyer.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store unused product in original container only, in cool, dry areas out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100°F (38°C). In case of minor spills, clean up immediately. Sweep up and dispose of wastes on site or in a landfill approved for pesticide use.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into manufacturing equipment. Then dispose of empty bag in a sanitary landfill, or, if allowed by government regulations, by burning or incineration. If bag is burned, stay out of smoke.

**Carbamate pesticides, solid,
toxic, n.o.s., (Carbaryl),
6.1, UN-2757, PG-III,
Marine Pollutant**

