



For control of insects on and about
certain types of household objects

ACTIVE INGREDIENTS:

0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyridinyl)
phosphorothioate
Xylene

INERT INGREDIENTS:

total 100.0

Contains 4 lbs/gal of Active Ingredients

**KEEP OUT OF THE
REACH OF CHILDREN**

WARNING

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center immediately.
DO NOT INDUCE VOMITING UNLESS NO OTHER TREATMENT IS AVAILABLE. Vomiting
may cause aspiration pneumonia. If it is necessary to induce vomiting,
give victim one or two glasses of water and insert finger in back of
throat. Repeat until vomit fluid is clear. Do not induce vomiting
or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply artificial respira-
tion if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Rinse eyes for at least 15 minutes with water and call
a physician immediately.

NOTE TO PHYSICIAN: Gastric lavage is indicated. Atropine sulfate and
2-PAM are specific antidotes.

See Additional Warning Statements On Left Panel.

EPA Reg. # 19713-90
EPA Est. # 19713-MS-1



Drexel Chemical Company

Net Contents:

_____ Gallons

_____ Pints

Carpet Beetles

Apply a ½% spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

Spiders and Scorpions

Apply a ½% spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

Pantry Pests - exposed stages (Sawtoothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian Meal Moth)

Apply a ½% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.


Brown Dog Ticks in Buildings

Make thorough application of a ½% spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

Note: D-264 4S Insecticide is not recommended for use in conduits, motor housings, junction or switch boxes because of shock hazard.



D-264 4S
INSECTICIDE



For control of cockroaches and
certain other household pests

Only For Sale To, Use And Storage By Servicepersons

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl)
phosphorothioate 48.7%
Xylene Range Aromatic Solvent. 44.0%

INERT INGREDIENTS: 7.3%

Total 100.0%

Contains 4 Lbs/Gal of Active Ingredient.

**KEEP OUT OF THE
REACH OF CHILDREN**

WARNING

Statement of Practical Treatment
IF SWALLOWED: Call a physician or Poison Control Center Immediately.
DO NOT INDUCE VOMITING UNLESS NO OTHER TREATMENT IS AVAILABLE. Vomiting
may cause aspiration pneumonia. If it is necessary to induce vomiting,
give victim one or two glasses of water and insert finger in back of
throat. Repeat until vomit fluid is clear. Do not induce vomiting
or give anything by mouth to an unconscious person.
IF INHALED: Remove victim to fresh air and apply artificial respira-
tion if indicated.
IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.
IF IN EYES: Rinse eyes for at least 15 minutes with water and call
a physician immediately.

NOTE TO PHYSICIAN: Gastric lavage is indicated. Atropine sulfate and
2-PAM are specific antidotes.

See Additional Warning Statements On Left Panel.



EPA Reg. # 19713-90
EPA Est. # 19713-MS-1

Net Contents:

_____ Gallons
_____ Liters