



JUL 21 1983
19713 243

ACTIVE INGREDIENT:
 Dichlone (2,3-Dichloro-1,4-naphthoquinone)50.0%
 INERT INGREDIENTS:50.0%
 TOTAL 100.0%

**KEEP OUT OF THE REACH OF CHILDREN
 CAUTION**

Statement of Practical Treatment
 IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
 IF SPLASHED IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops.
 IF SPILLED ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and plenty of water. If irritation develops, send for a physician.
 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

DO NOT STORE BELOW 35°F. SHAKE WELL BEFORE EACH USE.

MANUFACTURED BY
 Drexel Chemical Company
 2487 Pennsylvania Street
 Memphis, Tennessee 38109

EPA Reg # 19713-94
 EPA Est # 19713-MS-1

NET CONTENTS: _____ GALLONS
 _____ LITERS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Do not get in eyes, on skin or on clothing. Do not breathe mist or dust. Do not wear contaminated clothing.

Care should be taken in handling and applying this material. Wash with soap and water after using and before eating or smoking. Wear protective clothing.

ENVIRONMENTAL HAZARDS

Toxic to fish & wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to streams, lakes or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: $1\frac{1}{2}$ level teaspoons per one gallon of water equals 25.6 fluid ounces per 100 gallons of water.

APPLE SCAB: Use 3.2 fluid ounces per 100 gallons of water on a protective schedule at 5-7 day intervals from delayed dormant through pink sprays. Use 6.4 fluid ounces per 100 gallons in applications made up to 48 hours after the start of a wetting period for post-infection protection. Do not apply beyond pink stage.

PEACH BROWN ROT: For blossom and twig rot blossom blight use 6.4 fluid ounces per 100 gallons of water in pink bud stage and full bloom. When cool, wet weather occurs, resulting in a long bloom period, apply DREXEL DICHLONE 5F every 4 days.

PEACH LEAF CURL: Use 12.8 fluid ounces per 100 gallons of water as a dormant spray just before the buds begin to swell.

CHERRY BROWN ROT BLOSSOM BLIGHT: Use 6.4 fluid ounces per 100 gallons water at popcorn, full bloom and petal fall stages.

TOMATO LEAF BLIGHTS: Late blight and gray mold (botrytis) - use 9.6 fluid ounces per 100 gallons of water at 5-7 day intervals, beginning when plants are 4" high. To control the same diseases in tomato plant beds, use 12.8 fluid ounces per 100 gallons of water at 5-7 day intervals beginning when the plants emerge from the ground.

CELERY BLIGHTS: Use 6.4 fluid ounces per 100 gallons of water every 5-7 days during infection period. Use 200 gallons of dilute spray per acre. Begin application about 7 - 10 days after plants are set.

AZALEA PETAL BLIGHT: Use 6.4 fluid ounces per 100 gallons of water every 2-3 days as the blossoms show color and open.

ROSE BLACK SPOT: Use 3.2 fluid ounces per 100 gallons of water every 7-10 days. Begin applications early before disease is apparent or at first signs of infection.

NOTE: Do not use DREXEL DICHLONE 5F with, or within 7 days before or after applying, Bordeaux mixture, lime, lime-sulfur, spray oils or emulsifiable products.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or Local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL:

Triple rinse (or equivalent) and offer for reconditioning or recycling, or disposal of in a sanitary landfill or by other approved State and local procedures.

WARRANTY - CONDITION OF SALE:

DIRECTIONS FOR USE of this product are based on field use and tests believed reliable and should be followed carefully. It is however impossible to eliminate all risks associated with use of this product. Because such factors as weather conditions, foreign material and manner of use for application are all beyond the control of Drexel Chemical Company or the Seller of this product, such things as crop injury, ineffectiveness or other unintended consequences may result.

ALL SUCH RISKS ARE ASSUMED BY THE BUYER.

Drexel warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. Drexel makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.

4