

19713-126

PM 23

log 1

# Captan Plus Molybdenum Flowable Liquid Seed Treater For Soybeans

Planter Box Seed Treatment Fungicide Plus Molybdenum  
12 Bushel Size

## ACTIVE INGREDIENT:

Captan.....	By WL 18.44%
Related Derivatives .....	0.42%
<b>TOTAL:.....</b>	<b>81.14%</b>
	100.00%

\*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide

\*\*Add. Ingredients: Molybdenum (derived from sodium molybdate) 3.78%

Keep Out Of Reach Of Children

## DANGER / PELIGRO

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que le etiqueta haya sido explicado ampliamente

See Side Panel for Additional Precautionary Statements

Shake Well Before Using

Net Contents: 60 fl. oz.  
EPA Reg. No. 19713-126  
EPA Est. No 19713-MS-1

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER:** Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

### STATEMENT OF PRACTICAL TREATMENT

**IF IN EYES:** Flush with plenty of water. Call a physician.  
**IF SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available drink large quantities of water. Avoid alcohol.

**IF INHALED:** Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

### ENDANGERED SPECIES RESTRICTIONS

The following restrictions apply to use of this product after February 1, 1988.

Before using this pesticide on soybeans in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The Bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal Law. ALABAMA: Lauderdale, Limestone and Madison ARIZONA: Graham, Maricopa, Mohave, Pima, Pinal and Santa Cruz ARKANSAS: Benton and Polk CALIFORNIA: Imperial, Modoc, and Siskiyou MISSISSIPPI: Calhoun, Copiah and Lincoln MISSOURI: Barry, Benton, Camden, Christian, Dallas, Greene, Hickory, Jasper, Lawrence, Miller, Newton, Osage, Polk, St. Clair, Stone and Webster NEVADA: Clark NEW MEXICO: Chaves, Debaca and Eddy OHIO: Pickaway OKLAHOMA: Delaware, McCurtain and Pushmataha OREGON: Lake TENNESSEE: Lawrence and Wayne TEXAS: Burleson, Burleson, Comal, Harris, Kays, Jeff Davis, Pecos and Reeves UTAH: Utah and Washington Crop seeds are corn, cotton, soybeans, sorghum and small grains (wheat, barley, oats and rye).

## PRECAUTIONS FOR USE

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemically resistant gloves, goggles or a face shield and a chemically resistant apron.

**AFTER WORK:** Take off all clothing and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

### SHAKE WELL BEFORE EACH USE

Use CAPTAN PLUS MOLYBDENUM FLOWABLE at the rate of 5.0 fl. oz. per bushel of soybean seed or the contents of this container on 12 bushels of soybean seed. DO NOT USE SEED FOR FEED OR OIL PURPOSES. DO NOT USE CONTENTS OF THIS CONTAINER ON LESS THAN 12 BUSHELS OF SEED. Plant soybeans at the rate of one (1) bushel per acre for proper application of molybdenum. Fill the planter box (or mixing vessel) with seed. Pour the required amount of CAPTAN PLUS MOLYBDENUM FLOWABLE evenly on top of the seed. Stir with a stick or paddle so that all seeds are covered. When used in combination with an inoculant, add the product first, stir, add the inoculant, stir. Plant as soon as possible. Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

### WARRANTY—CONDITION OF SALE

OUR RECOMMENDATIONS FOR the product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions,混溶性 with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herein. In no case shall Direct or the Seller be liable for consequential, special or indirect damage resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herein. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE INSTRUCTION:** Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. Avoid storage at high temperatures. Do not stack over 2 pallets high. Move containers by handles or cases. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep away from any ignition source. Avoid contamination with acids or alkalies. Store in original containers only. If the contents are leaking or material is spilled, follow these steps:

1. Contain spill, absorb with a material such as sawdust, clay granules or dirt.
2. Collect and place in suitable containers for disposal.
3. Wash area with water and soap to remove remaining pesticide.
4. Follow washing with clean water rinses.
5. Place a sealing container in a plastic tub and transfer contents as soon as possible to an empty original container.
6. Do not allow runoff to enter sewer or contaminate water supplies.
7. Dispose of waste as indicated below.

**Pesticide disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

