



D-264 - CAPTAN
SEED PROTECTANT

ACCEPTED
by Self Cert.
SEP 9 1987
EPA Reg. No. 19713-145

ACTIVE INGREDIENTS

DIAZINON (O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate)	25.0%
*Captan	24.44%
Related Derivatives	0.56%

INERT INGREDIENTS	50.00%
TOTAL	100.00%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide

Keep Out Of Reach Of Children

DANGER PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

TRANSLATION - TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol.


If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

See Side Panel For Additional Precautionary Statements.

EPA Registration No. 19713-145
EPA Establishment No. 19713-MS-1.

NET CONTENTS:

Manufactured By: Drexel Chemical Company
PO Box 9306
Memphis, TN 38109



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

ENDANGERED SPECIES RESTRICTIONS

The following restrictions apply to use of this product after February 1, 1988.

Before using this pesticide on corn and soybeans in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal Laws.

ALABAMA

Colbert, Greene, Jackson, Jefferson, Lamar, Lauderdale, Limestone, Madison, Marshall, Morgan, Pickens and Sumter

ARIZONA

Apache, Graham, Greenlee, Maricopa, Mohave, Pima, Pinal, Santa Cruz and Yavapai

ARKANSAS

Benton, Clark, Clay, Cross, Lawrence, Lee, Poinsette, Polk, Randolph, Sharp and St. Francis

CALIFORNIA

Alpine, Butte, Colusa, Fresno, Glenn, Imperial, Inyo, Kern, Kings, Los Angeles, Madera, Merced, Modoc, Mono, Monterey, Orange, Riverside, Sacramento, San Bernardino, San Diego, San Luis Obispo, Santa Barbara, Santa Cruz, Solano, Stanislaus, Sutter, Tehema, Tulare, Ventura and Yolo

COLORADO

Boulder, Delta, Gilpin, Larimer, Mesa, Moffat, Park and Rio Blanco

FLORIDA

Statewide

BEST AVAILABLE COPY

GEORGIA

Appling, Atkinson, Bacon, Baker, Ben Hill, Bleckley, Berrien, Brantley, Brooks, Bryan, Bullock, Calhoun, Camden, Candler, Catoosa, Charlton, Chatham, Cherokee, Clinch, Coffee, Colquitt, Cook, Crisp, Decatur, Dodge, Dooly, Dougherty, Early, Echols, Effingham, Emanuel, Evans, Glynn, Grady, Irwin, Jeff Davis, Jenkins, Johnson, Lanier, Laurens, Lee, Liberty, Long, Lowndes, Macon, McCintosh, Miller, Mitchell, Montgomery, Murray, Pierce, Pulaski, Screven, Seminole, Telfair, Tattnall, Thomas, Tift, Toombs, Treutlen, Turner, Ware, Wayne, Wheeler, Whitfield, Wilcox and Worth

Islands of Maui, Hawaii and Kauai

IDAHO

Caribou, Bear Lake and Bonneville

ILLINOIS

Gallatin, Henderson, Jo Daviess, Massac, Mercer, Pike, Pulaski, Rock Island and White

INDIANA

Dekalb and Posey

IOWA

Allamakee, Clayton, Clinton, Des Moines, Dubuque, Fayette, Jackson, Louisa, Muscatine and Scott

KANSAS

Clark, Comanche, Meade and Stafford

KENTUCKY

Ballard, Butler, Edmundson, Green, Hart, Jackson, Laurel, Livingston, Marshall, McCracken, McCreary, Pulaski, Rockcastle, Taylor, Warren and Wayne

MARYLAND

Harford

MINNESOTA

Houston and Washington

MISSISSIPPI

Claiborne, Copiah, Hinds, Itawamba, Jackson, Lowndes, Monroe and Noxubee

MISSOURI

Barry, Benton, Bollinger, Butler, Camden, Cedar, Christian, Cole, Dallas, Franklin, Gasconade, Greene, Hickory, Jasper, Jefferson, Lawrence, Massack, Miller, Newton, Osage, Polk, Ralls, Ripley, St. Clair, St. Louis, Stone, Wayne and Webster

MONTANA

Garfield, McCone, Sheridan and Valley

NEBRASKA

Boyd, Brown, Buffalo, Butler, Cass, Cedar, Colfax, Dawson, Dodge, Douglas, Hall, Hamilton, Holt, Howard, Kearney, Keya Paha, Knox, Merrick, Nance Phelps, Polk, Rock, Sarpy and Saunders

NEVADA

Clark, Lincoln, Nye, Washoe and White Pine

NEW MEXICO


Catron, Chaves, DeBaca, Eddy, Grant, Hidalgo and Socorro

NORTH CAROLINA

Edgecombe, Macon, Nash, Pitt and Swain

NORTH DAKOTA

Banson, Bottineau, Burke, Burleigh, Divide, Dunn, Eddy, Emmans, Foster, Kidder, Logan, McHenry, McIntosh, McKenzie, McLean, Mercer, Morton, Mountrail, Nelson, Towner, Ward, Wells, and Williams



OHIO

Pickaway, Williams and Washington

OKLAHOMA

Delaware, McCurtain and Pushmataha

OREGON

Lake and Harney

SOUTH DAKOTA

Clay, Haakon, Hughs, Potter, Stanley, Sully, Union, Walworth, Yankton and Ziebach

TENNESSEE

Bedford, Blount, Bradley, Claiborne, Cumberland, Decatur, Franklin, Hamilton, Hancock, Hardin, Hawkins, Hickman, Knox, Lawrence, Lincoln, Loudon, Marion, Marshall, Maury, Meigs, Monroe, Morgan, Polk, Rhea, Roane, Scott, Sequatchie, Smith, Sullivan, Trousdale and Wayne

TEXAS

Bastrop, Burleson, Comal, Harris, Hays, Jeff Davis, Menard, Pecos and Reeves

UTAH

Carbon, Emery, Garfield, Grand, San Juan, Uintah, Utah, Washington and Wayne

VIRGINIA


Lee, Russell, Scott, Smyth, Tazewell, Washington and Wise

WISCONSIN

Crawford, Grant, Iowa, Pierce, Polk, Richland, St. Croix and Vernon

WYOMING

Albany, Lincoln and Sublette



DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS FOR USE

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and chemically resistant apron.

A dust mask must be worn when mixing and loading this product. AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.



D-264 Captan Seed Protectant gives temporary protection of germinating seed and seedlings of corn and soybeans from injury by seed corn maggots and seed corn beetles and gives temporary protection to seed from seed-borne and soil-borne fungi which cause seed decay and seedling blights.

This product contains graphite to assist in accurate planting.


Under some circumstances D-264 Captan Seed Protectant may affect the rate of seeding. It is necessary for the user to check planting rate frequently to assure himself that the desired planting rate is being obtained.

MEASURING CUP ENCLOSED.

SPECIFIC DIRECTIONS

CORN: Use 5 oz. (3 level measuring cups) per bushel corn seed. Apply to seed as planter box is being filled. Stir with paddle or lath so that each seed is coated with seed protectant. If temperature is high and soil moisture is low reduce dosage to one-half, especially for mid-season planting. DO NOT USE BARE HANDS. Excess product flows with the seed into the furrow giving additional protection against soil-borne diseases.

SOYBEANS: Mix 3 oz. (1½ level measuring cups) per bushel of seed in the planter box as a seed treatment prior to planting. Follow mixing instructions as above.



STORAGE AND DISPOSAL


Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

STORAGE INSTRUCTIONS: Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool dry area away from any heat or ignition source. Do not allow storage in a damp or humid area. Do not stack bags over 2 pallets high. Move bags carefully so as not to tear or puncture. Do not move from one area to another unless they are securely sealed to prevent dust from escaping. Keep container tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Avoid contamination with acids and alkalis. Store in original containers only. If the contents are leaking or material is spilled follow these steps:

1. Collect and place in suitable containers for disposal.
2. Wash area with water and soap to remove remaining pesticide.
3. Follow washing with clear water rinse.
4. Do not allow run off to enter sewer or contaminate water supplies.
5. Dispose of waste as indicated below:

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



WARRANTY - CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.

