

Ms. Barbara Brown
Drexel Chemical Company
P.O. Box 13327
1700 Channel Ave.
Memphis, TN 38113-0306

APR 24 1996

Dear Ms. Brown:

Subject: Captan 4L Fungicide
EPA Registration No. 19713-156
Application Dated April 14, 1996, Request To
Amend Registrations To Add Use-Pattern for Use
on Blueberries, Supplemental Labeling and A
Revised Certification with Respect To Citation
of Data Dated April 24, 1996

Your application to amend the registration of the
subject pesticide product by adding supplemental labeling
for use in the culture of blueberries has been reviewed
and found to be acceptable under the Federal Insecticide,
Fungicide and Rodenticide Act (FIFRA) as amended, provided
that you:

- 1. Revise the use-pattern for Western U.S. to read:

BLUEBERRIES (Western U.S.): Botrytis gray mold,
berry rot, mummy berry - Apply 1 to 2 qts. CAPTAN 4L
per acre in 20 to 200 gallons of water by ground or
5 to 20 gallons of water by air. Begin at mid-bloom,
repeat at 7 to 10 day intervals until maturity. Do
not apply more than 35 qts. CAPTAN 4L (35 lbs. a.i.)
per acre per crop cycle. May be applied up to the
day of harvest.

- 2. Revise the use-pattern for Eastern U.S. to read:

BLUEBERRIES (Eastern U.S.): Botrytis gray mold,
berry rot, mummy berry. - Apply 2.5 qts. CAPTAN 4L
per acre in sufficient water for thorough coverage
by ground, or in 5 gallons of water by air. Begin
at bud swell or when buds have loose scales. Repeat
7 day intervals through blossom period. Repeat at
7 to 10 day intervals through late bloom. Do not

SYMBOL	apply more than 35 qts. CAPTAN 4L (35 lbs. a.i.)					
SURNAME	per acre per crop cycle. May be applied up to day					
DATE	of harvest.					

- 3. Delete the box of "Agricultural Use Requirements" they are either not germane to the subject labeling or redundant. The label already states: "All Applicable Directions, Restrictions and Precautions on the EPA Registered Label Are To Be Followed". That statement must be revised to state: "must be followed".
- 4. Delete the date: "April 24, 1996" in the subject line of the label. Replace it by moving the product name into its position on the labeling.
- 5. Submit one (1) printed copy of the final printed label before releasing the product for shipment under or with this labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA, Section 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

Sincerely yours,

Joanne I. Miller
 Product Manager (23)
 Fungicide-Herbicide Branch
 Registration Division (7505C)

Enclosure

E.Wilson:Diskette ABC#25:04-24-96



393

Drexel Chemical Company

APRIL 24, 1996
SUPPLEMENTAL LABELING FOR USE ON BLUEBERRIES

All Applicable Directions, Restrictions and Precautions on the
EPA Registered Label Are To Be Followed

DREXEL CAPTAN 4L

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

AGRICULTURAL USE REQUIREMENTS

EXCEPTION: For the last 48 hours of the REI, workers may enter the treated area to perform hand labor or other tasks involving contact with anything that has been treated, such as plants, soil, or water, without time limit, if they wear the early-entry personal protective equipment listed below.

EXCEPTION: The restricted entry interval (REI) for Strawberries is 24 hours. After expiration of the 24 hour period, no personal protective equipment is required.

BLUEBERRIES (WESTERN U.S.): *Botrytis gray mold or Berry rot, Mummy berry*
Apply 1 to 2 qts. CAPTAN 4L per acre. Begin at mid-bloom, repeat at 7 to 10 day intervals until maturity. May be applied up to day of harvest. Do not apply more than 35 quarts CAPTAN 4L (35 lbs. a.i.) per acre per crop cycle.

BLUEBERRIES (EASTERN U.S.): *Botrytis gray mold or Berry rot, Mummy berry*
Apply 2.5 qts. CAPTAN 4L per acre in sufficient water for thorough coverage or in 5 gallons of water by air. Begin spray program when buds swell or when buds have loose scales. Repeat at 7 day intervals through blossom period. Repeat at 7 to 10 day intervals from late bloom. Do not apply more than 35 quarts CAPTAN 4L (35 lbs. a.i.) per acre per crop cycle,. May be applied up to day of harvest.

EPA REG. NO. 19713-156
EPA EST. NO. 19713-GA-1

MANUFACTURED BY:
Drexel Chemical Company
P. O. Box 13327
Memphis, TN 38113-0327

ACCEPTED
with COMMENTS
In EPA Letter Dated

APR 24 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

19713-156