

ACCEPTED with COMMENTS in EPA Letter Dated:

JAN 1 0 1983

Under the Federal his violde, Fungicide, and Retenated Act es amended, for the product registered under EPA Reg. No. 19717-161

Agricultural Fungicide

CAPTAN 4 FLOWABLE

Aqueous Suspension

4

1

and the second of the second

ंग्न

5.4

.

5

C.

1

• <u>.</u> .

SEED PROTECTANT

ACTIVE INGREDIENT:

(CONTAINS 4 LBS. CAPTAN PER GALLON)

KEEP OUT OF THE REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. IF IN EYES: Immediately flush eyes with plenty of water and get wedical attention. IF ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and plenty of water. If irritation develops, send for a physician.

See Side Panel For Additional Precautionary Statements.

EPA Reg #19713-EPA Est #19713-MS-1

Net Content:

Manufactured by: Drexel Chemical Company Mamphis, Tennessee 38109 DIRECTIONS FOR USE:

ð,

·....

· ·

547

1.4 . Farts 42 - fr. 3 - fr.

の一般の

À

1

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SEED TREATMENT DOSAGE RATES

8¼ F1. oz/100 Lb. Beans (snap) dry, lima), Cowpeas, Peas, Dry Beans, Lima Beans. .21/2 Fl. oz/100 Lb. 12 F1. oz/100 Lb. 84 F1. oz/100 Lb. Cereal Grains (for seed and seedling rots - will not control bunt smut) Barley 2½ F1. oz/100 Lb. Oats 3¼ F1. oz/100 Lb. Wheat 1 3/4 Fl. oz/100 Lb. 1¹; F1. oz/100 Lb. Cole Crops (broccoli, Brussels sprouts, cabbage, cauliflower) Corn 1 3/4 Fl. oz/100 Lb. $3\frac{1}{2}$ F1. oz/100 Lb. Cotton 3 F1. oz/100 Lb. 4½ F1. oz/100 Lb. Reginned Cotton 4½ F1. oz/100 Lb. Fuzzy Cotton 3 F1. oz/100 Lb. · Cucumber, cantaloupe 15 F1. oz/100 Lb. Crucifers 3½ F1. oz/100 Lb. Flax 8¹; Fl. oz/100 Lb. Grasses 4 Fl. oz/100 Lb. Milo Onions (Pelleting) 1½ Pt./Lb. 6 F1. oz/100 Lb. Peanuts 3 F1. oz/100 Lb. 3 2/5 F1. oz/100 Lb. Rice 4 F1. oz/100 Lb. 2½ F1. oz/100 Lb. Soybeans 6 F1. nz/100 Lb. Spinach 2 F1. oz/100 Lb. Squash, pumpkin, watermelon, muskmelon Sugar beets 6 F1. oz/100 Lb. West 12 F1. oz/100 Lb. East Swiss Chard 12 F1. oz/100 Lb. GLADIOLA BULBS - Prevention of bulb rot - Use 24 Fl. oz. in 1 gallon water 1's Pts. to 10 Gals. Soak bulbs in mixture 20 - 30 minutes.

-

I.

PRECAUTIONARY STATEMENTS

5

r

1

1

•

Mazards to Humans and Domestic Animals.

CAUTION: HARMFUL IF SWALLOWED. Avoid Breathing of Spray. Do Not Take Internally. Avoid Contact with Skin and Eyes. Causes moderate eye irritation. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of waste.

This product is toxic to fish. Keep out of lakes, streams and ponds.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

Captan 4 Flowable Seed Protectant is an aqueous suspension suitable for the treatment of seed.

Prior to storage and planting, to protect seed from molds and other fungi causing storage loss and to protect seed from seed-borne and soil-borne fungi which cause seed decay and seedling blight.

Stir the recommended dosage of Captan 4 Flowable Seed Protectant into the required amount of water for the slurry treater equipment to be used. NOTE: Seed treated by the slurry method should not be stacked until such time as the seed has had an opportunity to dry. Store in well-ventilated areas. If seed is stacked when wat heat is developed which impairs seed germination.

IMPORTANT: Treated seed must not be used for human consumption or as animal feed. Treated seed should be labeled: "TREATED SEED - DO NOT USE FOR FEED, FOOD OR OIL PURPOSES".

The Federal Government and some States have issued regulations for the application of special tags or labels to be affixed to bags containing treated seed. Information on this subject may be obtained from local authorities.

• • • • •

STORAGE AND DISPOSAL

¢

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL:

٦.

.

N

8

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal, State or local authorities.

CONTAINER DISPOSAL:


Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

WARRANTY - CONDITION OF SALE:

DIRECTIONS FOR USE of this product are based on field use and tests beleived reliable and should be followed carefully. It is however impossible to eliminate all risks associated with use of this product. Because such factors as weather conditions, foreign material and manner of use for application are all beyond the control of Drexel Chemical Company or the Seller of this product, such things as crop injury, ineffectiveness or other unintended consequences may result.

ALL SUCH RISKS ARE ASSUMED BY THE BUYER.

Drexel warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. Drexel makes no other warranties, express or implied, including FITNESS OR MERCHANTABILITY. In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.



| | U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS | | DATE OF ISSUANCE | |
|---|--|--|---|----|
| | REGISTRATION DIVISION (HH-567) WASHINGTON, DvC+20460 | TERM OF ISSUANCE |] | |
| | NOTICE OF PESTICIDE: REGISTRATION (Under the Federal Insecticide, Fungicide, | NAME OF PESTICIDE PRO | DUCT | |
| | and Rodenticide Act, as amended) | | | \$ |
| | NAME AND ADDRESS OF REGISTRANT (Include 21P code) | | $\rho = \alpha \epsilon^{-1}$ | |
| | F − | Г | 161 838.59 | |
| | , | | 12 - | |
| | L | | | |
| • | NCTE: Changes in labeling formula differing in substance is submitted to and accepted by the Registration Division price product always refer to the above U.S. EPA registration num | or to use of the label in comm | | |
| | On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act. | above named pesticide is he | reby Registered/Reregistered under | |
| | A copy of the labeling accepted in connection with this Re | gistration/Reregistration is | returned herewith. | |
| | Registration is in no way to be construed as an indorsemen health and the environment, the Administrator, on his motio i cide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others. | on, may at any time suspend (ame in connection with the re | or cancel the registration of a pest- gistration of a product under this | |
| | | · · · | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | • |
| | | · | | |
| | | | | |
| | | · . | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | ATTACHMENT IS APPLICABLE | | | |
| | SIGNATURE OF APPROVING OFFICIAL | | DATE | |
| I | EPA Form \$570-6 (Rev. 5-76) PREVIOUS EDITION | N MAY BE USED UNTIL SUPPL | Y IS EXHAUSTED. | |
| | | | | |
| | · •. | · . | | _ |
| | | | | |

١Ē

.