

CAPTAN - FLOWABLE SEED PROTECTANT
Aqueous Suspension and Agricultural Fungicide

ACTIVE INGREDIENT:

Captan*.....	37.64%
Related Derivatives.....	0.86%
INERT INGREDIENTS.....	61.50%
TOTAL.....	100.00%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide
This product contains 4.0 lbs. captan per gallon

SHAKE WELL BEFORE USING

KEEP OUT OF REACH OF CHILDREN
Danger/Peligro

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

TRANSLATION - TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

If in eyes: Flush with plenty of water. Call a physician.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol.

If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.


See Side Panel For Additional Precautionary Statements.

EPA Reg. No. 19713-161
EPA Est. No. 19713-MS-1

Net Contents



P.O. BOX 9306, MEMPHIS, TENN. 38109-0306



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

DANGER. Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

ENDANGERED SPECIES RESTRICTIONS

The following restrictions apply to use of this product after February 1, 1988.

Before using this pesticide on corn ^{and} and soybeans in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal Laws.

ALABAMA

Lauderdale, Limestone and Madison

ARIZONA

Graham, Maricopa, Mohave, Pima, Pinal and Santa Cruz

ARKANSAS

Benton and Polk

CALIFORNIA

Imperial, Modoc and Riverside

MISSISSIPPI

Claiborne, Copiah and Hinds

MISSOURI


Barry, Benton, Camden, Christian, Dallas, Greene, Hickory, Jasper, Lawrence, Miller, Newton, Osage, Polk, St. Clair, Stone and Webster

NEVADA

Clark

NEW MEXICO

Chaves, DeBaca and Eddy



OHIO

Pickaway

OKLAHOMA

Delaware, McCurtain and Pushmataha

OREGON

Lake

TENNESSEE

Lawrence and Wayne

TEXAS

Bastrop, Curleson, Comal, Harris, Hays, Jeff Davis, Pecos and Reeves

UTAH

Utah and Washington

PHYSICAL OR CHEMICAL HAZARDS


Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Treated seed must not be used for human consumption or as animal feed. Treated seed must be labeled: "TREATED SEED - DO NOT USE FOR FEED, FOOD OR OIL PURPOSES".

The Federal Government and some States have issued regulations for the application of special tags or labels to be affixed to bags containing treated seed. Information on this subject may be obtained from local authorities.



PRECAUTIONS FOR USE


Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

GENERAL INFORMATION

CAPTAN 4 FLOWABLE SEED PROTECTANT is an aqueous suspension suitable for the treatment of seed prior to storage and planting to protect seed from molds and other fungi causing storage loss, and to protect seed from seed-borne and soil-borne fungi which cause seed decay and seedling blight.




54

SPECIFIC DIRECTIONS

Stir the recommended dosage of CAPTAN 4 FLOWABLE SEED PROTECTANT into the required amount of water for the slurry treater equipment to be used.
NOTE: Seed treated by the slurry method should not be stacked until such time as the seed has had an opportunity to dry. Store in well-ventilated areas. If seed is stacked when wet, heat is developed which impairs seed germination.

SEED TREATMENT DOSAGE RATES

Corn	
Field Corn	1 3/4 Fl. oz/100 Lb.
Sweet Corn	3 1/2 Fl. oz/100 Lb.
Soybeans	2 1/2 Fl. oz/100 Lb.
Spinach	6 Fl. oz/100 Lb.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.


STORAGE INSTRUCTIONS: Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool dry area away from any heat or ignition source. Avoid storage at high temperatures. Do not stack over 2 pallets high.

Move containers by handles or cases. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Avoid contamination with acids and alkalis. Store in original containers only. If the contents are leaking or material is spilled follow these steps:

1. Contain spill, absorb with a material such as sawdust, clay, granules or dirt.
2. Collect and place in suitable containers for disposal.
3. Wash area with water and soap to remove remaining pesticide.
4. Follow washing with clear water rinse.
5. Do not allow run off to enter sewer or contaminate water supplies.
6. Place leaking containers in overpack drums.
7. Dispose of waste as indicated below:

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



WARRANTY - CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.

