



RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicator or persons under thir direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is de- fined as the certified applicator being physically present during applicat- ion, mixing, loading, repair and cleaning of application equipment. commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements



ACTIVE INGREDIENTS:

Methyl Parathion (0,0-dimethyl-0-4-nitrophenyl phosphorothioate)..... 95.1%

Related Compounds..... 1.7%

INERT INGREDIENTS*..... 55.2%

TOTAL..... 100.0%

*Contains Xylene Range Aromatic Solvents.

CONTAINS 4 POUNDS METHYL PARATHION PER GALLON

Keep out of reach of children

DANGER PELIGRO



POISON

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

See Side Panel For Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If On Skin: Immediately wash with plenty of soap and water. See a doctor immediately.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferable mouth-to-mouth. Get medical attention immediately.

If In Eyes: Flush with plenty of water. Call a physician.

EPA Reg. No. 19713-216

Net Contents:

EPA Est. No.

Manufactured by Drexel Chemical Company

POISON SIGNS (SYMPTOMS)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Atropine is an Antidote. Consult Physician for Emergency Supply.

If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, do not wait for a doctor. but give 2 Atropine tablets (each 1/100 grain or 0.65 milligrams) at once. (One tablet to children under 5 years of age).

Note To Physician: Antidote - administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 15 minute intervals until signs of atropinization appears. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor effecting the central peripheral nervous system and producing cardiac and respirator depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated systematically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement: VERY CLOSE SUPERVISION OF PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals
DANGER

Fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

WORK SAFETY RULES

The National Pesticide Telecommunication Network is available for recommendations regarding poisoning management, emergency treatment and other information regarding the toxicity of methyl parathion. The toll free number for the National Pesticide Telecommunication Network is 1-800-7378.

If handled indoors provide mechanical exhaust ventilation. Keep all unprotected persons, children, livestock and pets away from treated area or ~~where~~ there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See First Aid (Practical Treatment) section.

APR 1984

HANDLE THE CONCENTRATE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT:

Wear a protective suit of one or two pieces that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, chemical resistant apron, and chemical resistant shoes, shoe coverings, or boots. Wear goggles or a face shield. Wear a pesticide respirator approved by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE AND EARLY REENTRY INTO TREATED AREAS: protective suit of one or two pieces covering all parts of the body except the head, hands and feet; chemical resistant gloves; chemical resistant shoes (or chemical resistant shoe coverings or chemical resistant boots); goggles or face shield; hood or wide brimmed hat; NIOSH approved respirator.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: long-sleeved shirt; long-legged pants; chemical resistant gloves; chemical resistant apron; shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: long-sleeve shirt and long-legged pants; shoes and socks. Chemical resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER - THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREA! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face and arms with soap and water before smoking, eating, drinking or toileting.

AFTER WORK: before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job - do not wear contaminated clothing. Personal clothing worn during work must be stored and laundered separately from protective clothing and household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Protective clothing and protective equipment heavily contaminated or drenched with methyl parathion must be destroyed according to state and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED. DURING AERIAL APPLICATION, HUMAN FLAGGERS ARE PROHIBITED.


Respirators should be cleaned and cartridges replaced according to instructions included with respirators. Replace gloves frequently.

BEST AVAILABLE COPY

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to aquatic invertebrates and wildlife. Birds in treated areas may be killed. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.



ENDANGERED SPECIES RESTRICTIONS

The following restrictions apply to use of this product after February 1, 1988.

Before using this pesticide on cotton in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

ALABAMA

Colbert, Greene, Jackson, Lamar, Lauderdale, Limestone, Madison, Marshall Morgan, Pickens and Sumter

ARKANSAS

Clay, Clark, Cross, Lawrence, Lee, Poinsette, Randolph, Sharp and St. Francis

CALIFORNIA

Butte, Colusa, Glenn, Inyo, Kern, Los Angeles, Merced, Orange, Riverside, Sacramento, San Bernardino, San Diego, Santa Barbara, Solano, Stanislaus, Sutter, Tehama, Ventura and Yolo

FLORIDA


Alachua, Baker, Bradford, Brevard, Broward, Charlotte, Citrus, Clay, Collier, Columbia, Dade, DeSoto, Dixie, Duval, Flagler, Gadsden, Gilchrest, Glades, Hardee, Hendry, Hernando, Highlands, Hillsborough, Indian River, Jefferson, Lafayette, Lake, Lee, Leon, Levy, Madison, Manatee, Marion, Martin, Monroe, Nassau, Orange, Okeechobee, Osceola, Palm Beach, Pasco, Pinellas, Polk, Putnam, St. Johns, St. Lucie, Sarasota, Seminole, Sumter, Suwannee, Taylor, Union, Volusia and Wakulla

GEORGIA

Brantley, Bryan, Bulloch, Burke, Camden, Candler, Charlton, Chatham, Effingham, Emanuel, Evans, Glascock, Glynn, Jefferson, Jenkins, Johnson, Liberty, Long, McIntosh, Pierce, Richmond, Screven, Ware, Washington and Wayne

KANSAS

Clark, Comanche, Meade and Stafford



KENTUCKY

Ballard, Butler, Edmundson, Green, Hart, Jackson, Laurel, Livingston, Marshall, McCracken, McCreary, Pulaski, Rockcastle, Taylor, Warren and Wayne

MISSISSIPPI

Itawamba, Lowndes, Monroe and Noxubee

MONTANA

Garfield, McCone, Sheridan and Valley

NEBRASKA

Boyd, Brown, Buffalo, Butler, Cass, Cedar, Colfax, Dawson, Dodge, Douglas, Hall, Hamilton, Holt, Howard, Kearney, Keya Paha, Knox, Merrick, Nance, Phelps, Platte, Polk, Rock, Sarpy and Saunders

NORTH CAROLINA

Edgecombe, Nash and Pitt

NORTH DAKOTA

Banson, Bottineau, Burke, Burleigh, Divide, Dunn, Eddy, Emmons, Foster, Kidder, Logan, McHenry, McIntosh, McKenzie, McLean, Mercer, Morton, Mountrail, Nelson, Oliver, Pierce, Ramsey, Ranville, Rolette, Sheridan, Sioux, Stutsman, Towner, Ward, Wells and Williams

SOUTH CAROLINA

Aiken, Barnwell, Beaufort, Berkely, Charleston, Colleton, Dorchester,
Georgetown, Hampton, Horry, Jasper and Marion

SOUTH DAKOTA

Clay, Haakon, Hughs, Potter, Stanley, Sully, Union, Walworth, Yankton
and Ziebach

TENNESSEE


Bedfor, Elount, Claiborne, Decatur, Franklin, Hancock, Hardin, Hickman,
Knox, Lincoln, Loudon, Marshall, Maury, Meigs, Monroe, Rhea, Roane, Scott,
Sequatchie, Smith, Sullivan and Wayne

TEXAS

Aransas, Austin, Cameron, Colorado, Fort Bend, Goliad, Refugio and
Victoria

VIRGINIA

Lee, Russell, Scott, Smyth, Tazewell, Washington and Wise



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

REENTRY STATEMENT

Reentry into treated fields is prohibited for 48 hours after application, unless all protective clothing and equipment required for early reentry as described elsewhere on the label are worn.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

FARMWORKER SAFETY:

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. (Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure). When oral warnings are given, warning shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: DANGER. Area treated with methyl parathion. Do not enter without appropriate protective clothing for 48 hours. In case of accidental exposure, refer to Statement of Practical Treatment on front panel of this label.

If application is made by airplane, use a minimum of 3 to 10 gallons of water per acre.

COTTON - To control boll weevil, cotton aphids, leafworm and some species of spider mites, use $\frac{1}{2}$ to 1 pint of concentrate (0.25 to 0.5 lb. methyl parathion) in the amount of water required for uniformly thorough spraying of one acre. Apply at the lower rate during the early season and at the higher rate during and after the blooming period. For cotton aphid, apply when aphids are present in buds and on leaves of seedling cotton or when honey dew develops on older cotton; repeat as needed. For some species of spider mites, apply when yellowish or whitish speckling of leaves indicate damage. For boll weevil, during the early season, apply at the 2 to 4-leaf stage, or at first squaring, if weevils are present, and make 3 or 4 applications at weekly intervals as necessary: during mid and late season, apply when 10 percent of squares or bolls are punctured and repeat at 4 to 5-day intervals as necessary. For leafworm, apply when worms appear, usually during the maturing period, and repeat as needed.

DO NOT APPLY TO COTTON WITHIN 15 DAYS OF HAND PICKING

TOBACCO - To control aphids, use $\frac{1}{2}$ to 1 pint of the concentrate (0.25 to 0.5 lb. Methyl Parathion in sufficient water to cover 1 acre). DO NOT APPLY WITHIN 5 DAYS OF PRIMING OR WITHIN 15 DAYS OF CUTTING. AVOID CONTACT WITH PLANT JUICES WHEN PRIMING OR CUTTING THE CROP.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE INSTRUCTIONS

Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in cool dry area away from any heat or ignition source. Do not stack over 4 pallets high. Move containers by handles. Do not move containers from one area to another unless they are securely sealed. Keep containers tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original containers only. If the contents are leaking or material is spilled, follow these steps while wearing protective equipment:

1. Rope off contaminated area and notify consignor.
2. Keep people up wind as far as possible to prevent vapor inhalation.
3. Contain spill, absorb with a material such as saw dust, clay granules and soda ash.
4. Collect and place in suitable containers for disposal.
5. Wash area with soap to remove pesticide. Rinse with clear water.
6. Wood and other absorbent surfaces must be replaced.
7. Do not allow run off to enter sewer or contaminate water supply.
8. Dispose of waste as indicated below:

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

WARRANTY-CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon test believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.

BEST AVAILABLE COPY