


161 110

RESTRICTED USE PESTICIDE
Due To Very High Acute Toxicity To
Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.



PARATHION BAIT 2X

NOT FOR HOME USE

ACTIVE INGREDIENT:

Parathion: 0,0-diethyl 0-p-nitrophenyl phosphorothioate 2%

INERT INGREDIENTS: 98%

STOP! READ THE LABEL

POISON

See Side Panels For
Antidote and Precautions.



DANGER

PELIGRO

CAN KILL YOU
KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

TRANSLATION: TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.


IF IN EYES: Flush with plenty of water. Call a physician.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferable mouth-to-mouth. Get medical attention.

WORK SAFETY RULES: Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic, or hospital immediately. Explain that the victim has been exposed to Parathion and describe his condition. After first aid is given (see First Aid Treatment Section), and if a doctor cannot come, take victim to clinic or hospital.

EPA REG. NO. 19713-237
EPA EST. NO. 19713-GA-1
NET CONTENTS:

MANUFACTURED BY:
DREXEL CHEMICAL COMPANY
P.O. BOX 9306 - MEMPHIS, TN 38109



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

DANGER-POISON-PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled on skin, in eyes, or on clothing.



CAN KILL YOU IF BREATHED

This product can kill you if vapors or dust are breathed.



DANGER. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

POISON SIGNS (Symptoms): Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering eyes, drooling or frothing of mouth and nose muscle spasms and coma.

NOTE TO PHYSICIAN: Antidote - administer atropine sulfate in large doses, TWO TO FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropination appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and wildlife. Birds in treated areas may be killed. Do not apply directly to water. Drift and runoff from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate granules which are spilled. Do not contaminate water by cleaning of equipment or disposal of wastes.

BEE CAUTION: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

REENTRY STATEMENT

Reentry into treated fields before expiration of the reentry interval specified on this label is prohibited, unless the protective clothing and equipment specified on this label are used.

POSTED TREATED AREA: Consult your State Agricultural Extension Service or Experiment Station regarding posting treated area.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. **ORAL WARNINGS** must inform workers of areas or fields that may not be entered, without protective equipment and clothing specified on this label, during treatment or until expiration of specific reentry intervals. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given when there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: **DANGER (PELIGRO)**. Area treated with Parathion on (date of application). Do not enter without appropriate protective clothing until expiration of specific reentry intervals. Follow First Aid Treatment instructions shown on this product label in case of accidental exposure.

THIS PRODUCT MAY BE FATAL IF SWALLOWED, INHALED, OR IF ALLOWED TO CONTACT SKIN. FAILURE TO PROPERLY FOLLOW ALL INSTRUCTIONS FOR PROTECTIVE CLOTHING AND EQUIPMENT WILL INCREASE YOUR RISK.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE AND EARLY REENTRY INTO TREATED FIELDS: Waterproof pants and coat; heavy-duty chemical-resistant gloves; rubber boots or rubber overshoes; hood or wide-brimmed hat; safety goggles or face shields; NIOSH approved respirator. In addition, mixer/loaders must wear a chemical resistant apron in non-enclosed cockpits, a helmet with a visor may be substituted for the hood or wide-brimmed hat and safety goggles or face shield requirements.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Heavy-duty chemical resistant gloves; chemical resistant apron, long-sleeved shirt (or gauntlets and short sleeve shirt) and long-legged pants; shoes and socks. Safety goggles or a faceshield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Clean long-sleeved shirt and long-legged pants. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated areas. If used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag.

REMEMBER - THIS CLOTHING IS NOT INTENDED TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT OR DURING EARLY REENTRY! REFER TO THE INSTRUCTIONS ABOVE.

HUMAN FLAGGERS ARE STRICTLY PROHIBITED DURING AERIAL APPLICATION.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face and arms with soap and water before smoking, eating, drinking or toileting.

AFTER WORK: Wash gloves with soap and water before removing. Take off all work clothes and shoes. Store protective clothing separately from personal clothing. Launder protective clothing after ea . use. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Personal clothing worn during mixing/loading, application, repair and cleaning of application equipment, disposal of pesticide and early reentry into treated fields must be stored and laundered separately form household articles. Clothing and equipment heavily contaminated or drenched with Parathion must be destroyed according to State and Local Regulations.

HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

Respirators should be cleaned and cartridges replaced according to instructions included with respirators. Replace gloves frequently.

NOTICE: Processing of the feed used as a carrier for this product should normally sterilize most, if not all, weed seed present. Because of unavoidable variations in processing of the feed and inherent differences in weed seeds, it is possible that viable weed seed may be present in the carrier. The purchaser and user of this product accept all risk of injury to crops from such viable weed seed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.





Be certain to read all precautionary information before using this product.

APPLICATIONS

Preplant Soil Applications: Broadcast at recommended rates by ground or aerial equipment. Incorporate into top 4 to 9 inches of soil immediately after application. Use lower rates for mineral soils and higher rates for organic soils.


Postplant Soil Applications: Broadcast at recommended rate by ground or aerial equipment when insect first appear. Repeat application at 7-14 day intervals as needed. Observe preharvest intervals for the crop as shown in the table.

CROP	LB/A	INSECTS CONTROLLED	POSTHARVEST	REENTRY	CAUTIONS
			INTERVAL FOR	INTERVAL	
			FOLIAR APPLICATION		
Beans	30-40	Centipedes, cutworms mealy bugs (including ground mealy bugs), root aphids, spring- tails, white grubs, symphylans (including garden symphylan), wireworms	15 days	3 days	

CRGF	LB/A	INSECTS CONTROLLED	POST HARVEST INTERVAL FOR FOLIAR APPLICATION	REENTRY INTERVAL	CAUTIONS
Beans	30-40	Centipedes, cutworms, mealy bugs, (including ground mealy bugs), root aphids, springtails, white grubs, symphylans (including garden symphylan), wireworms	15 days	3 days	
Beets	30	Cutworms, symphylans (including garden symphylan), wireworms	15 days (roots). 21 days (tops)	3 days	
Blackeyed Peas	25	Cutworms, wireworms	15 days	3 days	
Broccoli, Brussels Sprouts, Cabbage, Cauliflower	30-40	Centipedes, cutworms, springtails, symphylans (including garden symphylans), white grubs, wireworms	21 days	3 days	
Cantaloupe	25	Wireworms	7 days	3 days	Do not apply before vining.
Carrots	30	Centipedes, symphylans (including garden symphylans), wireworms	21 days	3 days	Do not use tops for food or feed.
Celery	30-40	Cutworms, symphylans (including garden symphylan), wireworms	30 days	3 days	
Collards	25	Cutworms, white grubs, wireworms	10 days	3 days	
Corn Including Sweet Corn	30-40	Centipedes, corn rootworms (larvae), cutworm, symphylans (including garden symphylan), white grubs, wireworms	12 days	6 days	For corn rootworms, apply evenly in furrow 1/2 inch below soil surface at time of planting or apply in a 5-7 inch band over the row at time of planting or cultivation.
Cucumbers	25	Cutworms, wireworms	15 days	3 days	Do not apply before vining.
Eggplant	25	Cutworms, symphylans (including garden symphylan), wireworms	15 days	3 days	
Endive	25	Cutworms, wireworms	21 days	3 days	
Garlic	25	Cutworms, wireworms	15 days	3 days	
Kale	25	Cutworms, symphylans (including garden symphylans), wireworms	10 days	3 days	
Radishes	30-40	Cutworms, wireworms	21 days	3 days	
Lettuce	25	Centipede, cutworms, ground mealybugs, root aphids, springtails, symphylans (including garden symphylans), white grubs, wireworms	21 days	3 days	

Melons	25	Cutworms, symphylans (including garden symphylans), white grubs, wireworms	7 days	3 days Do not apply before vining. Do not apply unless plants are dry.
Mustard Greens	25	Cutworms, white grubs, wireworms	10 days	3 days
Okra	30-40	Cutworms, wireworms	21 days	3 days
Onions	30-40	Cutworms, symphylans (including garden symphylan), white grubs, wireworms	15 days	3 days
Peanuts	30-40	Corn rootworm (larvae) (including southern corn rootworm), lesser cornstalk borer	15 days	3 days 12 inch band just before pegging or preplant broadcast
	50-60	White grubs	15 days	3 days Preplant broadcast
		Cutworms, wireworms	15 days	3 days At planting or pegging incorporate lightly.
Peas	25	Cutworms, symphylans (including garden symphylans), white grubs, wireworms	15 days	3 days
Peppers	30-40	Cutworms, symphylans (including garden symphylans), white grubs, wireworms	15 days	3 days
Potatoes	30-40	Cutworms, symphylans (including garden symphylans), wireworms (including southern potato wireworm)	5 days	3 days
Pumpkins	25	Cutworms, wireworms	10 days	3 days
Radishes	25	Cutworms, garden symphylan, wireworms	15 days	3 days
Rutabagas	25	Cutworms, symphylan (including garden symphylan), wireworms	7 days	3 days
Soybeans	30-40	White grubs, wireworms	20 days	3 days No more than 2 applications per season.
Spinach	25	Cutworms, symphylans (including garden symphylan), white grubs, wireworms	14 days	3 days
Squash (Summer & winter)	25	Cutworms, symphylans (including garden symphylan), white grubs, wireworms	15 days	3 days Do not apply before vining. Do not apply unless plants are dry.
Strawberries	30-40	Cutworms, wireworms	14 days	3 days
Sugar Beets	30-40	Cutworms, symphylans (including garden symphylans), white grubs, wireworms	15 days (roots)	5 days Do not apply after plants begin to flower.
			21 days (tops)	

Sugarcane	30-40	Cutworms, mole crickets, white grubs, wireworms		3 days	Apply to seed pieces in furrow.
Sweet Potato	30-40	Wireworms	15 days	3 days	
Swiss Chard	25	Wireworms	21 days	3 days	
Tomatoes	30-40	Cutworms, symphylans (including garden symphylans), white grubs, wireworms	10 days	3 days	
Turnips	25	Cutworms, symphylans (including garden symphylans), white grubs, wireworms	10 days	3 days	
Watermelon	25	Cutworms, symphylans (including garden symphylans), white grubs, wireworms	7 days	3 days	Do not apply before vining. Do not apply unless plants are dry.
ORNAMENTALS	LB/A	INSECTS CONTROLLED	REENTRY INTERVAL	CAUTIONS	
Gladiolus	30-40	Wireworms	3 days	Outdoor commercial plantings only. Apply in furrow over bulbs at time of planting.	
Flowering Plants	30-40	Cutworms, symphylans (including garden symphylans), white grubs	3 days	Outdoor commercial planting only. Frequent broadcast temperature should be above 50 F.	



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: All pesticides should remain in original containers in a locked storage area. Store in a cool, dry storage area. Moisture may ruin product. Cut open bag in such a manner as to avoid drift onto an individual. Reseal partial bags with tape to prevent moisture accumulation. In case of spill, confine material and decontaminate with clay, then dispose of by burial away from water supplies.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Wastes Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, if allowed by State and Local Authorities, by burning. If burned, stay out of smoke.

WARRANTY - CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.

