



19713-260

8-31-2007

1/3

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7504P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p>	EPA Reg. Number: 19713-260	Date of Issuance: AUG 31 2007
	Terms of Issuance: Unconditional	
<p>NOTICE OF PESTICIDE: <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Reregistration (under FIFRA, as amended)</p>	Name of Pesticide Product: Captan-75 Seed Protectant	
<p>Name and Address of Registrant (include ZIP Code):</p> <p>Drexel Chemical Company ATTN: Luz Chan P.O. Box 13327 Memphis, TN 38113-0327</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>Based on your response to the Reregistration Eligibility Document for Captan, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.</p> <p>A copy of your label stamped "Accepted" is enclosed for your records.</p>		
Signature of Approving Official:  Tony Kish, Product Manager 22 Fungicide Branch Registration Division (7504P)	Date: AUG 31 2007	

2/3



Captan-75

Seed Protectant (Corn and Soybeans)

For Seed Disease Control

ACTIVE INGREDIENTS:

Captan*	73.4%
Related Derivatives	1.6%
OTHER INGREDIENTS**:	25.0%
TOTAL:	100.0%

*N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide
**Planter box application and lubricant with 15% Graphite added.

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See **FIRST AID** Below

EPA Reg. No. 19713-260

EPA Est. No. 19713-GA-001 Net Contents: _____

FIRST AID
IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Causes substantial but temporary eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), long-sleeved shirt, long pants, shoes, and socks. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are polyethylene or polyvinyl chloride. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators, and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks, protective eyewear (goggles, facemask, or safety glasses), chemical-resistant gloves, and chemical-resistant apron when mixing/loading, cleaning up spills or otherwise exposed to the concentrate.

Persons drying or bagging treated seeds or sewing bags containing treated seeds are handlers and must wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This chemical is toxic to fish. Do not contaminate water by disposing of equipment washwaters or rinsate. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

GENERAL INFORMATION

Seed Treatment: CAPTAN-75 is a special powder formulation for treatment of Corn and Soybean seed, prior to planting, for the temporary protection of germinating seeds and seedlings against seed and soil-borne diseases, including damping-off, seed decay organisms and seedling blights.


Planter Box Application: Prepared for use directly in the planter box or may be mixed in any commercial seed treater, barrel treater or rotating container, such as a cement mixer. This product contains a non-oil lubricant to help seed to flow easily and evenly from planter box. Best protection will be obtained where every seed is coated with the chemical. **DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSE.**

KEEP PLANTER PLATES CLEAN— Grease or oil on plates can cause clogging.

Note: This product has been mixed with graphite as an aid in safe handling and lubrication of equipment.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.



Manufactured By:

Drexel Chemical Company

P.O. BOX 13327, MEMPHIS, TN 38113-0327

SINCE 1972

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), restricted entry interval (REI), and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the REI of 12 hours for planter box-type or hopper-box seed treatment uses.

EXCEPTION: Once the seeds are planted in soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction if there will be no contact with the soil/media subsurface.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is: Coveralls, chemical resistant gloves made of any waterproof material, shoes plus socks and protective eyewear.

Eye Protection: To mitigate eye irritation concerns from post application exposures, the Agency is requiring that, for at least seven days following the application of captan:

1. At least one container designed specifically for flushing eyes must be available in operating condition at the WPS-required decontamination site for workers entering the area treated with captan, and
2. Workers must be informed orally, in a manner they can understand:
 - that residues in the treated area may be highly irritating to their eyes,
 - that they should take precautions, such as refraining from rubbing their eyes, to keep the residues out of their eyes,
 - that if they do get residues in their eyes, they should immediately flush their eyes with the eyeflush container that is located at the decontamination site, and
 - how to operate the eyeflush container.

Double Notification: Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. Avoid storage at high temperatures. Do not stack over 2 pallets high. Move containers by handles or cases. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep away from any puncture source. Avoid contamination with acids or alkalis. Store in original container only. If the contents are leaking or material is spilled, follow these steps:

1. Contain spill; absorb with a material such as saw dust, clay granules or dirt.
2. Collect and place in suitable containers for disposal.
3. Wash area with soap and water to remove remaining pesticide.
4. Follow washing with clean water rinse.
5. Place a leaking container in a plastic tub and transfer contents as soon as possible to an empty original container.
6. Do not allow runoff to enter sewer or contaminate water supplies.
7. Dispose of waste as indicated below.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

WARRANTY—CONDITIONS OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. To the extent consistent with applicable laws, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

To the extent consistent with applicable laws, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

Rate of Application		
Corn*		Soybeans
Field	Sweet	
1.5 ozs./100 lbs. of seeds	2.7 ozs./100 lbs. of seeds	2.5 ozs./100 lbs. of seeds
*1 bushel = 56 pounds		

Seeds in Planter Box	Amount of This Product		Soybeans
	Corn		
	Field	Sweet	
100 pounds of seeds	1.5 ozs.	1.3 ozs.	2.3 ozs.

APPLICATION FOR SOYBEANS

This product is an easy to use Soybean seed treatment for planter box application. Apply this product to seed in planter box and mix so that all seeds are covered. When this product is used in combination with an inoculant, add this product first, stir, add the inoculant, stir. Plant as soon as possible.

Treated seed must not be used for human consumption nor as animal feed.

Seed that has been treated with this product that is then packaged or bagged for future use must contain the following labeling:

"This bag contains seed treated with captan. Persons opening this bag or loading/pouring the treated seed, must wear handler personal protect equipment."
 "Treated Seed - Do Not Use for Feed, Food, or Oil Purposes".

The Federal Government and some states have issued regulations for the application of special tags or labels to be affixed to bags containing treated seed.